

The

History of Locks Museum

Index to the Heritage Collection

Heritage Collection: The pool of Vintage and Antique items extracted from our Reference Collection and prepared for exhibition, and rotated around both our permanent and temporary exhibition sites.

The Heritage Collection

This extract from the register lists the pool of artefacts from the History of Locks Museum Heritage Collection of locks, keys and related items, which have been prepared for display and rotate around both permanent and temporary exhibition sites.

The file is regularly replaced with an updated version as we prepare and add items from the very much larger Reference Collection. As you use it do feel free to advise any typos, anomalies, or suggest further information. Amendments appear in future versions and of course your name added to the acknowledgements page at www.historyoflocks.com. Email the catalogue.keeper@emorlands.com quoting artefact number with your observations.

KEY TO ABBREVIATIONS	
Art No.	Artefact number
Class	main classification
CoR:	country or region
FdL:	found date & location
FKID	Former keeper ID
FSN	Former serial number
Hx:	hazards
Loc	location
Mt:	materials
PK	present keeper
Ref No.	former ID number(s)
Sn:	serial number
Sz:	size
Wt:	weight

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0000001			Key: Bramah style. CoR: England. Sz: 79mm. Mt: steel. Wt: 26g. Folding, 6 slider with oval wire bow.	18 th century	HoL-HC BTH-KC
0000019			Strongbox: Armada chest. CoR: Germany. Strongbox Sz: 525 x 330 x 360mm. Mt: iron. Wt: Key Sz: 107mm. Mt: iron. Wt: 151g. The common name for strongboxes generally is an Armada chest; this is a bit of a misnomer in as much the items provenance should include the campaign associated with it; not all strongboxes were used in campaigns, otherwise it is correctly simply referred to as a strongbox.	19 th century - Wilhelm I, WI	HoL-HC MLA-HR
0000161			Lock: Sz: Mt: steel. Wt:	18 th century	HoL-HC BTH-LR
0000162 /261			Padlock: Spring Barb Padlock with Turning Key. CoR: Germanic. Lock Sz: 82mm. Mt: iron. Wt: 712g. Key Sz: 122mm. Mt: iron. Wt: 58g.	17 th /18 th century	HoL-HC MLA-HR2/1
0000168			Lock: Alarum Box Lock. CoR: Date: Georgian/Victorian. Size: 96 x 59mm. Mat: iron, brass.	19 th century - Georgian/ Victorian -	HoL-HC BTH-

The History of Locks Museum – Heritage Collection

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0000169			Lock: Alarum cabinet draw/door, claw bolt. D: 19 th /20 th century. CoR: Germany Sz: 94 x 61mm. Mt: iron. Wt: 150g. Key Sz: 73mm. Mt: iron. Wt: 20g. Marked, in an oval cartouche: 'DRP'	19 th /20 th cent.	HoL-HC BTH-4LAB- UID02
0000170			Lock: stock, Banbury Style. CoR: Lock Sz: 227 x 130mm (plus 14mm bolt throw) Mt: wood, iron. Wt: 714g. Key Sz: 104mm. Mt: steel. Wt: 50g.	18 th /19 th century - Georgian/ Victorian -	HoL-HC MLA-HR-
0000241 /1947			Casket: with secret release button. CoR: Sz: 138 x 77 x 90mm. Mt: Wt: 843g.	18 th /19 th century	HoL-HC MLA-HR
0000346 /1947			Lock: Alarum Rim, apprentice/exercise. CoR: France. Lock Sz: 229 x 144 mm (plus bolts and knobs). Mt: brass, steel. Wt: 3.322kg. Key Sz: 180mm. Mt: iron, brass. Wt: 89g.	19 th century	HoL-HC MLA- HR7/1
0000769 /1947			Padlock: Spring Barb Padlock with Turning Key. CoR: Sz: 137x178mm Wt:2.25kg. Key assembled by copper brazing. Acorn logo embossed on shackle 3 times. In this example the spring barbs are compressed by a rotary motion of the key.	18 th /19 th century	HoL-HC BTH-
0000771 /1947			Key: Sz: 31mm, Mt: Steel	18 th /19 th century	HoL-HC BTH-KC
0000774 /1947			Padlock: Spring Barb Padlock, Sliding Key. CoR: Lock Sz: 138mm. Mt: brass. Wt: 462g. Key Sz: 134mm (closed), 215mm (open). Mt: brass. Wt: 106g.	19 th century Traditional	HoL-HC MLA- HR1/2
0000775 /1947			Padlock: Screw Key. CoR: Sz: 35mm		HoL-HC BTH-AB- SKP
0000776 /1947			Padlock: Spring Barb Padlock with Turning & Sliding Keys.CoR: Sz: 120x94mm.		HoL-HC BTH-AB- SBH

The History of Locks Museum – Heritage Collection

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0000777 /1947			Padlock: Spring Barb Padlock with Sliding Key. CoR: Africa Lock Sz: 90mm. Mt: iron, brass. Wt: 60g. Key Sz: 60mm. Mt: iron, copper. Wt: 6g. Donated to HoL in 1970's by an ex-soldier who acquired it during WWII North Africa campaign.	19 th century	HoL-HC MLA-HR1/2
0000778 /1947			Padlock: Screw key. CoR: Sz: 65mm		HoL-HC BTH-AB-SKP
0000779 /1947			Padlock: Screw Key. CoR: English. Sz: 63mm.	19 th century - Victorian.	HoL-HC BTH-AB-SKP
0000780 /1947			Padlock: Screw Key. CoR: Sz: 84mm		HoL-HC BTH-AB-SKP
0000781 /1947			Padlock: Screw Key Padlock with Secret. CoR: Sz: 66mm. Key has chisel bow used to prise up rivet.		HoL-HC BTH-AB-SKP
0000782 /1947			Padlock: Screw Key Padlock with secret. CoR: Sz: 86mm. pull up rivet to release flap revealing keyhole.		HoL-HC BTH-AB-SKP
0000788 /1947			Padlock: Screw Key. CoR: Sz: 84mm.		HoL-HC BTH-AB-SKP
0000790 /1947			Padlock: Screw key. CoR: Size: 58mm.		HoL-HC BTH-AB-SKP
0000791 /1947			Padlock: Screw Key. CoR: Size: 49mm.		HoL-HC BTH-AB-SKP

The History of Locks Museum – Heritage Collection

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0000792 /1947			Padlock: Screw key. CoR: Sz:		HoL-HC BTH-AB- SKP
0000795 /1947			Padlock: Screw key. CoR: Sz: 60mm.		HoL-HC BTH-AB- SKP
0000796 /1947			Padlock: Screw Key. CoR: Sz: 61mm.		HoL-HC BTH-AB- SKP
0000797 /1947			Padlock: Screw Key. CoR: Sz: 55mm.		HoL-HC BTH-AB- SKP
0000798 /1947			Padlock: Screw key. Sz: 71mm.		HoL-HC BTH-AB- SKP
0000801			Padlock: Screw key. CoR: Sz: 35mm.		HoL-HC BTH-
0000802 /1947			Padlock: Screw Key. CoR: Sz: 51mm.		HoL-HC BTH-AB- SKP
0000803 /1947			Padlock: Screw Key. CoR: Sz: 82mm.		HoL-HC BTHAB- SKP
0000804 /1947			Padlock: Spring Barb, with Sliding Key. CoR: Middle East. Lock Sz: 143mm. Mt: brass, iron. Wt: 248g. Key Sz: 168mm. Mt: brass, iron. Wt: 56g. A Traditional style padlock where the barbs are compressed with a sliding action with the key. This example also has external wards. Note the	19 th century	HoL-HC MLA- HR1/2

The History of Locks Museum – Heritage Collection

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
			decorated brass panels on both the lock and key.		
0000805 /1947			Padlock: Spring Barb Padlock, Sliding Key. CoR: Lock Sz: 37 x 41mm. Mt: brass. Wt: 64g. Key Sz: 70mm. Mt: brass. Wt: 15g.	19 th /20 th cent.	Hol-HC BTH-AB- UID09
0000806 /1947			Padlock: Spring Barb Padlock with Sliding Key. CoR: Lock Sz: 91 x 59mm. Mt: iron. Wt: 88g. Key Sz: 81mm. Mt: iron, cord. Wt: 16g.	19 th /20 th cent.	Hol-HC BTH-AB- UID09
0000807 /1947			Padlock: Spring Barb Padlock with Sliding Key. CoR: Lock Sz: 86 x 32 x 21mm. Mt: brass. Wt: 126g. Key Sz: 92mm (closed), 157mm (open). Mt: brass. Wt: 28g.	19 th /20 th cent.	Hol-HC BTH-AB- UID09
0000808 /1947			Padlock: Spring Barb Padlock with Sliding Key. CoR: Lock Sz: 75 x 33 x 23mm. Mt: brass. Wt: 176g. Key Sz: 104mm (folded) 139mm (open). Mt: brass. Wt: 18g.	19 th /20 th cent.	Hol-HC BTH-AB- UID09
0000809 /1947			Padlock: Spring Barb Padlock with Sliding Key. CoR: Lock Sz: 79 x 30 x 19mm. Mt: brass. Wt: 116g. Key Sz: 75mm (closed). 123mm (open). Mt: brass. Wt: 14g.	19 th /20 th cent.	Hol-HC BTH-AB- SBS- 01
0000810 /1947			Padlock: Spring Barb Padlock with Sliding Key. CoR: Lock Sz: 83 x 33 x 21mm. Mt: brass. Wt: 148g. Key Sz: 93mm (closed). 150mm (open). Mt: brass. Wt: 43g.	19 th /20 th cent.	Hol-HC BTH-AB- UID09
0000811 /1947			Padlock: Spring Barb Padlock with Sliding Key. CoR: Lock Sz: 88 x 88mm. Mt: iron. Wt: 363g. Key Sz: 210mm. Mt: iron. Wt: 93mm.	19 th /20 th cent.	Hol-HC BTH-AB- UID08
0000812 /1947			Padlock: Spring Barb Padlock with Sliding Key. CoR: Lock Sz: 109 x 58mm. Mt: brass. Wt: 117g. Key Sz: 75mm. Mt: brass. Wt: 8g. Fish Shaped.	19 th /20 th cent.	Hol-HC BTH-AB- UID09
0000813 /1947			Key: Venetian. Sz: 105mm. Mt: steel. Wt: 35g.	18 th century	Hol-HC MLA- HR1/2
0000814 /1947			Key: Venetian Size: 91mm	19 th /20 th cent.	Hol-HC BTH-KC


Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style –	Group /Loc
0000815 /1947			Key: Venetian 99mm	19 th /20 th cent.	HoL-HC BTH-KC
0000817 /1947			Padlock: Spring Barb Padlock with Sliding Key. CoR: Lock Sz: 57 x 43mm. Mt: brass. Wt: 54g. Key Sz: 47mm. Mt: brass. Wt: 4g. Elephant Shaped.	19 th /20 th cent.	HoL-HC BTH-AB- UID09
0000818 /1947			Padlock: Spring Barb Padlock with Sliding Key. CoR: Sz: 76 x 68mm. Mt: iron. Wt: 180g. Key:	19 th /20 th cent.	HoL-HC BTH-AB- UID08
0000819 /1947			Padlock: Spring Barb Padlock with Sliding Key. CoR: Lock Sz: 209 x 108mm. Mt: iron. Wt: 683g. Key Sz: 156mm. Mt: iron. Wt: 77g.	19 th /20 th cent.	HoL-HC BTH-AB- UID08
0000820 /1947			Padlock: Spring Barb Padlock with Sliding Key. CoR: Lock Sz: 230 x 81mm. Mt: iron. Wt: 964g. Key Sz: 256mm. Mt: iron. Wt: 96g.	19 th /20 th cent.	HoL-HC BTH-AB- UID08
0000821 /1947			Padlock: Spring Barb Padlock with Sliding Key. CoR: Lock Sz: 169 x 101mm. Mt: iron. Wt: 592g. Key Sz: 207mm. Mt: iron. Wt: 143g.	19 th /20 th cent.	HoL-HC BTH-AB- UID08
0000822 /1947			Padlock: Spring Barb Padlock with Sliding Key. CoR: Lock Sz: 165 x 83mm. Mt: iron. Wt: 228g. Key Sz: 154mm. Mt: iron. Wt: 105g.	19 th /20 th cent.	HoL-HC BTH-AB- UID08
0000829 /1947			Padlock: Spring Barb Padlock with Sliding Key. CoR: Lock Sz: 186 x 88mm. Mt: iron. Wt: 298g. Key Sz: 141mm. Mt: iron. Wt: 21g.	19 th /20 th cent.	HoL-HC BTH-AB- UID08
0000830 /1947			Padlock: Spring Barb Padlock with Sliding Key. CoR: Lock Sz: 237 x 95mm. Mt: iron. Wt: 628g. Key Sz: 160mm. Mt: iron. Wt: 81g.	19 th /20 th cent.	HoL-HC BTH-AB- UID08
0000831 /1947			Padlock: Spring Barb Padlock with Turning Key. CoR: Sz: 173mm. Fish Style.A very ancient and popular design, the fish sleeps with its eyes open and therefore is always on guard.	19 th /20 th cent.	HoL-HC BTH-
0000832 /1947			Padlock: Combination, 5 wheel. CoR:	20 th century	HoL-HC BTH-AB- UID03



Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0000833 /1947			Padlock: Spring Barb. CoR: Sz: 162mm.	19 th /20 th cent.	HoL-HC BTH-AB- UID03
0000837 /1947			Padlock: with secret. CoR: Marked: Ratan, No.1000 507 & on the back M A Quareshy 1946. The key is a dummy and does not operate the lock, firmly slide the raised crest portion to the right to open.	20 th century	HoL-HC AB- UID03
0000846 /1947			Padlock: with a Secret. CoR: Size: 41x72mm	19 th /20 th cent.	HoL-HC BTH-AB- UID03
0000874 /1947			Key: Carriage , Folding. CoR: Sz: 72mm. Mt: steel. Wt: 39g.	19 th century	HoL-HC BTH-KC-
0000875 /1947			Key: Carriage . CoR: Sz: 76mm. Mt: steel. Wt: 62g Folds away into a tube case.	20 th century	HoL-HC BTH-KC-
0000908 /1947			Padlock: Combination, 4 wheel. CoR: England. Sz: 35x45mm '3' stamped on end. A typical Victorian combination padlock, this example with 4 wheel rings engraved with letters.	19 th century - Victorian -	HoL-HC MLA-HR
0000940 /1947 /PF-442			Key: Sz: 147mm. Mt:	18 th /19 th cent.	HoL-HC KC-

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0000954 /1947			Padlock: Spring Barb Padlock with Sliding Key. CoR: Sz: 208mm, Mt: iron	19 th /20 th cent.	Hol-HC AB-UID01
0000961 /1947			Lock: Georgian Rim Lock. CoR: Sz: 166 x 100mm. Mt: brass, iron. Wt: Note internal decoration Incomplete, missing escutcheon flap and privacy bolt snib, but with 2 keys.	18 th century	Hol-HC BTH-
0000962 /1947			Lock: Rim. CoR: England. Lock Sz: 196 x 112. Mt: brass, iron. Wt: 1.498kg. Key Sz: 111mm. Mt: iron. Wt: 46g. With interior decoration, and 1 key.	18 th /19 th century - Georgian -	Hol-HC BTH-
0000966 /1947			Lock: Stock with bridge ward CoR: Sz: 228 x 150mm. with key.	19 th /20 th cent.	Hol-HC BTH-BB-01
0000991 /1947			Restraint: Nipper Sz: 131mm marked: W Dowler	20 th century	Hol-HC BTH-AB-UID01
0001008			Lock: Wooden tumbler. CoR: Egypt. Sz: 404mm, plus bolt throw. Mt: wood. Ancient Egyptian Tumbler Lock Traditional, up to 1,000BC. From the Dakhla Oasis. Donated by The Petrie Museum 2014.	15 th -17 th cent.	Hol-HC BH-
0001009 /1947			Key: Roman tumbler, Finger Ring. CoR: Roman Empire. Sz: 29 x 38mm. Mt: Bronze Wt: 15g.	2 nd -8 th cent.	Hol-HC MLA-HR1/2
0001011 /1947 /PF-516 /291			Lock: Clicker, 4 wheel. CoR: Sz: 134 x 134 x 90mm. Mt: iron, brass. Wt: 1.218kg. Code: MPVS Typically used to block the main key lock on early European safes of the 19 th /20 th century.	19/20 th cent	Hol-HC MLA-HR12
0001013 /1947 /459			Key: with spade shape drill pin. CoR: European. Size: 92mm (key), 41mm (drill pin). Mat: brass, steel.	18 th century	Hol-HC BTH-KC-
0001016 /1947 /PF-436			Key: Double ended Key. CoR: Sz: 129mm. Mt: steel. Wt:	18 th /19 th century	Hol-HC BTH-KC-

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0001026 /1947 /PF-437			Safe door: with box of wards and key. CoR: Key Sz: 140mm. Mt: steel. Wt: 254g. Escutcheon Sz: 100mm dia. Mt: cast iron. Wt: 376g. A box of wards style key with a shaft formed both internally and externally in the shape of a 5 pointed star. Oval bow with stylised drops internally, the boss proportionally tapers and is embellished with decorative turnings. Wedge bit.	18 th century	HoL-HC MLA-HR2/3 Box of ward & escutcheon: 9LAB-UID07
0001027 /1947 /438			Key: CoR: Germanic Sz: 120mm. Mt: steel. The stem is trefoil shaped both internally and externally. Flat bit with an external or raised bullet ward.	17 th /18 th century	HoL-HC BTH-KC
0001028 /1947 /PF-439			Key: CoR: Sz: 90mm. Mt: steel. Wt: The stem is formed both internally and externally in a triangular shape. The bow is uniformly circular in both shape and section with decoration grooves formed in the collar boss. Flared bit.	18 th century	HoL-HC BTH-KC-
0001029 /1700 /440			Key: CoR: Sz: 65mm. Mt: steel. Wt: 96g. The stem is formed externally in the shape of a triangle, and internally in the shape of an arrow head.	18 th /19 th century	HoL-HC KC-
0001035 /1947 /PF-004 /139			Padlock: CoR: USA Sz: 55 x 81mm. Mt: steel, brass. Wt: 152g		HoL-HC BTH-4LAB-UID03
0001052 /1947 /PF-018 /183			Padlock: CoR: Lock Sz: 30 x 56mm. Mt: iron. Wt: 56g. Key Sz: 33mm. Mt: iron. Wt: 4g.		HoL-HC BTH-4LAB-UID03
0001069 /1947			Key: Folding, in the shape of a sports car. CoR: Sz: 71mm (closed) 118mm (open).	20 th century	HoL-HC BTH-KC-


The History of Locks Museum – Heritage Collection

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0001076 /1947			Key: CoR: Sz: 58mm. Mt: steel. Wt:	19 th century	HoL-HC BTH-KC-
0001082			Padlock: keyless combination CoR: USA. Sz:	19 th century	HoL-HC BTH-
0001087 /1947			Lock: Kit bag Hasp with integral lock. CoR: Size: 108 x 70mm. Mt: brass	20 th century	HoL-HC BTH-
0001116 /1947			Padlock: with concealed key hole. CoR: Sz: 22 x 37mm.	18 th /19 th century	HoL-HC BTH-
0001139 /1947			Key: Venetian Size: 119mm.Mt: iron. Wt: 47g.	18 th century	HoL-HC MLA- HR1/2
0001140 /1947			Key: Venetian CoR: Sz: 92mm. Mt: iron. Wt: 46g.	18 th century	HoL-HC MLA- HR1/2
0001141 /1947			Key: Box of Wards . CoR: England. Sz: 129mm. Mt: steel. Wt: 110g. Box of wards key with dust stopper, typically used on early safes and strongboxes.	19 th century	HoL-HC MLA- HR3/2
0001144 /1947			Lock: Davis Patent Cabinet Lock Sn: U.9. CoR: England. Sz: 51 x 91mm. Mt: brass, steel. Wt: 278. Marked: on flange – U9, on cap - VR Davis's Patent.	19 th century - Victorian	HoL-HC BTH-
0001167 /1947			Lock: Wooden. CoR: England Replica of 2000 year old principle, Tumbler Lock Model. Made by the late Tony Clare, with a clear acrylic back to demonstrate the principle.	20 th century	HoL-HC MLA- HR1/3
0001169 /1947			Key: Warded stem, Sz: 134mm. Mt: iron. Wt: 272g.	18 th /19 th cent.	HoL-HC BTH-AB- UID

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style –	Group /Loc
0001171 /1947			Box: 3 Dial Combination Snuff Box. Sz: 50 x 70mm. Mat: brass With a 3 dial combination lock (set on 11,3,7). Engraved on back: 'Jack Newman 79 Bourne St Eastbourne 1929'. This style of combination lock mechanism is identical to those in Roman padlocks which first appeared c2nd century.	20 th century 1929	Hol-HC CC-
0001247 /1947 /PF-052 /271			Padlock: CoR: European. Lock Sz: 127 x 202mm (plus 85mm shackle tail). Mt: iron. Wt: 2.724kg. Key Sz: 145mm. Mt: iron. Wt: 114g. Double chambered, the key is inserted upside down and rotated 180 degrees, then pushed into the lower chamber when the lock can opened in the normal way.	18 th century	Hol-HC BTH-
0001254 /1947			Badge: safe. CoR: England. Sz: Mt: Cast Brass. Wt: Reads: "1468 Warranted Fire Resisting Rd. Feb 7 th 1884".	19 th century	Hol-HC AB-UKB06
0001265 /1947 /PF-064			Padlock: lever. CoR: Lock Sz: 49 x 74mm. Mt: brass, steel. Wt: 107g. Key Sz: 42mm. Mt: steel. Wt: 4g.	20 th century	Hol-HC MLA- HR17/2
0001270 /1947 /PF-069			Padlock: CoR: Lock Sz: 58 x 84mm. Mt: steel. Wt: 219g. Key (2) Sz: 72mm. Mt: steel. Wt: 15g. Key bit swings out from stem as key is pushed into lock. Key bit stamped: 4	20 th century	Hol-HC BTH-
0001271 /1947 /PF-070			Padlock: CoR: Lock Sz: 58 x 84mm. Mt: steel. Wt: 219g. Key Sz: 72mm. Mt: steel. Wt: 15g. Key bit swings out from stem as key is pushed into lock.	20 th century	Hol-HC MLA- HR17/2
0001329 /1947 /PF-111 217			Padlock: CoR: Sz: With factory cutaway vision fret; note the drop arm which prevents the key from being removed when the shackle is open.	20 th century	Hol-HC BTH-
0001330 /1947 /PF-112			Padlock: CoR: Lock Sz: 40 x 61mm. Mt: steel. Wt: 58g. Key Sz: 38mm. Mt: steel. Wt: 8g.	20 th century	Hol-HC MLA-HR


Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0001354 /1947 /PF-137			Padlock: 4 dial CoR: Germany. Sz: 50 x 78mm. Mt: iron, brass. Wt: 220g Marked: DRGM. Code: 3210 Roman, notched shackle, style.	19 th /20 th century	HoL-HC MLA- HR17/2
0001381 /1947			Lock: Banbury Stock CoR: England Lock Sz: 269 x 175mm (plus 30mm bolt throw). Mt: iron, wood. Wt: 2.18kg. Key Sz: 181mm, Mt: iron. Wt: 190g.	18 th /19 th century - pre-industrial	HoL-HC MLA- HR2/1
0001398 /1947			Key: Portal, Masonic. CoR: England. Sz: Mt: silver. Wt: 30g. With a brass tag which reads: "Made in 1904 by JB London 925S WT 35GM". Engraved on bit: 'Manington Lodge No.1572'.	20 th century 1904	HoL-HC BTH-KC
0001399 /1947			Lock: Chest, with Mystery key. CoR: Lock Sz: 176 x 222mm. Mt: iron. Wt: 2.646kg. Key Sz: 118mm. Mt: iron. Wt: 86g.	18 th /19 th century	HoL-HC BTH-
0001418 /1947 /PF-156			Padlock: CoR: Sz: 57 x 85mm. With retracting bit key. Letter 'J' stamped on case side.	20 th century	HoL-HC BTH-AB- UID04
0001419 /1947 /PF-157			Padlock: CoR: Lock Sz: 44 x 66mm. Mt: iron. Wt: 48g. Key Sz: 43mm. Mt: iron. Wt: 2g.	20 th century	HoL-HC BTH-4LAB- UID13
0001430 /1947 /PF-164 /169			Padlock: CoR: Sz: 35mm. Mt: steel. Wt: With cross drill pin.	19 th /20 th cent.	HoL-HC BTH-AB- UID03
0001431 /1947 /PF-165			Padlock: CoR: Lock Sz: 21 x 30mm. Mt: brass, iron. Wt: 10g. Key Sz: 35mm. Mt: iron. Wt: 4g.	19 th /20 th cent.	HoL-HC BTH-4LAB- UID13


The History of Locks Museum – Heritage Collection


Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0001432 /1947 /PF-166			Padlock: CoR: Lock Sz: 50 x 65mm (lock) 300mm (chain length). Mt: iron. Wt: 172g. Key Sz: 37mm. Mt: iron. Wt: 6g	20 th century	HoL-HC BTH-4LAB- UID13
0001437 /1947 /PF-171 /265			Padlock: CoR: Size: 65mm. Mt: steel	19 th /20 th cent.	HoL-HC BTH-AB- UID03
0001438 /1947 /PF-172			Padlock: combination, 4 wheel. CoR: Germany. Sz: 35 dia. x 63mm. Combination set on: 213342	20 th century	HoL-HC BTH-AB- UID01
0001440 /1947 /PF-174			Padlock: Scandinavian. CoR: Sz: Springless rotating discs. Key stamped: 'P'.	20 th century	HoL-HC BTH-LR2-
0001442 /1947 /PF-176			Shackle: CoR: Sz: 180 x 63mm (plus 4 link chain). Mt: iron. Wt: 1.436kg.	20 th century	HoL-HC BTH-9LAB- UIDC01
0001461 /1700 /PF-195			Lock: Cabinet. CoR: Size: 66 x 71mm. Mt: steel. Wt: With cross shaped drill pin.	19 th /20 th cent.	HoL-HC BTH-AB- UID0
0001481 /1700 /PF-215			Lock: Cabinet Size: 67 x 80mm. Mt: steel, brass. Wt: Hinged bit key.	19 th /20 th cent.	HoL-HC BTH-AB- UID0
0001482 /1947 /PF-216			Lock: Cabinet, cut, door or drawer. CoR: Sz: 66 x 79mm. Mt: steel, brass. Wt: Key, 65mm, to fit cruciform drill pin, stem and bit steel, bow nickle silver. Double throw. In the style of 18 th century.	19 th /20 th century	HoL-HC BTH-AB- UID02
0001485 /PF-219 /257			Lock: Cabinet, with a secret CoR: Lock Sz: 125 x 114mm. Mt: brass, steel. Wt: Key Sz: 57mm. Mt: steel. Wt: 12g. Double throw with a reset feature and a clutch type latch. The latch is not driven by a spindle but is drawn back by the key.	17 th /18 th century	HoL-HC MLA- HR3/3


Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0001541 /1700 /PF-266			Lock: CoR: Germany.		HoL-HC
0001575 /1947 /PF-301 /47			Lock: Mortice Deadlock. CoR: Sz: 110 x 200mm. Double throw 7 levers plus a bridge ward.	19 th /20 th cent.	HoL-HC BTH-AB- UID01
0001606 /1947 /PF-332 /147			Padlock: spring Barb. CoR: Sz: 78 x 32 x 17mm. Mt: brass. Wt: Chinese style.	19 th /20 th cent.	HoL-HC BTH-4LAB- UID09
0001608 /1947 /PF-334 /249			Padlock: Spring Barb. CoR: Sz: 68 x 25 x 17mm. Mt: brass. Wt: Chinese style.	19 th /20 th cent.	HoL-HC BTH-AB- UID
0001609 /1947 /PF-335 /250			Padlock: Spring Barb. CoR: Sz: 45 x 19 x 14mm. Mt: Brass. Wt: Chinese style.	19 th /20 th cent.	HoL-HC BTH-AB- UID
0001610 /1947 /PF-336			Padlock: Spring Barb. CoR: Sz: 64 x 26 x 18mm. Mt: brass. Wt: Chinese style.	19 th /20 th cent.	HoL-HC BTH-AB- UID
0001611 /1947 /PF-337			Padlock: Spring Barb. CoR: Sz: 37 x 20 x 12mm. Mt: brass. Wt: Chinese style.	19 th /20 th cent.	HoL-HC BTH-AB- UID
0001631 /1947 /PF-356			Padlock: Spring Barb with Turning Key. CoR: European Lock Sz: 35 x 63mm. Mt: iron. Wt: 49g. Key Sz: 49mm. Mt: iron. Wt: 7g.	18 th century	HoL-HC MLA- HR2/1
0001632 /1947 /PF-357 262			Padlock: Screw Key CoR: Lock Sz: 85 x 112mm. Mt: iron. Wt: 474g. Key Sz: 83mm. Mt: iron. Wt: 78g. To unlock, insert key and turn 2 full turns clockwise and push key in a little further, reverse turn just over 1 full turn again pushing in a little further, then clockwise turn, almost two full turns until open.	19 th century	HoL-HC BTH-

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style –	Group /Loc
0001633 /1947 /PF-358 /269			Padlock: Screw key. CoR: European. Sz: 72 x 79mm. Mt: iron. Wt:	19 th century	HoL-HC BTH-LR2-
0001634 /1947 /PF-359			Padlock: with a secret. CoR: Sz: 60 x 94mm. Mt: steel. Wt: 176g With secret, move ridge on back a few degrees in an anti-clockwise direction.	19 th /20 th cent.	HoL-HC BTH-4LAB- UID03
0001635 /1947 /PF-360			Padlock: CoR: Sz: 94 x 106mm. Mt steel, brass. Wt: The body has two neat countersunk holes and a loose cap, the rivets unsealed – perhaps this was a display/demonstration model.	19 th /20 th cent.	HoL-HC BTH-AB- UID
0001638 /1700 /PF-363			Manacles: Thumb cuffs CoR: USA Sz: 103 31mm. Mt: steel. Wt: 86g. Key Sz: 43mm. Mt: steel. Wt: 6g.	19 th /20 th century	HoL-HC MLA- HR13/1
0001642 /1947 /PF-367			Padlock: Spring barb, sliding key. CoR: Europe. Lock Sz: 140 x 86mm. Mt: iron. Wt: An 18 th century padlock with 4 spring barbs. The key compresses the barbs allowing the removal of the locking pin to which they are attached, once removed the shackle can be swung up.	18 th century	HoL-HC BTH-LR2-
0001645 /1947 /PF-370 /294			Lock: Chest/strongbox. CoR: Europe. Lock Sz: 345 x 318mm. Mt: iron. Wt: Key Sz: 136mm. Mt: iron. Wt: 135g. Typically used on oak banded and studded strongboxes.	18 th century	HoL-HC MLA- HR3/4
0001646 /1947 /PF-371			Lock: Chest. CoR: Lock Sz: 155 x 206mm.. Mt: iron. Wt: 3.78kg Key Sz: 149mm. Mt: iron. Wt: 326g. With motif of crowned sea horses or dragons and 3 guild marks impressed in the flange. It was normal in higher status locks to bring the lock to a semi-finished state – the client would choose the exact design for finishing.	18 th century	HoL-HC MLA- HR2/2

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0001647 /1947 /PF-372			Lock: Mastership. CoR: Europe. Sz: 372 x 146mm. Mt: steel. Wt: 4.358kg.	17 th century	HoL-HC BTH-LR2
0001648 /1947 /PF-373 /298			Lock: Alarum, Mortice. CoR: European Lock Sz: 167 x Mt: brass, steel, copper. Wt: 4.428kg. Key Sz: Large Mortice Deadlatch with 5 Hammer Bell A double throw deadlocking latch with 2 gear driven privacy bolts. The main feature being a 5 hammer bell driven by the follower spindle. Decoration on the tumbler lever of a serpent.	17 th /18 th century	HoL-HC MLA- HR3/4
0001650 /1947 /PF-375 /302			Lock: CoR: Lock Sz: 308 x 216mm. Mt: iron. Wt: 11.115kg. Key: Sz: 148mm. Mt: iron. Wt: 212g Believed to be an exercise or demonstration lock. It has a loose cap which has never been riveted. All the parts appear to be forged, to a very high standard, at the anvil including the key.	18 th century	HoL-HC MLA- HR3/2
0001651 /1947 /PF-376			Lock: with a secret, for a cupboard door. CoR: European Lock Sz: 144 x 208mm (excluding 20mm bolt throw). Mt: steel, brass. Wt: 1.544kg. Key Sz: 92mm. Mt: iron. Wt: 48g. Operation (from unlocked): turn key one full revolution anti-clockwise to lock, and one full revolution to unlock. To double lock give the key another full revolution when locking. To unlock when double locked;	18 th /19 th century	HoL-HC MLA- HR3/3
0001652 /1947 /PF-377 /279			Lock: for a Chest CoR: European. Lock Sz: 121 x 228mm. Mat: iron. Wt: 1.112kg. Key Sz: 154mm. Mt: iron. Wt: 104g. A forged, filled and embossed chest lock. Decoratively chased revealing a forlorn face. Believed to be for a 'Hope' or 'Marriage' chest.	17 th /18 th century	HoL-HC MLA- HR2/3

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0001653 /1700 /PF-378 /305			Lock: Chest CoR: European Lock Sz: 160 x 203mm. Mt: iron. Wt: Key Sz: 142mm. Mt: iron. Wt: 89g.	18 th century	HoL-HC MLA- HR2/3
0001656 /1947 /PF-381			Lock: Cabinet. CoR: Europe. Lock Sz: 139 x 206mm. Mt: brass, steel. Wt Key Sz: 97mm. Mt: iron. Wt: 50g.	17 th /18 th century	HoL-HC MLA- HR2/2 Note: cap in AB-UID
0001659 /1947 /PF-384 /282			Lock: Rim Night Latch CoR: European Lock Sz: 174 x 148. Mat: iron. Wt: 782g. Key S: 125mm. Mt: iron. Wt: 58g. Sliding latch bolt, key operated from the outside, and simply pulled back from the inside. Key formed by rolling stem from a flat sheet and bit and bow brazed.	18 th century	HoL-HC
0001661 /1947 /PF-386 /259			Lock: for a Chest. CoR: European. Lock Sz: 147 x 93mm. Mt: iron. Brass. Wt: 836g Striker plate Sz: 172 x 44mm. Mt: iron. Wt: 213g. Large key Sz: 99mm. Mt: iron. Wt: 47g. Small key Sz: 84mm. Mt: iron. Wt: 35g. Double chambered with 2 different keys. Operation to lock: close lid, engaging the four pronged striker when the top chamber bolt automatically engages.	18 th /19 th century	HoL-HC MLA- HR2/3
0001662 /1947 /PF-387 /276			Lock: Chest. CoR: Europe. Lock Sz: 207 x 250mm. Mt: steel. Wt: 2.298kg. Key Sz: 150mm. Mt: iron. Wt: 124g.	18 th /19 th century	HoL-HC MLA-HR- 7/1
0001665 /1947 /PF-390 /251			Box of Wards: with key. CoR: Europe. Wards Sz: 115mm dia. Mt: brass, steel. Wt: 328g. Key Sz: 174mm. Mt: steel. Wt: 165g.	18 th century	HoL-HC MLA- HR7/2
0001667 /1947 /PF-392			Lock: key operated door latch. Co: European. Sz: 262mm x 136mm. Mt: iron. Wt:	19 th century	HoL-HC BTH-

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0001668 /1947 /PF-393			Lock: prison cell. CoR: France Lock Sz: 142 x 140mm. Mt: iron. Wt: 3.018kg. Key: Sz: 109mm. Mt: iron. Wt: 74g.	18 th /19 th century	HoL-HC BTH-9LAB- UIDC01
0001670 /1947 /PF-395 /303			Padlock: CoR: Lock Sz: 162 x 422 x 54mm. Mt: iron. Wt: 2.372kg. Key Sz: 120mm. Mt: iron. Wt: 133g.	18 th century	HoL-HC BTH- 12LAB- OS1
0001673 /1947 /PF-398 /287			Lock: Chest, with a secret. CoR: European. Lock Sz: 252 x 222mm. Mt: iron. Wt: 1.995kg. Strap staple Sz: 199 x 315. Mt: iron. Wt: 516g. Key Sz: 121mm. Mt: iron. Wt: 114g. A chest lock with three sockets for the link plate and a matching three pegs on the ling plate strap. Observers will soon note that only the two outside bolts can be released with the key. So it's a chest lock with a secret. To lock: closing the lid engages the central spring catch. A further two turns of the key deadlocks the outer two bolts. To Unlock: Turn the key two full turns clockwise and then with the key in the insertion/withdrawal position firmly push which releases the spring catch via a pivoted lever on the rear of the case.	17 th /18 th cent	HoL-HC MLA- HR2/4
0001674 /1947 /PF-399			Lock: Cathedral. CoR: European Lock Sz: 472 x 221mm. Mt: steel. Wt: Key Sz: 175mm. Mt: steel. Wt: 190g.		HoL-HC LR2-
0001675 /1947 /PF-400 /281			Padlock: CoR: Sz: 122 x 155. Mt: iron. Wt:	18 th /19 th cent.	HoL-HC BTH-
0001676 /1947 /PF-402 277			Lock: Rim Latch. CoR: Europe. Size: 165 x 110mm. Mt: iron. Wt: 581g	19 th century	HoL-HC MLA- HR3/1
0001680 /1947 /PF-405 288			Lock: key operated latch. CoR: Europe Sz: 223 x 160mm. Mt: iron. Wt: 1.014kg. With a lever style snib.	18 th century	HoL-HC MLA-HR

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0001683 /1947 /PF-408			Lock: Chest. CoR: Sz: 258 x 255mm. Mt: iron. Wt: 2.328kg.	18 th century	HoL-HC BTH-
0001692 /1947 /PF-416			Key: Park Gate. CoR: England Sz: 97mm. Mt: steel. Wt: Properties that backed on to Regents Park could have a gate and key which gave direct access to the park from their own back garden for an annual fee.	19 th century	HoL-HC BTH-KC
0001693 /1947 /PF-417			Key: Folding set. CoR: Sz: 147mm (open), 80mm (closed). Mt: steel. Wt:	18 th /19 th century	HoL-HC BTH-KC
0001694 /1947 /PF-418			Key: Folding. CoR: Sz: 108mm, (open), 62mm (closed). Mt: steel. Wt:	18 th /19 th century	HoL-HC BTH-KC
0001695 /1947 /PF-419			Key: Folding. CoR: Sz: 99mm (open), 57mm (closed). Mt: steel. Wt:	18 th /19 th century	HoL-HC BTH-KC
0001696 /1947 /PF-410			Key: Folding. CoR: Sz: 104mm (open), 59mm (closed). Mt: steel. Wt:	19 th century	HoL-HC BTH-KC
0001697 /1947 /PF-411			Key: Folding. CoR: Sz: 128mm (open), 71mm (closed). Mt: steel. Wt:	19 th century	HoL-HC BTH-KC
0001698 /1947 /PF-412			Key: Folding. CoR: European. Sz: 131mm (open), 74mm (closed). Mt: steel. Wt:	19 th century	HoL-HC BTH-KC
0001699 /1947 /PF-413			Key: Folding. CoR: Sz: 112mm (open). Mt: steel. Wt:	19 th century	HoL-HC BTH-KC
0001700 /1947 /PF-414			Key: Folding. CoR: Sz: 129mm (open), 73mm (closed). Mat: steel. Mt: steel. Wt:	19 th century	HoL-HC BTH-KC
0001701 /1947 /PF-415			Key: Folding. CoR: European. Sz: 70mm (closed). Mt: steel. Wt:	19 th century	HoL-HC BTH-KC
0001702 /1700 /PF-416			Key: Folding. CoR: Sz: 134mm (open), 76mm (closed). Mt: steel. Wt:	19 th century	HoL-HC BTH-KC

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0001704 /1947 /PF-418			Key: Folding. CoR: Sz: 55mm (closed). Mt: steel. Wt:	19 th century	Hol-HC BTH-KC
0001705 /1947 /PF-429			Key: Hinged triple Set. CoR: Sz: 109mm. Mt: steel. Wt:	18 th century	Hol-HC BTH-KC
0001706 /1947 /PF-430			Key: Hinged Double Set. CoR: European. Sz: 86mm. Mt: steel. Wt:	18 th century	Hol-HC BTH-KC
0001708 /1947 /PF-432			Key: Latch Lifter. CoR: Sz: 70mm. Mt: steel. Wt:	18 th century	Hol-HC BTH-KC
0001751 /1947			Key: Clicker Lock. CoR: European. Sz: 85mm. Mt: steel. Wt: 20g.	19 th /20 th cent.	Hol-HC BTH-KC
0001756 /1947 /PF-472			Key: Venetian. CoR: Europe Sz: 115mm. Mt: steel. Wt: 50g. Forged, with a drilled stem. Also known as a lovers/marriage key.	17 th century	Hol-HC MLA- HR1/2
0001762 /1947 /PF-455			Key: CoR: European Sz: 118mm. Mt: steel. Wt:	18 th century	Hol-HC BTH-KC
0001763 /1947 /PF-443			Key: CoR: European. Sz: 146mm. Mt: steel. Wt:	18 th /19 th century	Hol-HC BTH-KC
0001766 /1947			Key: Bramah style . CoR: Europe. Sz: 78mm. Mt: steel. Wt: 25g. Six slider with dust cap.	19 th century	Hol-HC BTH-KC
0001872 /1947			Lock: Box, Barron's Patent. CoR: England. Sz: 57 x 59mm. Mt: brass, steel. Wt:	19 th century	Hol-HC BTH-
0001874 /1947			Key: Double ended. CoR: Sz: 100mm. Mt: steel. Wt:	18 th century	Hol-HC BTH-KC
0001881 /1947 /PF-467			Key: CoR: Sz: 136mm. Mt: iron. Wt: 228g.	18 th century	Hol-HC BTH-KC
0001882 /1947 /PF-475			Key: strongbox CoR: Germany. Sz: 125mm. Mt: iron. Wt: 229g.	19 th century	Hol-HC MLA- HR2/2


The History of Locks Museum – Heritage Collection

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0001884 /1947			Key: thistle bow. CoR: England. Size: 97mm. Mat: iron. Wt: 34g. Forged from one piece.	13 th /15 th century - Medieval	HoL-HC MLA- HR1/2
0001951 /1947			Padlock: with a secret. CoR: Sz: 64 x 104mm. Mt: steel.Wt:	19 th /20 th cent.	HoL-HC BTH-
0001953 /1947 /90			Lock: Mortice Deadlock. CoR: Sz: 99 x 174mm. Mt: steel, brass. Wt:	19 th century	HoL-HC BTH-4LAB- UID06
0001955 /1947 /98			Lock: Rim deadlocking latch. CoR: Sz: 108 x 90mm. Mt: brass. Wt: 7 sliders Bramah style; note no sliders (intentionally) on the inside.	19 th /20 th cent.	HoL-HC BTH-
0001962 /1947 /PF-487			Padlock: combination, 6 wheel. CoR: Sz: 40 x 40mm. Mt: brass. Wt:	19 th century	HoL-HC BTH-AB- UID01
0001963 /1947 /PF-483			Padlock: combination, 4 wheel. CoR: Sz: 46 x 60mm. Mt: brass, steel. Wt:	19 th century	HoL-HC BTH-AB- UID01
0001964 /1947 /PF-489			Padlock: combination, 5 wheel. CoR: Sz: 28 x 32mm.Mt: brass. Wt:	19 th century	HoL-HC BTH-AB- UID01
0001965 /1947 /PF-485 /225			Padlock: combination, 5 wheel. CoR: Sz: 39 x 46mm. Mt: steel, brass. Wt:	19 th century	HoL-HC BTH-LR2


Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0001966 /1947 /PF-484			Padlock: combination, 6 wheel. CoR: Sz: 41 x 46mm. Mt: steel, brass. Wt:	19 th century	HoL-HC BTH-
0001974 /1947 /PF-498 /188			Lock: Bicycle. CoR: Sz: 88 x 55mm. Marked: Special Safety Bicycle Lock.	20 th century	HoL-HC BTH-AB- UID01
0002219 /1947			Lock: Safe, Bramah style. CoR: Europe. Sz: 128 x 142 x 83mm. Mt: steel. Wt: 7 sliders with both deadbolt and latch function operated by the key. Bolt tail has linkage to main bolt work.	19 th century	HoL-HC BTH-9LAB- UID
0002223 /1947 /PF-504			Padlock: combination. CoR: Germany. Sz: 50 x 78mm. Mt: steel. Wt: 80g Combination: 133.	20 th century	HoL-HC MLA-HR
0002228 /1947 /PF-490			Padlock: combination, 4 wheel. CoR: Sz: 24 x 35mm. Mt: brass. Wt:	19 th century	HoL-HC BTH-Lo10-
0002229 /1947 /PF-491			Padlock: combination, 4 wheel. CoR: Sz: 24 x 34mm. Mt: brass, steel. Wt:	19 th century	HoL-HC BTH-Lo10-
0002230 /1947 /215			Padlock: combination, 7 wheel. CoR: Sz: 45 x 55mm. Mt: brass, steel. Wt: 148g. Fixed combination: REBLDNL.	19 th century	HoL-HC BTH-
0002241 /1947 /PF-488 /131			Padlock: combination, 6 wheel. CoR: Sz: 38 x 33mm. Mt: steel, brass. Wt:	19 th century	HoL-HC BTH-Lo10-
0002258 /1947			Key: Bramah Chubb . CoR: Europe. Sz: 75mm. Mt: steel. Nine slider and 7 levers, with dust cap.	19 th /20 th century	HoL-HC BTH-KC
0002262 /1947			Key: Masters Skeleton. CoR: Sz: 122mm. Mt: steel. Wt:	19 th century	HoL-HC BTH-KC


Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style –	Group /Loc
0002265 /1947			Key: Bramah Chubb style. Sz: 72mm. Mt: steel. Wt:	19 th /20 th cent.	HoL-HC BTH-
0002301 /1947			Key: Roman. CoR: Roman Empire. Sz: 43mm. Mt: bronze. Wt: 20g	2 nd -8 th century	HoL-HC MLA- HR1/2
0002302 /1947			Key: Roman. CoR: Roman Empire Sz: 44mm. Mt: bronze. Wt: With a hinged ring bow.	2 nd -8 th century	HoL-HC MLA- HR1/2
0002304 /1947			Key: Roman finger ring. CoR: Roman Empire. Sz: 22 x 20mm. Mt: bronze. Wt:	2 nd -8 th century	HoL-HC MLA- HR1/2
0002308 /1947			Key: Roman tumbler. CoR: Roman Empire. Sz: 42 x 25mm. Mt: bronze. Wt: 16g	2 nd -8 th century	HoL-HC MLA- HR1/2
0002311 /1947			Key: Roman tumbler. CoR: Roman Empire Sz: 49 x 34mm. Mt: bronze. Wt: 37g	2 nd -8 th century	HoL-HC MLA- HR1/2
0002313 /1947			Key: Roman tumbler. CoR: Roman Empire. Sz: 58 x 30mm. Mt: bronze. Wt: 42g	2 nd -8 th century	HoL-HC MLA- HR1/2
0002317 /1947			Key: Roman tumbler. CoR: Roman Empire. Sz: 51 x 24mm. Mt: bronze. Wt: 21g.	2 nd -8 th century	HoL-HC MLA- HR1/2
0002318 /1947			Key: Roman tumbler. CoR: Roman Empire. Sz: 55 x 26mm. Mt: bronze. Wt: 30g.	2 nd -8 th century	HoL-HC MLA- HR1/2
0002377 /1947			Lock: Leg Irons. CoR: Sz: 1110 x 112mm. Mt: iron. Wt:	19 th century	HoL-HC BTH-AB- UID03
0002430 /1947			Padlock: Spring barb, sliding key. CoR: Lock Sz: 95 x 84mm. Mt: brass. Wt: 317g. Key Sz: 139mm. Wt: 31g. In the shape of a foo dog or lion dog.	19 th century	HoL-HC BTH-AB- UID09
0002431 /1947			Padlock: Spring barb, sliding key. CoR: Lock Sz: 209 x 79mm. Mt: iron. Wt: 1.081kg. Key Sz: 281mm. Mt: iron. Wt: 143g.	19 th century	HoL-HC BTH-AB-
0002432 /1947			Padlock: Spring barb, sliding key with a secret. CoR: Lock Sz: 275 x 72mm. Mt: iron. Wt: 1.182kg. Key Sz: 155mm. Wt: 94g.	19 th century	HoL-HC BTH-AB- UID08


Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style –	Group /Loc
0002433 /1947			Padlock: Spring barb, sliding key. CoR: Lock Sz: 260 x 74mm. Mt: iron. Wt: 736g. Key Sz: 194mm. Wt: 122g.	19 th /20 th cent.	Hol-HC BTH-AB- UID08
0002434 /1947			Padlock: Spring barb, sliding key. CoR: Lock Sz: 308 x 84mm. Mt: iron. Wt: 1.019kg. Key: 185mm. Mt: iron. Wt: 108g.	19 th /20 th cent.	Hol-HC BTH-AB- UID08
0002435 /1947			Padlock: Spring barb with sliding key and screw key. CoR: Lock Sz: 273 x 103mm. Mt: iron. Wt: 1.347kg. Key (sliding) Sz: 199mm. Wt: 235mm. Key (screw) Sz: 77mm. Mt: iron. Wt: 59g.	19 th /20 th cent.	Hol-HC BTH-AB- UID08
0002436 /1947			Padlock: Spring barb with sliding key. CoR: Sz: 274 x 125mm. Mt: iron. Wt: 1.448kg. Key: 187mm. Mt: iron. Wt: 93mm.	19 th /20 th cent.	Hol-HC BTH-AB- UID08
0002437 /1947			Padlock: Spring barb, sliding key. CoR: Lock Sz: 76 x 86mm. Mt: iron. Wt: 146g. Key Sz: 112mm. Mt: iron. Wt: 90g.	19 th /20 th cent.	Hol-HC BTH-AB- UID
0002438			Lock: Stock. CoR: England. Lock Sz: 332 x 190 x 45mm. Mt: wood, iron. Wt: 3.236kg. Staple Sz: Key Sz: 158mm. Mt: iron. Wt: 130g.	19 th century Victorian	Hol-HC BTH-
0002440 /1947			Key: Warded stem, oval pipe. D: 18 th /19 th century. Sz: 133mm. Mt: iron. Wt:	18 th /19 th cent.	Hol-HC BTH-AB- UID10
0002441 /1947			Key: Warded stem. CoR: Sz: 170mm. Mt: iron. Wt:	18 th /19 th cent.	Hol-HC BTH-
0002446 /1947		 	Key: Warded stem, oval bow. CoR: Sz: 116mm. Mt: iron. Wt: 183g The bit, stem, bow and collar fabricated separately and assembled by braising the parts together. The stem is made from a flat sheet and rolled to form a tube. Bow has decoration.	18 th century	Hol-HC BTH-AB- UID10

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0002704 /1947 /PF-511			Padlock: Clock face & key. Sn: 6831. CoR: Sz: 54 x 88mm. Mt: steel, brass. Wt: 134g.		HoL-HC BTH-4LAB- UID04
0003322 /1947 /PF-464			Key: warded pipe. Sz: 82mm. Mt: iron. Wt: 78g. The bit is formed from curved strips.	18 th century	HoL-HC PFC- BH-
0003537 /1947 /00/269			Lock: Stock. CoR: Lock Sz: 251 x 138mm, plus bolt throw. Mt: wood, steel. Wt: 1.006kg. Key Sz: 117mm, Mt: steel. Wt: 88g.	19 th century	HoL-HC BH- 35LAB- UID01
0003538 /1947			Lock: Stock. CoR: Lock Sz: 227 x 156mm, plus bolt throw. Mt: wood steel, brass. Wt: 1.77kg. Key Sz: 127mm. Mt: steel. Wt: 84g.	19 th century	HoL-HC BH- 35LAB- UID01
0003539 /1947			Lock: Rim, Barron's Patent with bridge ward. CoR: England. Sz: 159 x 108mm. Mt: iron, steel. Wt: 1.13kg.	19 th century	HoL-HC MLA-HR
0003540 /1947			Key: T bow, with Bridge Ward. Sz: 98mm. Mt: iron. Wt: 74g.	19 th century	HoL-HC BH-4LAB- UIDKEY1
0003549 /1947			Key: strongbox. CoR: Germany. Sz: 131mm. Mt: iron. Wt: 260g. Marked: 'W I'.	19 th century 1861-1888 Wilhelm I	HoL-HC MLA- HR3/2
0003654 /1947			Lock: Davis's Patent. CoR: England. Sz:	20 th century	HoL-HC BH-

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0003657 /1947			Lock: model of ancient Greek lock principle.	20 th century	HoL-HC PFC- MLA- HR1/4
0003658 /1947			Lock: model Sz: A working model, originally from the Frima Collection, of a wooden 3 tumbler lock with a wooden key. This variant, which would be fitted to the outside surface of the door, with the key separate to the bolt, is believed to predate the Egyptian style where the key enters a hollow section of the bolt.	20 th century	HoL-HC PFC- MLA- HR1/4
0003696 /1947			Key: box of wards. Key Sz: 127mm. Mt: steel. Wt: 144g. Bung Sz: 73mm. Mt: steel. Wt: 34g. With a removable dust bung. The bit nosing also cut for 3 tumblers and a plate ward.	19 th century	HoL-HC MLA- HR3/2
0003821 /1947			Box of Wards: with 2 keys CoR: England. Sz: 133 x 100mm. Mt: iron. Wt: 342g. Key Sz: 95mm. Mt: iron. Wt: 52g. From a cast iron coffer safe from Parham Church, West Sussex, UK. The safe was approx. 24" w x 16" d x 13" h. Broken open for contents 4 th Feb 1995.	19 th century	HoL-HC BH-4LAB- UID012
0003822 /1947			Box of Wards: with key. CoR: Sz: 136 x 92mm. Mt: iron. Wt: 556g. Key Sz: 108mm. Mt: iron. Wt: 72g.		HoL-HC BH-4LAB- UID012
0003862 /1947 /PF-476			Key: Strongbox CoR: Germany. Sz: 119mm. Mt: iron. Wt: 174g.	19 th /20 th century	HoL-HC PFC- MLA- HR2/2
0003864 /1947			Key: Strongbox CoR: Germany Sz: 106mm. Mt: iron. Wt: 76g.	19 th /20 th century	HoL-HC MLA- HR2/2
0003866 /1947			Box of Wards: CoR: England. Sz: 137 x 116mm. Mt: brass, steel. Wt: 1.508kg. Key Sz: 118mm. Mt: iron. Wt: 110g.	19 th century	HoL-HC MNC- BH-9LAB- UID07
0004053 /1947			Key: CoR: Europe. Sz: 140mm. Mt: iron. Wt: 198g	18 th /19 th century	HoL-HC PFC- BH-KC-


Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0004303 /1947			Lock: Custodial. CoR: England. Lock Sz: 239 x 152mm. Mt: iron, brass. Wt: 2.668kg. Key: 109mm. Mt: iron. Wt: 120g.	19th/20th century	HoL-HC BH-9LAB- UID07
0004304 /1947			Lock: Mortice sash. CoR: Sz: 86 x 231mm. Mt: steel, brass. Wt: 746g. With dissimilar key back-sets for each side and a feathered forend. Cap pierced to show lever area.		HoL-HC PFC- BH-9LAB- UID07
0004378 /1947			Lock: Rim. CoR: France. Lock Sz: 184 (excluding bolt throw) x 87mm. Mt: brass iron. Wt: 1.908kg. Staple Sz: 79 x 87mm. Mt: brass, iron. Wt: 382g. Key Sz: 88mm. Mt: iron. Wt: 24g. A 6 lever, double throw detector lock. Stamped on lock forend: 'ST'.	19 th century	HoL-HC BH-CAB-P
0004389 /1947			Lock: Keyhole blocker, Bramah style cylinder, 6 sliders. Sn: E1014. CoR: Sz: 28mm dia. x 73mm. Mt: Steel, brass. Wt: 106g	19 th century	HoL-HC BH-PP-
0004393 /1947			Lock: Deadlock, driven by a Box of Wards. CoR: Lock Sz: 223 x 155mm. Mt: iron. Wt: 2.316kg. Key Sz: 102mm. Mt: iron. Wt: 66g. With a single Barron Style tumbler.	19 th century	HoL-HC BH-CAB-
0004422 /1947			Badge: Safe. CoR: England. Sz: 99 x 66mm. Mt: cast brass. Wt: 109g. Reads: 'Chubb's patent lock warranted fire proof'. This is an example of a secondary safe maker badge that used a Chubb lock in his safe and who also made his own badge to confirm a Chubb lock had been used.	19 th century	HoL-HC BH-AB- UID
0004618 /1947			Lock: Strap buckle. CoR: England. Sz: 46 x 55mm. Mt: brass, steel. Wt: 90g.	19 th /20 th century	HoL-HC MLA-HR

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0004620 /1947			Key: Portal. CoR: English/European. Sz: 142mm. Mt: steel. Wt: 56g. A Finely wrought and chiselled key.	16 th /17 th century	HoL-HC MLA- HR-1/1
0004621 /1947			Key: Night Watchman. CoR: Sz: 71mm. Mt: brass. Wt: 34g. Key bow stamped '70', also 70 in key bit nose.	20 th century	HoL-HC BH-
0004622 /1947			Key: Hotel, Fixed Tag. CoR: Germany. Sz: Mt: brass, iron. Wt: 234g. Reads: "Schloss Hotel St. Rupert Salzburg".	20 th century	HoL-HC BH-
0004757 /1947			Key: Box of Wards. CoR: England. Sz: 123mm. Mt: steel. Wt: 100g. With dust bung.	19 th century	HoL-HC
0004758 /1947			Key: CoR: Sz: 76mm. Mt: iron. Wt: 18g.	18 th century	HoL-HC
0004759 /1947			Key: CoR: Sz: 82mm. Mt: iron. Wt: 44g.	18 th century	HoL-HC
0004760 /1947			Key: Folding CoR: Sz: 150mm (105mm folded). Mt: iron. Wt: 78g.	18/19 th century	HoL-HC
0004761 /1947			Key: Medieval. CoR: Sz: 135mm. Mt: iron. Wt: 100g. Note the split shaft to form the bow, the octagonal stem and the Banbury style shoulder.	15 th /16 th century	HoL-HC MLA- HR1/1
0004764 /1947			Key: CoR: European. Sz: 288mm. Mt: iron. Wt: 883g. The stem and collar are beaten out from flat sheet and rolled and then cooper braised to the bit and bow.	17 th /18 th century	HoL-HC MLA- HR1/1
0004849 /1947			Restraint: Neck collar. CoR: Sz: 135mm internal shackle diameter. Mt: iron. Integral lock.	19 th /20 th century	HoL-HC PFC-
0004943 /1947			Key: Box of Wards CoR: England. Sz: 126mm. Mt: steel. Wt: 120g.	19 th century	HoL-HC MLA- HR3/2

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0004948 /1947			Box of Wards: with key. CoR: England. Wards Sz: 79 x 45 x 27mm. Mt: iron, brass. Wt: 102g. Key Sz: 107mm. Mt: steel. Wt: 75g. Demonstrates the close tolerances between key and wards.	19 th century	HoL-HC MLA- HR3/2
0004963 /1947			Lock: Hand Change Wheel Pack. CoR: USA Sz: 72mm dia. x 30mm. Mt: brass, bronze. Wt: 343g. Early method of changing the combination necessitated disassembly and separating the wheels by hand.	19 th century	HoL-HC MLA-HR
0004964 /1947			Key: Bolt lifter CoR: Sz: 138mm. Mt: iron. Wt: 51g. Typically used in outbuildings, barns etc. to throw or pull back a simple wooden bolt.	17 th /18 th century	HoL-HC MLA- HR1/3
0004965 /1947			Key: Banbury Style. CoR: Sz: 152mm. Mt: iron. Wt: 64g. An early Banbury style key typically used with stock locks where the individual iron parts are set in a stock of oak or similar hard wood.	17 th /18 th century	HoL-HC MLA- HR1/3
0004970 /1947			Handcuff: CoR: Taiwan Cuff Sz: 228 x 77mm. Mt: steel. Wt: 229g. Key Sz: 45mm. Mt: steel. Wt: 4g.	20 th century	HoL-HC ANC-
0004972 /1947			Handcuff: Chain link style hinged. CoR: Cuff Sz: 216 x 78mm. Mt: steel. Wt: 349g. Key Sz: 42mm. Mt: steel. Wt: 4g.	20 th century	HoL-HC ANC- MLA- HR16/1
0004973 /1947			Thumbcuff: CoR: Taiwan. Cuff Sz: 102mm x 39mm. Mt: steel. Wt: 98g. Key Sz: 43mm. Mt: steel. Wt: 4g.		HoL-HC ANC-
0004983 /1947			Handcuff: CoR: Russia. Cuff Sz: 264 x 79mm. Mt: steel. Wt: 407g. Key Sz: 32mm. Mt: steel. Wt: 4g.	20 th century	HoL-HC ANC- MLA- HR16/2
0004984 /1947			Handcuff: EKC-1 CoR: Russia. Cuff Sz: 270 x 75mm. Mt: steel. Wt: 332g. Key Sz: 31mm. Mt: steel. Wt: 3g.	20 th century	HoL-HC ANC- MLA- HR16/2
0004985 /1947			Handcuff: PPST CoR: Poland. Cuff Sz: 257 x 78mm. Mt: steel. Wt: 342g Key Sz: 3g.	20 th century	HoL-HC ANC-

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0004990			Wooden lock: Tumbler style. CoR: Morocco, Draa Valley. Body Sz: 107 x 217 x 49mm. Mt: wood, brass, iron. Wt: 1.074kg (inc. bolt). Bolt Sz: 261 x 65 x 27mm. Mt: wood Key Sz: 199 x 21 x 23mm. Mt: wood, brass, iron. Wt: 25g. A type typically attributed to the Ancient Egyptians but also widely found throughout the Middle East Fertile Crescent region and said to have inspired Linus Yale Jr. to invent the modern pin tumbler lock.	Traditional	HoL-HC MLA-HR7/4
0005011 /1947			Lock: Keyless Combination, safe. CoR: USA. Body Sz: Dial Sz: This example, fretted, embellished and converted to exhibition or trophy use.	19 th century	HoL-HC MLA-HR
0005033 /1947			Lock: Rim. CoR: France. Lock Sz: 161 x 85 x 59mm (includes return flange & keyway nozzle but plus 15mm bolt throw). Mt: steel brass. Wt: 1.053kg. Keep Sz: 45 x 85 x 30mm. Mt: steel. Wt: 170g. Key Sz: 102mm. Mt: steel. Wt: 38g. Label reads: 1ère Quality Union DES Quincailliers GTD., (first quality Union of Hardware Manufacturers).	19 th /20 th century	HoL-HC MLA-HR12
0005048 /1947			Lock: clicker, 4 wheels. CoR: European. Lock Sz: 85 x 85mm. Mt: steel, brass. Wt: 585g. Escutcheon Sz: 71mm dia. Mt: aluminium, steel. Wt: 84g. Clicker locks were operated with a unique spanner style key and typically controlled access to the main key way on a safe.	19 th /20 th century	HoL-HC MLA-HR
0005052			Locksmiths Tool: Picklock CoR: Sz: 77mm. Mt: iron. Wt: 14g.	18 th century	HoL-HC
0005053			Locksmiths Tool: Picklock. CoR: Sz: 76mm. Mt: iron. Wt: 15g.	18 th /19 th century	HoL-HC
0005054			Locksmith Tool: Pick, 3 in 1. CoR: Sz: 58mm. Mt: steel, brass, copper. Wt: 11g. For locks with a drill pin.	19 th /20 th century	HoL-HC

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0005055			Locksmith Tool: Pick, 3 in 1. CoR: Sz: 97mm. Mt: brass, steel. Wt: 28g.	19 th /20 th century	HoL-HC
0005056			Locksmith Tool: 3 in 1. CoR: Sz: 103mm. Mt: brass, steel. Wt: 25g.	19 th /20 th century	HoL-HC
0005057			Locksmith Tool: Try out key set. CoR: Germany., Sz: 75mm. Mt: steel, brass. 58g.	19 th /20 th century.	HoL-HC
0005058			Locksmith Tool: adjustable try out key, punched tag locks. CoR: Germany. Sz: 63mm. Mt: steel, brass. Wt: 10g. See artefacts 1266 to 1269 for type of mechanisms operated by this tool.	20 th century	HoL-HC
0005103			Lock: Change key. CoR: England. Sz: 90 x 76mm (Plus 10mm bolt throw). Mt: brass, steel. Wt: 802g	19 th century	HoL-HC
0005117			Framed Picture: 1 st Lord Hayter George Chubb CoR: England Frame Sz: 1112 x 1338mm.	20 th century 1927	HoL-HC MLA-HR
0005121			Framed Picture: The Golden Fleece by M E Duram. CoR: England Image Sz: 175 x 235mm (framed Sz: 382 x 486mm.	19 th century	HoL-HC
005134			Presentation Key: CoR: England Key Sz: 121mm Case Sz: 76 x 153mm. Inscribed: Shrewton Manse opened Sept 15 th 1909 by Mrs J Day of Devizes. Note: Cecil Chubb (1876-1934), who bought Stonehenge in 1915, was born in Shrewton.	20 th century 1909/09/15	HoL-HC
005143			Lock: Box of Wards		HoL-HC BCC

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
005153			Lock: Exhibition Box of Wards. CoR: Lock Sz: 141 x 117mm. Mt: steel, brass. Wt: 592g. Key Sz: 162mm. Mt: steel, brass. Wt: 180g. An example of a 19 th century box of wards converted to an exhibition piece in the late 20 th century; a common practice amongst locksmiths.	19 th & 20 th century	HoL-HC BH-EXPO-1/2
005246			Money Box: Pillar Box model CoR: England. Sz: 165 x 70mm. Mt: cast brass, rubber. Wt: 1.048kg. Chubb made the lock for the first pillar box in London and most to this day have Chubb made locks fitted; see also artefact No's. 5108, 5205.	20 th century	HoL-HC BH-R1
0001428 /1947 /PF-162			Padlock: Seal. CoR: Sz: 36 x 47mm. Mt: brass, iron. Wt: 44g. Key is not original but operates.	20 th century	HoL-HC BTH-4LAB-UID03
0001429 /1947 /PF-163 /193			Padlock: CoR: Lock Sz: 27 x 36mm. Mt: iron. Wt: 14g. Key Sz: 27mm. Mt: iron. Wt: 2g.	19 th /20 th cent.	HoL-HC BTH-4LAB-UID13
0002239 /1947 /PF-508			Padlock: combination, 2 wheel clicker. CoR: Sz: 54 x 101mm. Mt: steel. Wt: 211g.	20 th century	HoL-HC MLA-HR
0002242 /1947			Lock: Mortice dead. CoR: Sz: 91 x 160mm. Backset 56mm. Mt: steel, brass. Wt: Two 6 lever packs, double throw.	20 th century	HoL-HC BTH-AB-UID02
0005059			Key: Georgian. CoR: Sz: 134mm. Mt: iron. Wt: 75g.	18 th century	HoL-HC-BSC- BH-KC
0001279 /1947 /PF-078	Aaes Laas		Padlock: CoR: Sz: 59 x 78mm. Mt: brass, steel. Wt: 342g	20 th century	HoL-HC MLA-HR

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0001552 /PF-278	Aaltein, van		Lock: Rim deadlock with latch. CoR: Netherlands. Case Sz: 117 x 118mm. Mt: steel, brass. Wt: 1.442kg. Key Sz: 70mm. Mt: steel. Wt: 26g. A Dutch made double throw rim deadlock with a latch which can also be withdrawn by the key but utilises a German made Kromer cylinder.	20 th century	HoL-HC MLA-HR
0000897	Abloy		Padlock: Cutaway Padlock 3045-25. CoR: Finland LockSz: 46mm. Rotating spring-less discs.	20 th century	HoL-HC MLA-HR
0001276 /1947 /PF-075	Abloy		Padlock: classic. CoR: Finland. Lock Sz: 70 x 98mm. Mt: brass, steel. Wt: 968g. Key Sz: 51mm. Mt: nickel silver. Wt: 12g. Rotating spring-less discs.	20 th century	HoL-HC MLA-HR
0001291 /1947 /PF-085	Abloy		Padlock: CoR: Finland. Lock Sz: 74 x 95mm. Mt: iron, steel, brass. Wt: 974g. Key Sz: 49mm. Mt: nickel silver. Wt: 8g. rotating spring-less discs	20 th century	HoL-HC MLA-HR
0001299 /1947 /PF-093	Abloy		Padlock: CoR: Finland. Lock Sz: 43mm. Mt: brass. Wt: Key Sz: Rotating spring-less discs, with 2 keys. Early classic style with flat shackle.	20 th century 1920's	HoL-HC MLA-HR18/2
0001497 /1947 /PF-231	Abloy		Lock: Cabinet. CoR: Finland. Sz: 60 x 55mm. Mt: brass. Wt:	20 th century	HoL-HC BTH-AB-A
0001499 /1947 /PF-233	Abloy		Lock: Cabinet. Sn: 41338. CoR: Finland. Sz: 59 x 55mm. Mt: brass. Wt:	20 th century	HoL-HC BTH-AB-A
0001508 /1947 /PF-242	Abloy		Lock: Cabinet. CoR: Finland. Sz: 60 x 55mm. Mt: brass. Wt:	20 th century	HoL-HC BTH-AB-A

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0001742 /1947	Abloy		Lock: Rim Cylinder, cutaway. CoR: Finland. Size: 83 x 35mm. Mt: brass, steel. Wt:	20 th century	HoL-HC BTH-AB- ABL01
0001754 /1947	Abloy		Lock: Rim Cylinder. CoR: Finland. Sz: Factory cutaway. CP.	20 th century	HoL-HC BTH-
0005090	Abloy		Lock: Protec, euro cutaway. CoR: Finland. Lock Sz: 47 x 32mm. Mt: brass, steel. Wt: 106g. Key Sz: 63mm. Mt: nickle silver, plastic.. Wt: 14g Factory cutaway illustrating hardened inserts in body and cap.	20 th century	HoL-HC BH-
0001337 /1947 /PF-119	Abus		Padlock: 555. CoR: Germany. Lock Sz: 49 x 72mm. Mt: steel. Wt: 138g. Key Sz: 49mm. Mt: steel. Wt: 8g.	20 th century	HoL-HC MLA- HR17/2
0001355 /1700 /PF-138	Abus		Padlock: No. 77 CoR: Germany. Sz: 44 x 62mm. Mt: steel, brass. Wt: 97g. With code tag: >14,<8,>9.	20 th century	HoL-HC MLA- HR17/2
0001356 /1947 /PF-139	Abus		Padlock: Combi N0.150 CoR: Germany Sz: 50 x 75mm. Mt: steel. Wt: 174g. With code tag: 23313.	20 th century	HoL-HC MLA-HR- 17/2
0002524 /1947	Adam, Folger		Lock: Jail, model 10. CoR: USA. Lock Sz: 140 x 94mm. Mt: steel, brass, phosphorus bronze. Wt: 2.785kg. Key Sz: 116mm. Mt: brass. Wt: 70g.	20 th century	HoL-HC MLA- HR14/1

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0005100 /1947 /177	Anold		Padlock: CoR: Germany. Sz: 106mm dia. x 38mm. Mt: steel. Wt: 611g.	20 th century	HoL-HC MLA- HR17/3
0001318 /1947	Arnheim		Lock: Radial CoR: Germany. Sn: 72846. Lock Sz: 150 x 150 x 290mm (475mm extended). Mt: steel, bronze. Wt: Key Sz: 18 x 19mm. Mt: steel. Wt: 6g. 22 sliders (Bramah style) set in semi-circle with small curved key with is introduced into the lock via a la-fetton.	19 th century	HoL-HC MLA- HR22/4
0001723 /1947	Arnheim, S J		Lock: 'colosseum'. Sn: 35071. CoR: Germany. Lock Sz: 124 x 87mm (plus 23mm bolt throw). Mt: steel, brass. Wt: 1.521kg. Key Sz: 211mm, (folds to 139mm). Mt: steel. Wt: 60g.	19 th /20 th century	HoL-HC MLA- HR22/4
0001735 /1947	Arnheim, S J		Lock: Lammellenschloss. Sn: 68583. CoR: Germany. Sz: Mt: steel, brass. Wt:	19 th century	HoL-HC MLA- HR22/4
0001417 /1947 /PF-155	ASSA		Padlock: CoR: Sweden Lock Sz: 45 x 73mm. Mt: brass, steel. Wt: 172g. Key Sz: 62mm. Mt: nickel silver. Wt: 12g. Factory Cutaway. 7 pins, key marked: 'C1356347'.	20 th century	HoL-HC CAB-

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0000045	Aubin		Lock Trophy: CoR: England. Sz: 350mm dia. x 810mm. Mt: steel, brass. First exhibited at the 1851 Worlds Trade Fair 'The Great Exhibition' Crystal Palace. It took two years to make and features 44 different lock principles.	19 th century 1851	HoL-HC MLA- HR24/1
0001012 /1700 /515	AVM		Padlock: 3 wheel Ring. CoR: Size: 125x120x18	20 th century	HoL-HC BTH-
0002235 /1947 /PF-482	Baga		Padlock: combination, 3 lever. CoR: Germany Sz: 64 x 62mm. Mt: steel. Wt: 87g.	20 th century	HoL-HC MLA- HR17/2
0001170 /1947	Bankers Dust Proof Time Lock Co.		Time Lock: 3 Movement Sn: 2760. CoR: USA. Used on safes with no other locks, so the safe automatically opened when the pre-set time elapsed.	19 th century	HoL-HC MLA- HR22/1
0000171	Barron		Lock: Rim, 3 tumblers. CoR: England. Lock Sz: body 180 x 118mm, (excluding 20mm bolt throw), Mt: brass, steel. Wt: 1.529kg. Key Sz: 102mm. Mt: steel. Wt: 54g. A rim deadlock with 3 double acting tumblers and a bridge ward. Single sided operation.	19 th century	HoL-HC MLA- HR4/1 Note: 2nd key displayed separately HoL-LR
0001868 /1947	Barron		Key: CoR: England. Sz: 54mm. Mt: steel A two tumbler key also with two wheel hook wards.	19 th century - Victorian -	HoL-HC BTH-KC
0001869 /1947	Barron		Key: CoR: England. Sz: 58mm. Mt: steel. Wt:	18 th /19 th century	HoL-HC BTH-KC
0001961 /1947	Barron		Lock: Cut Box, with nozzle. CoR: England. Sz: 104 x 61mm. Mt: brass, steel. Wt:	19 th century	HoL-HC BTH-
005189	Barron		Lock: 2 tumbler box lock, fretted CoR: England. Sz:	19 th century Victorian	HoL-HC BH-EX-6/3


Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
005242	Barron		Padlock: Double Acting Lever. CoR: England. Lock Sz: 85 x 115mm. Mt: iron, brass. Wt: 588g. Key Sz: 73mm. Mt: iron. Wt: 30g. Barrons Lock, number 13 on the Aubin trophy, was the first to patent (BP1200 dated 31 st October 1778) the double acting lever. In his lock the tumblers incorporated the stump and the lath had the gatings.	19 th century 1840's VR-Victorian	HoL-HC MLA-HR
0001870 /1947	Barron Son & Wilson		Lock: Box, 3 tumblers. CoR: England. Sz: 78 x 44mm. Mt: brass, steel. Wt: 148g. With three double acting tumblers.	19 th century	HoL-HC MLA- HR4/1
0005091	Barrons Patent		Lock: Barron style, 2 tumbler Rim Dead Lock CoR: England. Lock Sz: 129 x 108mm. Mt: steel, brass. Wt: 942 Key Sz: 101mm. Mt: steel. Wt: 42g. A double entry, 2 tumbler rim deadlock supplemented with a box of wards.	19 th century	HoL-HC MLA-HR
0001970 /1947	Basta		Lock: Bicycle. Sn: A61374. CoR: Germany. Sz: 120 x 158mm. Mt: steel. Wt:	20 th century 1974	HoL-HC BTH-AB- B01
0001971 /1947	Basta		Lock: Bicycle. Sn: 868309. CoR: Denmark. Sz: 121 x 157mm. Mt: steel, plastic. Wt:	20 th century	HoL-HC BTH-AB- B01
0001083 /1947	Bates, J		Badge: Combined safe plate and Escutcheon. CoR: England. Sz: 122mm, Mt: cast brass.	19 th century - Victorian -	HoL-HC BTH-PP-
0001081	Bates, Joseph		Badge: Safe Escutcheon CoR: England Size: 120mm, Mt: cast brass. Wt: Combined safe plate and escutcheon with vertical slide flap	19 th century	HoL-HC BTH-PP
0000099	Bauche		Padlock: CoR: Germany. Lock Sz: 79 x 120mm. Mt: brass, steel. Wt: 506g. Key Sz: 49mm. Mt: steel. Wt: 8g.	19 th /20 th century	HoL-HC PFC-222 MLA- HR18/2


Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0001040 /1947 /276	Bauche		Lock: Monopole. Sn: 0531. CoR: France. With 3 original keys	20 th century	Hol-HC BTH-AB- B01
0004635 /1947	Belfrey		Padlock: CoR: England. Lock Sz: 79 x 117mm. Mt: steel. Wt: 390g. Key Sz: 44mm. Mt: iron. Wt: 11g. Marked: "B.R.B Secure 4 lever English Patent No. 325346 Make Belfrey Regd. Brand".	20 th century	Hol-HC BH-
0004982 /1947	Bianchi		Handcuff: 500 Sn: 90660. CoR: Cuff Sz: 229 x 72mm. Mt: stainless steel. Wt: 275g. Key Sz: 42mm. Mt: steel. Wt: 4g.	20 th century	Hol-HC ANC- MLA- HR16/1
0002488 /1947	Bilfix		Key: CoR: England. Sz: 48mm. Mt: nickle silver. Wt: 9g.	20 th century	Hol-HC BTH-KC-
0002340 /1947	Birmingham Safe Co.		Badge: Safe plate. CoR: England Sz: 113 x 74mm. Mt: cast brass. Wt: Reads: "The Birmingham Safe Co. Birmingham".	19 th century	Hol-HC BTH-AB- B02
0002373 /1947	Birmingham Safe Co. Ltd		Badge: Safe. CoR: England. Sz: 125 x 83mm. Mt: cast brass. Wt: Reads: "Birmingham Safe Co. Ltd. Founded 1880 Burnside Registered No. 431970. Birmingham. England".	19 th /20 th cent.	Hol-HC BTH-AB- B02
0000397	Bode Panzer		Lock: Tangential Sn: 3210. CoR: Germany Lock Sz: 124 x 124mm. Mt: steel, brass. Wt: Key Sz: 240mm. Mt: steel. Wt: 83g.	20 th century	Hol-HC BTH-EX-
0000816 /1947	Bode Panzer		Lock: Tangential with La Fetton. CoR: Germany Body Sz: 122 x 122mm (plus linkage connections). Mt: steel. La Fetton Sz: 100mm dia. x 35mm. Mt: brass, steel. Spindle length to suit a 150mm thick door. This was the lock of the Nazi party; it was used in this version on diplomat's safes such as the safe von Ribbentrop used, who was Hitler's foreign minister in London. A version of this lock was also used to secure the German Navy U boat enigma code books.	20 th century	Hol-HC MLA- HR21/3

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0003910 /1947	Bode Panzer		Promotional: Token. CoR: Germany. Sz: 37mm. Mt: Aluminium. Wt: 6g	20 th century	HoL-HC BH-4LAB- B02
0003911 /1947	Bode Panzer		Promotional: Token. CoR: Germany Sz: 37mm. Mt: Aluminium. Wt: 6g	20 th century	HoL-HC BH-4LAB- B02
0005032	Bode Panzer		Badge: CoR: Germany Sz: 80 x 100mm. Mt: zinc alloy. Wt: 24g.	20 th century	HoL-HC JMF- EXH-cab 3/2
0000166	Bramah		Lock: Folio. CoR: England. Sz: 48 x 69mm. Mt: brass, steel. Wt: 81g. Key Sz: 43mm. Mt: steel. Wt: 6g. Marked on rear flange: '404 c. Lange'	20 th century 1920's	HoL-HC MLA- HR4/2
0000167	Bramah		Lock: safe, 7 slider. CoR: England. Size: 154 x 121 x 78mm. Mat: brass, steel. Wt: 1.859. Key Sz: 143mm. Mt: steel. Wt: 120g	19 th century - Victorian -	HoL-HC MLA- HR4/2
0004788 /1947	Bramah		Lock: Luggage. CoR: England. Lock body Sz: 105 x 67mm. Mt: brass, steel. Wt: 244g. Lock clasp Sz: 66 x 72mm. Mt: brass, steel. Wt: 70g. Key Sz: 28mm. Mt: gold. Wt: 4g. The key rotates one full rotation clockwise to unlock when the top section of the nozzle can be left to release the hasp.	20 th century	HoL-HC BH-
0004953 /1947	Bramah		Safe: CoR: England. Sz: 460 x 580 x 415mm (plus 42 hinge/handle protrusion). Mt: steel, brass. Wt: approx. 4/5 cwt. Escutcheon marked: J T Needs. Inside of door marked: 100 Bond Street. 6 slider lock.	19 th century	HoL-HC BH-
0000718 /1947	Bramah's Concept Model		Model: Bramah's Concept Model CoR: England. Mat: Brass, stainless steel.	21 st century 2015	HoL-HC BTH

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
			Joseph Bramah visualised his revolutionary lock and described it in his dissertation of 1788 with the aid of a diagram. This is a working model of his visualisation diagram. The model very clearly demonstrates both double acting and key differing principles.		
0002240 /1947 /PF-503	Brevete		Padlock: combination, 3 wheel, Karco. CoR: France. Sz: 56 x 84mm. Mt: steel, zinc alloy. Wt: 92g.	20 th century	HoL-HC MLA- HR17/2
0001101	Brookes, J & H		Badge: Safe CoR: England, Birmingham. Sz: 108 x 134mm, Mt: cast brass. Combined badge & escutcheon	19 th /20 th cent.	HoL-HC BTH-PP
0002421 /1947	Brown & Co., G W		Lock: 6 slider Bramah style, vehicle. CoR: England Sz: 45 (plus 14mm bolt throw) x 87mm. Mt: brass, steel. Wt: 299g.	20 th century	HoL-HC BTH-AB- B02
0002422 /1947	Brown & Co., G W		Lock: 6 slider Bramah style drawer. CoR: England. Sz: 58 x 68mm. Mt: brass, steel. Wt: 174g.	20 th century	HoL-HC BTH-AB- B02
0002423 /1947	Brown & Co., G W		Lock: 6 slider Bramah style cut cupboard. CoR: England. Sz: 50 x 63mm. Mt: brass, steel. Wt: 170g.	20 th century	HoL-HC BTH-AB- B02
0002424 /1947	Brown & Co., G W		Lock: 6 slider Bramah style cut cupboard. CoR: England. Sz: 54 x 75mm. Mt: brass, steel. Wt: 211g.	20 th century	HoL-HC BTH-AB-B

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0000165	Brown, C W		Lock: Buckle, Bramah style for a strap. CoR: England. Sz: 40 x 34mm. Mt: brass, steel. Wt: 69g. No markings but this lock was acquired amongst others that were marked Brown (or had Brown's logo of a cockerel)	20 th century	HoL-HC BTH-
0004047 /1947	Bunger		Lock: Alarum, cabinet. CoR: Lock Sz: 110 x 65mm. Mt: brass, iron. Wt: 217g Key Sz: 72mm. Mt: iron, brass. Wt: 17g	19 th /20 th century	HoL-HC PFC- BH-
0001248 /1947 /PF-053	Burg		Padlock: CoR: Germany Lock Sz: 45 x 68mm. Mt: iron, steel. Wt: 223g. Key Sz: 47mm. Mt: iron. Wt: 8g.	20 th century	HoL-HC MLA- HR17/2
0002334 /1947	Burg		Padlock: Magno, cutaway. CoR: Germany. Sz: 49 x 77mm. Mt: brass, steel. Wt:	20 th century	HoL-HC BTH-AB- B01
0002408 /1947	Burnett & Rolfe		Padlock: Largest in the world. CoR: England Sz: 355 x 508 x 76mm. Mt: stainless steel. Wt: 12.7kg. Also a certificate from the Guinness book of records which reads: "The Guinness Book of Records World Record The Largest Padlock is a Stainless Steel Padlock made in 1983 by Burnett & Rolfe apprentices measuring 20" tall 14" wide and 3" deep weighing 28lb and is housed at The Kent Police Museum, Chatham Kent. Keeper of the Records Guinness Publishing (signature)". Gifted to The History of Locks Museum July 2016 by Kent Police Museum.	20 th century 1983	HoL-HC BTH-
0002348 /1948	Cartwright, J		Badge: Safe plate. CoR: England. Sz: 140 x 90mm. Mt: brass. Wt:	19 th century	HoL-HC BTH-AB- C01

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style –	Group /Loc
0000098	Castell		Padlock: CoR: England Lock Sz: 32 x 40mm. Mt: brass, steel. Wt: 71g. Key Sz: 52mm. Mt: nickel silver. Wt: 12g. Patent 430168.	20 th century	HoL-HC MLA- HR17/2
000012	Chatwood		Lock: Safe, Invincible. Sn: 106566. CoR: England. Lock Sz: 102 x 97 x 27mm. Mt: cast iron, steel, brass. Wt: 1.442kg. Key (not original) Sz: 81mm. Mt: steel. Wt: 18g. Marked: 'Chatwoods Invincible Patent Bolton'. Chatwoods Invincible anti-pressure patent in an early gunpowder proof case; 8 lever single bitted key lock.	19 th century	HoL-HC BTH-LR
0000524	Chatwood		Lock: 5 Spindle Letter. CoR: England. Sz: 165mm dia x 150mm deep. Mt: steel, brass. Wt: Change Key Sz: 85mm. Mt: steel. Wt: 18g. With change key stiletto. Note: this early style lock has gateings, with false notches, in the vibrating arms. Note: Bottom right arm disengaged to show the feature.	19 th century	HoL-HC MLA-HR Rear case cover in ART-9L-
0001288 /1947	Chatwood		Badge: Combined plate & escutcheon, Quadruple patent. Sn: 11759. CoR: England. Sz: 114mm dia. Mt: cast brass. Wt: 309g. Reads: "Chatwood's Quadruple Patent Bolton".	19 th century	HoL-HC MLA- HR
0001909 /1947	Chatwood		Lock: Safe, Invincible. Sn: 81621. CoR: England. Sz: Key making and engine turning on cap and sides applied early 20th century.	19 th century	HoL-HC BTH-
0003697 /1947	Chatwood		Lock: Safe, invincible. Sn: 131994. CoR: England. Lock Sz: 101 x 95 x 28mm. Mt: iron, brass. Wt: 1.287kg. Key Sz: 124mm. Mt: steel. Wt: 28g.	19 th century	HoL-HC MLA- HR10/2
0004120 /1947	Chatwood		Reward Tag: Sn: A4044B. CoR: England Sz: 31 x 9mm. Mt: steel. Wt: 4g.		HoL-HC BH-4LAB- C01
0004388 /1947	Chatwood		Badge: Safe keyhole escutcheon with waterproof seal. CoR: England. Sz: 92 x 107mm. Mt: brass. Wt: 652g.	20 th century	HoL-HC BH-

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style –	Group /Loc
0004947 /1947	Chatwood		Promotional item: Letter opener CoR: England. Sz: 232mm.	19 th century	HoL-HC
0004950	Chatwood		Lock: Impregnable. Sn: 132CoR: England. Lock Sz: 70 x 114 x 27mm. Mt: steel, brass Key Sz: 97mm. Mt: stainless steel. Wt: 25g. An unusual configuration in that this version is double entry – the keys are shouldered.	20 th century	HoL-HC MLA- HR10/2
0004994 /1947	Chatwood		Paper knife CoR: England Sz: 243mm. Mt: steel. Wt: 45g.	20 th century	HoL-HC MLA- HR20/2
0004995 /1947	Chatwood		Paper knife CoR: England. Sz: 232mm.Mt: steel. Wt: 46g.	19 th /20 th century	HoL-HC MLA- HR20/2
0004997 /1947	Chatwood		Lock: Invincible. Sn: 12154, CoR: England Lock Sz: 60 x 117 x 24mm. Mt: brass, steel. Wt: 679g. Key Sz: 88mm. Mt: steel. Wt: 17g, Marked: 'Chatwoods Patent Invincible 12154 Bolton'	19 th century	HoL-HC MLA- HR10/2
0005001 /1947	Chatwood		Lock: Invincible combined with a SAM lock. Sn: 150202. CoR: England Body Sz: 127 x 147mm (plus 10mm bolt throw). Mt: brass, steel. Wt. Dial Escutcheon Sz: 159 x 129mm. Mt: brass, steel. Key Sz: 82mm. Mt: steel. Wt: 18g. Comb: <4xN, >3xR, <2xS, stop on the last letter and operate with key.	19 th century	HoL-HC MLA- HR10/3

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0005002 /1947	Chatwood		Lock: Change Key. Sn: 125755. CoR: England. Lock Sz: 92 x 159mm. Mt: brass, steel. Wt: 1.985kg. Key Sz: 102mm. Mt: steel. Wt: 29g. Change key: 100mm. Mt: steel. Wt: 16g.	19 th century	HoL-HC MLA- HR10/2
0005003 /1947	Chatwood		Lock: Safe, with waterproof escutcheon. Sn: 26311. CoR: England. Lock Sz: 114 x 117 x 31mm. Mt: cast iron, steel, brass. Escutcheon Sz: 91 x 16mm. Mt: brass, rubber. Key: 91mm. Mt: steel. Wt: 26g. 7 ½" Double bitted 10 lever safe lock with integral relocker pin in a heavy cast iron case. This example displayed with a waterproof escutcheon.	20 th century	HoL-HC MLA- HR10/4
0005006 /1947	Chatwood		Badge: Combined plate & escutcheon, Treble patent. CoR: England. Sz: 114mm dia. Mt: cast brass. Wt: 309g. Reads: "Chatwood's Quadruple Patent Bolton".	19 th century	HoL-HC MLA-HR
0005007 /1947	Chatwood		Badge: Combined plate & escutcheon, Double patent. CoR: England. Sz: 114mm dia. Mt: cast brass. Wt: 309g. Reads: "Chatwood's Quadruple Patent Bolton".	19 th century	HoL-HC MLA- HR10/1
0005008 /1947	Chatwood		Badge: Combined plate & Escutcheon, Shrewsbury. CoR: England Sz: 92 x 127mm. Mt: brass. Wt: 551g. For double bit keys.	20 th century	HoL-HC MLA- HR10/1
0005009 /1947	Chatwood		Badge: Combined plate & escutcheon, Bolton. CoR: England. Sz: 92 x 127mm. Mt: brass. Wt: 480g. For double bit keys.	20 th century	HoL-HC MLA- HR10/1

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0005010 /1947	Chatwood		Badge: Combined plate & escutcheon, London. CoR: England Sz: 94 x 124mm. Mt: brass. Wt: 390g. For single bit key.	20 th century	HoL-HC MLA- HR10/1
0001174 /1947	Chatwood Milner		Lock: Manifoil Combination Lock, Mk IIA CoR: England. Body Sz: Dial Sz: Spindle: to suit 10mm door. This version has the two rollers but was before shielding was added; the second roller is supported on a bridge. Marked on cap: 'CM Ltd, MKIIA, 469'.	20 th century 1964	HoL-HC BTH- Cap in: AB
0004987 /1947	Chatwood Milner		Lock: Manifoil MK IIA Sn: 492. CoR: England Body Sz: 82mm dia. x 32mm. Mt: brass, steel, zinc alloy. Dial Sz: 97mm dia. x 40mm. Mt: brass, steel, zinc alloy.	20 th century	HoL-HC
0005015	Chatwood Milner		Keyless Combination Lock: CoR: England. Body Sz: 112 x 84mm (plus 22mm bolt throw). Mt: brass, bronze, steel. Dial Sz: 98mm dia. x 37mm. Mt: brass, steel. This example, fretted, embellished and converted to exhibition or trophy use.	20 th century	HoL-HC MLA- HR19
0002972 /1947	Chaz		Padlock: dual control. CoR: Russia, Cheboksary. Sz: 79 x 118mm. Mt: non-corrodible alloys. Wt: 540g. Appears to be an Abloy classic style mechanism but in a unique body to suit environmental extremes.	20 th century 1992	HoL-HC MLA- HR20/2

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
005123	Chaz		Padlock: dual control. CoR: Russia, Cheboksary. Sz: 79 x 118mm. Mt: non-corrodible alloys steel, nickle silver. Wt: 540g. Appears to be an Abloy classic style mechanism but in a unique body to suit environmental extremes.	20 th century 1992	HoL-HC BH-
0000050	Chubb		Lock: Detector patent. Sn: 452. CoR: England. Lock Sz: 153 x 116mm (plus extended bolt). Mt: iron, brass. Wt: 1.484 Found on Carron cast iron chest/strongbox, suspect that it was fitted by Chubb as bolt work is also stamped Chubb. The earliest known surviving Chubb detector lock.	19 th century 1819	HoL-HC MLA- HR8/2
0000108	Chubb		Time Lock: 2 wheel, 120 hour CoR: England. Sz: 174 x 154 x 75. Mt: brass, steel, stainless steel. Wt: 6.75kg. Wagon Wheel style One of the last mechanical models before the digital age. Noted Sn's: (2014)7L10 6662,	20 th century 1960's	HoL-HC MLA- HR22/1
0000173	Chubb		Badge: Safe Plate. CoR: England. Sz: 124 x 93 x 2mm. Mt: pressed brass. Wt: 54g. Reads: "Chubb's Patent Safe 128 Queen Victoria St. St. Pauls London"	19 th century	HoL-HC MLA- HR8/1
0000195 /1947	Chubb		Lock: double detent. CoR: England. Sz: Mt: bronze, brass, steel. Wt: Left hand lock from Chubb's 'X' Boltwork strongroom door. The lower detent pack consists of 7 levers and controls a hardened steel shutter over the keyway of the top pack, which is also detent controlled but with 9 levers, and engages/disengages the lock bolt with the door Boltwork. Two of these locks were fitted to the door.	19 th Century	HoL-HC MLA- HR22/5
0000325 /1947	Chubb		Badge: Safe. CoR: England. Sz: 127 x 94mm. Mt: pressed brass. Wt: 56g. Reads: Chubb & Son's Lock & Safe Compy. Limd. 128 Queen Victoria St. London. Typically found on book/ledger safes.		HoL-HC FM-

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style –	Group /Loc
0000408 /1947 /170	Chubb		Lock: Detector, Improved Patent. Sn: 5925. CoR: England. Lock Sz: 253 x 158 x 38mm (plus 25mm bolt throw). Mt: steel, brass. Wt: 4.75kg. Key Sz: 175mm. Mt: steel. Wt: 140g. 4 lever	19 th century 1826/6/21	Hol-HC FM-
0000411 /1947 /173	Chubb		Lock: Detector, New Patent. Sn: 112638. CoR: England. Lock Sz: 202 x 174mm (plus 75mm bolt extension). Mt: steel, brass. Wt: 3.25kg. Key Sz: 95mm. Mt: steel. Wt: 51g.	19 th century 1840's	Hol-HC BTH-
0000433 /1947 /154a	Chubb		Badge: Safe plate. CoR: England. Sz: 129 x 87mm. Mt: brass. Wt: 118g.	19 th /20 th century	Hol-HC BTH-
0000434 /1947 /155a	Chubb		Lock: Sn: 1794792. CoR: England. Lock Sz: 95 x 92mm (plus 8mm bolt throw). Mt: iron, steel, brass, bronze. Wt: 698g. Key Sz: 72mm. Mt: steel. Wt: 14g. A 7 lever safe lock, made by Chubb locksmith Walter Evans, fully false notched and gunpowder proof.	20 th century 1923/6/27	Hol-HC FM-
0000440 /1947 /161a	Chubb		Lock: 12 Lever. CoR: England. Sz: 178 x 133mm. Mt: steel brass. Wt: 3.6kg. One of a pair of locks used in conjunction with Chubbs diagonal Boltwork, Patent No. BP2856.	19 th century 1880's/90's	Hol-HC MLA-HR
0000739 /1947	Chubb		Lock: Gunpowder Proof X-Y Style. Sn: 662806. CoR: England. Sz: 101 x 90 x 26mm. Mt: iron, brass. Wt: 946g. A 6 lever gunpowder proof lock, note the hardened plate protecting the lever pack with grooves to vent explosive gases. With key escutcheon.	19 th century 1873	Hol-HC FM-
0000845 /1947	Chubb		Lock: Detector, Definitive. Sn: 1099913. CoR: England Sz: 153 x 113. Mt: brass. Wt: 1.615kg. An all brass rim deadlock, with 5 levers.	19 th century 1886/08/25	Hol-HC FM-
0000919 /1947	Chubb		Badge: Escutcheon, Fish Logo. CoR: England. Sz: 44 x 25mm. Mt: brass, bronze. A key escutcheon with sliding bronze flap on a brass base. Reads: "Trade Mark Chubb London".	19 th /20 th century	Hol-HC MLA- HR8/1

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0000938 /1947	Chubb		Lock: Channel Lock Sn: 1839745. CoR: England. Sz: Steel case, locking down, with 1 original pin key and fish escutcheon.	19 th century	HoL-HC BTH-AB- CHU2 G/BB-01
0000942 /1947	Chubb		Lock: Night Safe Wallet. Sn: WA373. CoR: England. Sz: 158 x 175mm. Mt: leather, brass, steel. Wt: 457g. Westminster Bank. Dual key lock, the cashier had a key which fitted every wallet, whereas the customer only had a key to his own wallet.	20 th century	HoL-HC FM-
0000996 /1947	Chubb		Lock: Safe, Dual Control. Sn: A4061. CoR: England, London. Lock Sz: 64 x 87mm. Mt: brass. Wt: 1.019kg. Key 1 Sz: 117mm. Mt: steel. Wt: 21g. Key 2 Sz: 117mm. Mt: steel. Wt: 21g. This example from a bank night safe.	20 th century 1920's	HoL-HC MLA- HR8/2
0001014 /1947	Chubb		Lock: Night Safe Wallet. Sn: B7808. CoR: England. Sz: 158x145mm. Mt: Black leather, brass, steel. 2 keyholes, no keys. Marked: Barclays Bank Limited, on brass plate and Chubb London on lock also with fish logo.	20 th century	HoL-HC BTH-
0001015 /1947	Chubb		Lock: Channel. SN: B2566. CoR: England. Sz: With 1 original pin key.	20 th century	HoL-HC BTH-AB- CHU2
0001119	Chubb		Lock: Detector, Improved Patent. Sn: 37926. CoR: England, London Sz: 61 x 70mm. Mt: brass, iron. Wt: 189g.	19 th century 1838	HoL-HC FM-
0001120 /1947	Chubb		Lock: Detector, Improved Patent. Sn: 6037. CoR: England, London. Sz: 44 x 69mm. Mt: brass, iron. Wt: Rocker arm style detector.	19 th century	HoL-HC BTH-

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0001121 /1947	Chubb		Lock: Detector, Improved Patent. Sn: 27947. CoR: England, London. Lock Sz: 152 x 139mm (Plus extended bolt). Mt: iron, brass. Wt: 1.562kg. Key Sz: 114mm. Mt: steel. Wt: 58g.	19 th century	Hol-HC MLA-HR8/3
0001122 /1947	Chubb		Lock: Detector, New Patent. Sn: 138847. CoR: England, London. Sz: 89 x 42mm. Mt: brass, steel. Wt: 182g. 4 lever box lock. Note the extensions to the levers; this was to prevent access to the detector with a wire hook inserted through the keyhole, a technique exposed by one of Chubbs own workmen.	19 th century 1843/12/22	Hol-HC FM-
0001123	Chubb		Lock: Detector, New Patent. Sn: 140286. CoR: England, London. Size: 179 x 151mm. Mt: iron, brass. Wt: Safe Lock.	19 th century 1844/1/28	Hol-HC BTH-
0001125 /1947	Chubb		Lock: Detector, New Patent. Sn: 122567. CoR: England, London. Lock Sz: 117 x 127mm. (excluding bolt extension, 45mm when locked). Mt: iron, brass. Wt: 960g Key Sz: 81mm. Mt: steel. Wt: 32g Safe Lock with Double pocketed levers.	19 th century 1843/02/28	Hol-HC FM-
0001126	Chubb		Lock: Rim Deadlock, Detector, New Patent. Sn: 121314. CoR: England. Lock Sz: 307 x 91mm. Mt: iron, brass. Wt: Key Sz: 149mm. Mt: steel. Wt: 139g.	19 th century 1843/02/28 Victorian	Hol-HC MLA-HR8/4
0001127	Chubb		Lock: New Patent. Sn: 137850. CoR: England, London. Sz: 114 x 130mm. Mt: iron, brass. Wt: Safe Lock with Double or cotton reel type curtain.	19 th century 1843/12/5	Hol-HC BTH-
0001128	Chubb		Lock: Detector, Definitive . Sn: 220073. CoR: England, London. Sz: 128 x 101mm. Mt: steel, brass. Wt: 936g. Rim Dead Lock	19 th century 1850/05/16	Hol-HC BTH-
0001129 /1947	Chubb		Lock: Detector, Definitive. Sn: 624431. CoR: England, London. Lock Sz: 84 x 93 x 19mm (plus 22mm flange return, 36mm knob protrusion and 8mm bolt throw). Mt: steel, brass. Wt: 652g. Key Sz: 82mm. Mt: steel. Wt: 14g. A 5 lever deadlocking rim latch with hold back snib and a definitive detector.	19 th century 1870	Hol-HC MLA-HR8/1
0001130 /1947	Chubb		Lock: Detector, New Patent. Sn: D29579. CoR: England, London. Sz: 154 x 112mm. Mt: steel, brass. Wt: 1.244kg. Rim Dead Lock with 5 levers.	19 th century	Hol-HC FM-
0001197 /1947	Chubb		Badge: Safe Plate. CoR: England. Sz: 130 x 92 x 2mm. Mt: cast brass. Wt: 148g. Reads: "Bankers Quality Safe Chubb Lock & Safe Makers 128 Queen Victoria St London".	19 th century	Hol-HC BTH-4LAB-CHU05

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0001198 /1947	Chubb		Badge: Safe Plate. CoR: England. Sz: 127 x 90 x 2mm. Mt: cast brass. Wt: 135g. Reads: Book Quality Safe Chubb Lock & Safe Makers 128 Queen Victoria St. London".	19 th century	HoL-HC BTH-4LAB- CHU05
0001199 /1947	Chubb		Badge: Safe Plate. CoR: England. Sz: 119 x 53 x 3mm. Mt: cast brass. Wt: 75g Reads: "Chubb London".	19 th century	HoL-HC MLA- HR8/1
0001200 /1947	Chubb		Badge: Safe Plate. CoR: England. Size: 118 x 50 x 3mm. Mt: cast brass. Wt: 79g. Reads: "Chubb's Patent London".	19 th century	HoL-HC 4LAB- CHU05
0001201 /1947	Chubb		Badge: Safe Plate. CoR: Australia. Sz: 157 x 121 x 3mm. Mt: cast brass. Reads: "Chubb's Australian Co. Ltd. Book Quality Safe Chubb Lock & Safe Makers London Sydney Melbourne & New Zealand".	19 th /20 th cent.	HoL-HC MLA- HR8/1
0001202 /1947	Chubb		Badge: Safe Plate. CoR: England. Sz: 130 x 93 x 3mm. Mt: cast brass. Wt: 198g Reads: "By Royal Appointment Chubb Lock & Safe Makers 128 Queen Victoria St. London".	19 th century	HoL-HC BTH-4LAB- CHU05
0001558 /1947 /PF-284 /252	Chubb		Lock: Detector, Definitive. CoR: England Sz: 89 x 133mm. Mt: steel, brass. Wt: Mortice 4 lever Night Latch.	19 th century	HoL-HC BTH-AB- CHU01
0001559 /1947 /PF-285	Chubb		Lock: Mortice Night latch. CoR: England. Sz: 90 x 133mm, spindle backset: 68mm, keyhole backset: 41mm. Mt: steel, brass. With monitor lever. With special furniture.	20 th century	HoL-HC BTH-AB- CHU03
0001714 /1947	Chubb		Lock: Detector, Definitive. Sn: 1782450. CoR: England Sz: Mt: steel, brass. Wt: 422g. Detector deadlock, S24 marked on forend indicates suited (wards). This example with a decoratively fretted vision panel and features the definitive detector, false notches and a barrel & curtain.	20 th century 1922/2/22	HoL-HC FM-


Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0001889 /1947	Chubb		Lock: Castle Security Range 3G110. CoR: England. Sz: This is one of the first production runs. The original version developed, or inspired by the Kromer Se-Kro by Bill Stanton.	20 th century 1960	Hol-HC BTH-
0001899 /1947	Chubb		Lock: Mortice Deadlock. Sn: 1168109. CoR: England. Sz: 78 x 121mm. Mt: steel, brass. Wt: 535g. Definitive Detector Lock, 4 levers and brass bushed.	19 th century 1889/3/25	Hol-HC FM-
0001900 /1947	Chubb		Lock: Mortice Night Latch. Sn: 619566. CoR: England. Sz: 78 x 131mm. Mt: steel, brass. Wt: 508g. A mortice night latch featuring the definitive detector, and barrel & curtain.	19 th century 1870/8/25	Hol-HC FM-
0001901 /1947	Chubb		Lock: safe, Gunpowder proof. Sn: 626662. CoR: England. Lock Sz: 10 x 79mm (plus 7mm bolt throw). Mt: steel, iron, brass. Wt: 1.167kg. Key Sz: 65mm. Mt: steel. Wt: 12g.	19 th century 1870	Hol-HC MLA- HR8/2
0001902 /1947	Chubb		Lock: Safe, Detent. Sn: 1270428. CoR: England. Lock Sz: 95 x 100mm including extended bolt. Mt: steel, brass. Wt: 687g. Key Sz: 94mm. Mt: steel. Wt: 14g.	19 th century 1893/04/27	Hol-HC MLA- HR8/2
0001906 /1947	Chubb		Lock: 7L64. CoR: England. Sz: Dual footprint 4 wheel keyless combination lock.	20 th /21 st century 2000	Hol-HC BTH-AB- CHU01
0002404 /1947	Chubb		Lock: Safe deposit box. CoR: England Lock Sz: 102 x 46 x 23mm. Mt: brass. Wt: 512g. Key Sz: 66mm. Mt: stainless steel. Wt: 20g (including lead seal). Changeable. Bolt marked: "104".	20 th century	Hol-HC MLA- HR8/2
0002500 /1947	Chubb		Lock: Safe deposit box, 702. CoR: England. Sz: 95 x 41mm (plus 11mm bolt throw). Mt: brass. with a renters key marked 'Chubb 122' Typical of the type used in the 'Hatton Gardens' deposit boxes.	20 th century 1960's	Hol-HC FM-
0002863 /1947	Chubb		Badge: safe plate. CoR: England. Sz: 119 x 52mm. Mt: cast brass. Wt: 57g. Reads: "Chubb London" and "No. 40" cast in back. One of the earliest Chubb safe badges.	19 th century 1840/1860s	Hol-HC FM-

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style –	Group /Loc
0003190 /1947	Chubb		Lock: Detector, Definitive. Sn: 1158237. CoR: England. Sz: 70 x 60mm, (plus 8mm bolt throw). Mt: brass, steel. Wt: 259g. The cap has a later cut vision panel.	19 th century 1888/11/07 Victorian	Hol-HC FM-
0003418 /1947	Chubb		Lock: Safe, 6K204. CoR: England. Sz: 112 x 82 x 33mm plus bolt/tail extension/throw. Mt: brass, zinc alloy, steel. Wt: 1.086kg. Features include: barrel and curtain with a lever belly wiper.	20 th century	Hol-HC BH-4LAB- CHU03
0003547 /1947	Chubb		Lock: safe deposit box. CoR: England. Lock Sz: 99 x 44 x 25mm (plus 18mm nozzles). Mt: brass. Wt: 448g. Key Sz: 66mm.	20 th century	Hol-HC MLA- HR8/2
0003655 /1947	Chubb		Key: Exhibition/Portal. CoR: England. Sz: 200mm. Mt: brass, gold plated. Wt: 228g. The inscription reads: on the bow "Chubb & Son, 57 St Pauls Churchyard, London' and on the bit: 'Chubbs Patent'.	19 th century	Hol-HC MLA- HR8/1
0003690 /1947	Chubb		Lock: 4 wheel combination, chain drive. CoR: England. Body Sz: 112 x 81mm (plus 53mm bolt extension). Mt: brass, steel. Dial Sz: 105 x 144mm. Mt: brass, steel, acrylic. This example, fretted, embellished and converted to exhibition or trophy use. Special for Lloyds only	20 th century	Hol-HC MLA- HR19/3
0003701 /1947	Chubb		Lock: Safe Deposit Box. CoR: England Lock Sz: 100 x 44 x 20 (plus 12mm nozzle and 9mm locking thumbscrew. Mt: brass, bronze. Wt: 373g. Single keyway, slide on/off fixing.	20 th century	Hol-HC MLA- HR8/2
0003705 /1947	Chubb		Padlock: 1K21, cutaway. CoR: England. Lock Sz: 73 x 102mm. Mt: steel, brass. Wt: 838g. Key Sz: 50mm. Mt: steel. Wt: 12g. Marked: 679. Salesman's sample, this one from Paul Souber, Chubb rep during the eighties.	20 th century 1976	Hol-HC FM-

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0004095 /1947	Chubb		Lock: Horizontal mortice lock, 2 lever CoR: England. Sz: 155mm x 117mm. Mt: brass, iron. Wt: 756g.	19 th /20 th century	HoL-HC BH-4LAB- CHB01
0004096 /1947	Chubb		Lock: Book or Ledger. Sn: 1667189. CoR: England. Sz: 57 x 53mm. Mt: brass, steel. Wt: 123g.		HoL-HC BH-CAB-
000432 /1947 /153a	Chubb		Badge: CoR: England. Sz: 214 x 102mm. Mt: cast brass. Wt: 499g rectangular, marked on rear: No. 8, C60	20 th century	HoL-HC JMF- BH-
0004372 /1947	Chubb		Lock: Combination Night latch. Sn: 601497. CoR: England. Body Sz: 102 x 85mm (plus 20mm bolt head). Mt: steel, brass. Wt: 778g. Also marked with Prince of Wales feathers. A 5 lever lock where the levers extend to form the bolt head, functions like a traditional night latch.	19 th century	HoL-HC FM-
0004376 /1947	Chubb		Lock: Detector. Sn: 663749. CoR: England. Case Sz: 102 x 92mm. Mt: steel, brass. Wt: 851g. Rim nightlatch with definitive detector.	19 th Century	HoL-HC FM-
0004635 /1947	Chubb		Padlock: Ava. CoR: England Lock Sz: 31 x 42mm. Mt: brass, steel. Wt: 72g. Key Sz: 34mm. Mt: nickle silver. Wt: 4g.	20 th century	HoL-HC BH-
0004679	Chubb		Padlock: 1K38 CoR: England Sz: 40 x 62 x 16mm. Mt: brass, steel. Wt: 138g. Padlock conversion mock-up by Bill Stanton in the 1960's to demonstrate an anti-pressure feature at the request of the MoW. These locks were used on diplomatic bags; the Minisry requested an improved version once it was learnt that the standard version could be picked.	20 th century 1962	HoL-HC BH-
0004856 /1947	Chubb		Handcuff: Escort, MKII. CoR: England. Cuffs Sz: 287 x 78mm. Mt: steel, brass, cast Aluminium. Wt: 616g. Key Sz: 46mm. Mt: brass. Wt: 11g. Improved method of plug retention, body now black coated.	20 th century	HoL-HC MLA- HR16/1
0004945	Chubb		Promotional: 3L91 Leaflet dispenser CoR: England. Sz: 301 x 203 x 63mm. Mt: wood, steel, brass, paper. Wt: 1.746kg (without Leaflets).	20 th century 1935	HoL-HC BH

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0004956 /1947	Chubb		Lock: 4 wheel combination, indirect drive. CoR: England. Dial Sz: 98mm dia. x 40mm. Body Sz: 112 x 80 x 50mm, plus 23mm bolt throw. Plus gear drive train. This example prepared for exhibition and with fretted vision panels.	20 th century.	HoL-HC MLA- HR22/2
0004961	Chubb		Manifoil: MK IV. Sn: C292203. CoR: England. Body Sz: 82mm dia. x 32mm. Mt: brass, steel, zinc alloy, lead. Dial Sz: 97mm dia. x 40mm. Mt: brass, steel, plastic, lead.	20 th century 1987	HoL-HC LB- MLA- HR22/3
0004989 /1947	Chubb		Lock: Manifoil MK IV, with spy proof dial cover. Sn:	20 th Century	HoL-HC
0005016 /1947	Chubb		Badge: Safe Plate. CoR: England Sz: 125 x 94mm. Mt: brass.	19 th century	HoL-HC MLA- HR8/1
0005017	Chubb		Badge: Safe Plate. CoR: England. Sz: 100 x 123mm. Mt: brass.	19 th century	HoL-HC MLA- HR8/1
0005018	Chubb		Badge: Safe Escutcheon. CoR: England. Sz: 46 x 51mm. Mt: brass	19 th century	HoL-HC MLA- HR8/1
0005019	Chubb		Badge: safe plate. CoR: England Sz: 105 x 85mm. Mt: brass	19 th century	HoL-HC MLA- HR8/1
0005035	Chubb		Badge: Safe plate. CoR: England. Sz: 129 x 86mm. Mt: brass. Wt: 123g.	19 th century	HoL-HC FM-

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0005036	Chubb		Badge: Escutcheon. CoR: England. Sz: 38 x 45mm. Mt: brass. Wt: 47g.	19 th century	HoL-HC FM-
0005037	Chubb		Lock: Detector Definitive. Sn: 321450. CoR: England. Lock Sz: 103 x 127mm (plus 50mm bolt extension). Mt: steel, brass. Wt: 870g. Key Sz: 81mm. Mt: steel. Wt: 29g. Safe lock with definitive detector also featuring false notches and a curtain. Holes in the case (not visible) vent explosive gases from gunpowder.	19 th century 1859/2/11	HoL-HC FM-
0005039 /1947	Chubb		Lock: Channel. CoR: England. Lock Sz: 82 x 101mm. Mt: brass. Wt: 934g. Key (carry stem): 70mm. Mt: steel. Wt: 19g. A 7 lever safe, in the Channel lock series, lock with features to inhibit the contemporary practice of hardware modification to facilitate opening.	20 th century	HoL-HC FM-
0005041	Chubb		Lock: Manifold Mk IV Sn: C352592. CoR: England Body Sz: 82mm dia. x 32mm. Mt: brass, steel, zinc alloy, lead. Dial Sz: 97mm dia. x 40mm. Mt: brass, steel, plastic, lead. This lock, a Government Restricted high security lock, includes features that countered both real and perceived threats.	20 th Century 1993	HoL-HC FM-
0005042 /1947	Chubb		Time Lock: 7L10, 2 wheel, 120 hour Sn: 12965. CoR: England. Sz: 174 x 154 x 75. Mt: brass, steel, stainless steel. Wt: 6.75kg. Wagon Wheel style One of the last mechanical models before the digital age.	20 th century 1960's	HoL-HC FM-
0005043 /1947	Chubb		Lock: Vault. CoR: England. Sz: 112 x 82 x 38mm (plus 34mm bolt head extension). Mt: brass. Wt: 1.633kg. A vault lock of the 70's and 80's. These locks had keys with detachable slip bits; the rationale was that depending on the strongroom door quality and therefore door thickness the stem was of a length to suit. It was not practical for key holders to carry these very long keys around therefore the bit part could be removed and kept on a short holder stem.	20 th century	HoL-HC FM-

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style –	Group /Loc
			These stems could be up to 500mm or more!		
0005044	Chubb		Lock: Grill Gate. CoR: England. Lock Sz: 152 x 152mm (plus 42mm bolt throw). Mt: steel, brass. Wt: 2.339kg. A 7 lever lock for the inner or day door of a strongroom. The top lock is key-retaining.	20 th century 1975	HoL-HC FM-
0005045	Chubb		Lock: Grill Gate. CoR: England. Lock Sz: 152 x 152mm (plus 42mm bolt throw). Mt: steel, brass, bronze. Wt: 2.321kg. Two 5 lever heavy deadlocks in one case, used on the day door of a strongroom. This example creatively fretted.	20 th century	HoL-HC FM-
0005050 /1947	Chubb		Padlock: Railway CoR: England. Sz: 62 x 99mm (excluding clevis link). Mt: bronze. Wt: 426g. Marked: SAR (South African Railways) SAS	20 th century 1955	HoL-HC MLA- HR17
0005051 /1947	Chubb		Padlock: Railway CoR: England. Sz: 62 x 100mm (excluding clevis link)/ Mt: bronze. Wt: 433g. Marked: SAS (South African Railways)	20 th century 1936	HoL-HC
0005086	Chubb		Model: Crane Hinge Vault Door. CoR: England. Sz: 137 x 137 x 126mm. Mt: steel, brass, acrylic. Wt:	20 th century 1950's	HoL-HC GC- MLA-HR
0005108	Chubb		Lock: Pillar Box Lock. CoR: England. Lock Sz: 86 x 130mm. Mt: brass, steel, bronze. Wt: 832g. Key Sz: 101mm. Mt: steel. Wt: 50g. Features include a button trap and a curtain lock to prevent it from turning in the wrong direction.	20 th century 1930's	HoL-HC MLA-HR

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0005120	Chubb		Lock: Channel. CoR: England Lock Sz: 82 x 130mm (excluding 10mm bolt throw). Mt: brass, bronze. Wt: 876tg. Key Sz: 100mm. Mt: steel. Wt: 22g.	20 th century	HoL-HC MLA-HR
005137	Chubb		Lock: Detector, Exhibition. Sn: C6330. CoR: England. Lock Sz: 56 x 74mm (plus 9mm bolt throw)/ Mt: brass, steel. Wt: 296g. Key Sz: 59mm. Mt: steel. Wt: 8g.	20 th century 1953	HoL-HC BH-EX2-2
005167	Chubb		Lock: Mortice Detector, Fretted CoR: England. Fretted top cap and check lever. Stamped: AY	20 th century 1963	HoL-HC BCC BH-3/2
005169	Chubb		Padlock: GPO No. 6. CoR: England. Sz: 43 x 66mm.	20 th century	HoL-HC BCC BH-3
005249	Chubb		Lock: Safe, Change Key. CoR: England. Sz: 92 x 94mm, (plus 8mm bolt throw). Mt: steel, brass. With 7 levers two of which are changeable; with 5 different keys.	20 th century	HoL-HC BH-
005250	Chubb		Promotional Item: Data Cabinet Model. CoR: England. Sz: 99 x 137 x 128mm. Mt: acrylic. Wt: 906g.	20 th century	HoL-HC MLA-HR
0000743 /1947	Chubb, C., & Son		Badge: CoR: England. Sz: 71 x 45mm. An early example marked: "C CHUBB & SON. Manufactures 57 St Pauls Churchyard LONDON". Probably from a deed/cash box".	19 th century 1846-1882	HoL-HC BTH-

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0000147	Cisa		Lock: Sensor 57050, Factory promotional item. CoR: Italy. Sz:	20 th century	HoL-HC BTH-AB- C01
0002337 /1947	Cisa		Padlock: Cutaway. CoR: Italy. Sz: 69 x 112mm. Mt: brass, steel. Wt:	20 th century	HoL-HC BTH-AB- C01
000015	Clarke		Padlock: Combination, 12 Button. Sn: 1933. CoR: USA. Sz: 59 x 104mm. Mt: bronze, brass, steel. Wt: 620g. Marked: US Treasury.	20 th century	HoL-HC
0004978 /1947	Clejuso		Grip: CoR: Germany Sz: 122 x 94mm. Mt: steel. Wt: 213g.	20 th century	HoL-HC ANC- MLA- HR16/1
0004979 /1947	Clejuso		Handcuff: 12A. CoR: Germany Cuff Sz: 250 x 83mm. Mt: stainless steel. Wt: 298g. Key Sz: 36mm. Mt: steel. Wt: 4g.	20 th century	HoL-HC ANC-
0004980 /1947	Clejuso		Handcuff: 12R. CoR: Germany. Cuff Sz: 260 x 94mm. Mt: stainless steel. Wt: 377g. Key Sz: 36mm. Mt: steel. Wt: 4g.	20 th century	HoL-HC ANC- MLA- HR16/2
0004226 /1947	Clerck, Mathys De		Lock: safe. Sn: 2206. CoR: Belgium. Lock Sz: 56mm dia. x 85mm. Mt: steel, brass. Wt: 648g. Key Sz: 80mm. Mt: steel. Wt: 20g. A safe lock cylinder drive unit incorporating both levers and sliders, commonly referred to as Bramah Chubb locks.		HoL-HC BH-
005125	Code		Padlock: CoR: Padlock Sz: 44 x 68mm. Mt: steel, zinc alloy. Wt: 270g. Key Sz: 41mm. Mt: zinc alloy, brass. Wt: 10g.	20 th century	HoL-HC BH-EXH- 1/2
0001257 /1947	Coleman, M., & Co		Badge: CoR: England. Sz: 115 x 83 x 3mm. Mt: cast bronze. Reads: "A M Coleman & Co Fire & Thief Resisting The Almonco Safe (Registered) 28-29 & 51-52 Chancery Lane London WC2".	20 th century	HoL-HC BTH-AB- C01

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style –	Group /Loc
0001195 /1947	Conversia		Lock: Keyless Combination CoR: Russia, Bishkek, Kirghizia. Sz: 89 x 89 x 28mm (plus 45mm bolt throw & dial 9mm dia x 78mm including spindle). Mt: stainless steel. Wt: 2.888kg Ball bearings are a feature in the design. Code: 666<, 33>, 0< One of the locks used in Russia as the Manifoil's were in the UK.	20 th century	HoL-HC MLA-HR5/2 Note: spare parts in 4LAB-02.
0003790 /1947	Conversia		Padlock: CoR: Russia, Bishkek, Kirghizia. Sz: 100 x 95mm. Mt: stainless steel. Wt: 830g. Code: 12<x3, 8>x2, <6 rotate shackle either way to open. (Index is the bevel edge on the dial knob. Ball bearings feature in the design)	20 th century	HoL-HC MLA-HR20/2
0003791 /1947	Conversia		Lock: Keyless Combination. CoR: Russia, Bishkek, Kirghizia. Sz: 49 x 104mm (excluding rear linkage spigots). Mt: stainless steel. Wt: 858g. Ball bearings feature in the design.	20 th century	HoL-HC MLA-HR Note: Fittings in 4LAB-02.THC-
0001255 /1947	Cooper, George		Badge: safe. CoR: England Sz:, Mt: brass. Reads: "George Coopers Reliable Safe London".	19 th century	HoL-HC BTH-AB-C01
0004424 /1947	Cooper, George		Ancillary fitting: Safe badge. CoR: England. Sz: 94 x 57mm. Mt: cast brass. Wt: 76g. Reads: 'George Cooper's Reliable Safe'.		HoL-HC BH-4LAB-C03
0001192 /1947	Cooper, R		Padlock: CoR: England Sz: Mt: brass, steel. A 4 lever traditional style padlock Marked: "R Cooper & Son Improved Principle Thief Proof Lever Lock 4 warranted Secure"	19 th century	HoL-HC BTH-AB-C01
0001519 /1947 /PF-253 /75	Corbinos		Lock: Rim Night Latch. Sn: 4821 Sz: 88 x 98mm (includes fixed nozzle). 4 push or pump action levers with ward on key nose.	20 th century	HoL-HC BTH-AB-C02

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0000044	Cotterill		Padlock: Acme Patent Sn: 17. CoR: England. Lock Sz: 52 x 91mm. Mt: brass, steel. Wt: 386g. Key Sz: 53mm. Mt: steel. Wt: 14g.	19 th century	HoL-HC MLA-HR
0001072 /1947	Cotterill		Key: 8 slider. CoR: England Size: 79mm. Mt: steel. Wt: Marked: Climax Detector Birmingham Patent 5.		HoL-HC BTH-KC-
0001089 /1947	Cotterill		Latch: Patent Latch. CoR: England Sz: 120 x 76mm, Mt: iron, brass. Wt: 192g.	19 th century	HoL-HC MLA-HR4/2
0001204 /1947	Cotterill		Badge: safe. CoR: England. Sz: 142 x 86 x 1mm. Mt: pressed brass. Wt: Reads: "Cotterill".	19 th century	HoL-HC BTH-
005158	Cotterill		Lock: Acme, Wilsons Patent CoR: England Lock Sz: 103 x 88mm (plus 10mm bolt throw). Mt: steel iron, brass. Wt: 608g. Key Sz: 83mm. Mt: steel. Wt: 24g.	19 th century	HoL-HC BH-EXPO-2/2
005171	Cotterill		Lock: Safe CoR: England. Key marked: CD	19 th century	HoL-HC BCC 9L-BCC
0000735 /1947	Cotterill, E., & Co		Badge: Combined Safe Plate & Escutcheon. CoR: England. Sz: 142 x 140mm. Mt: cast brass. Wt: 306g. Reads: E. Cotterill & Co. Manufacturers Climax Works Birmingham Patent Acme Lock.	19 th century	HoL-HC MLA-HR12
0001205 /1947	Cotterill, Edwin., & Co		Badge: Safe Plate CoR: England. Sz: 120 x 81 x 4mm. Ma: cast brass. Wt: Reads: Edwin Cotterill & Co. Ltd. Manufacturers of Safes & Locks Birmingham.	19 th century	HoL-HC BTH-
005126	Crisp, W A		Padlock: CoR: England. Padlock Sz: 93 x 121mm. Mt: iron. Wt: 632g. Key Sz: 70mm. Mt: iron. Wt: 58g. Padlock marked on the front 'John Dudin ShadThames' and on the back 'W.A.Crisp Maker'. A bargemans padlock; in this case John Dudin who had the rights to work a stretch of river bank on the	18/19 th century	HoL-HC BH-EXH-1/2

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style –	Group /Loc
			South Thames.		
0004423 /1947	Crusader		Ancillary fitting: safe badge. CoR: England. Sz: 83mm dia. Mt: cast brass. Wt: 106g. Reads: 'The Crusader brand Modern Steel Safes'.	20 th century	HoL-HC BH-4LAB-C03
0005047	Dalton	 	Lock: safe, 6 number combination. Sn: 5810. CoR: USA. Body Sz: 122 x 81mm (plus 20mm bolt throw and fixing lugs). Mt: steel, brass. Dial Sz: 85mm dia. Mt: brass, steel. A six number combination lock with the unusual feature where the user could select how many numbers were actually required via a lever on the back of the lock case. The lock could even be disengaged and operated without any numbers dialled in.	19 th century	HoL-HC MLA-HR
0000525 /10 /25	Dalton, Milton A		Lock: Combination. Sn: 5592. CoR: USA. Sz: 136 x 113 including fixing lugs, plus 25mm bolt throw. (case only, but includes cap with lever) Pat.Nov.18'1878.		HoL-HC BTH-note
0001066 /1947 /PF-032	Damm		Padlock: CoR: Germany. Sz: 55 x 80mm. Mt: steel, brass. Wt: 256g. Key Sz: 60mm. Mt: nickel silver. Wt: 12g.		HoL-HC 4LAB-D01
0001565 /1947 /PF-291 /78	Damm		Lock: Mortice Sash. Sn: 252444. D: CoR: Sz: 85 x 270mm. Mt: steel, brass. Wt:	20 th century	HoL-HC BTH-AB-D
0000624	Damm & Ludwick		Padlock: Sn: V4226CoR: Germany. Padlock Sz: 49 x 67mm. Mt: brass, bronze. Wt: 278g. Key Sz: 53mm. Mt: steel. Wt: 4g.	20 th century	HoL-HC EXPO 21-cab
0001085 /1947	Depose		Lock: Rim Dead Lock. CoR: France. Sz: 135 x 87mm. Mat: steel. Wt: A double throw rim deadlock in the style of pre-industrial, note the press work.	20 th century	HoL-HC BTH-BB-2
0004981 /1947	Deutsche Polizei		Handcuff: 43B. CoR: Germany. Cuff Sz: 241 x 85mm. Mt: cast aluminium, steel. Wt: 331g.	20 th century	HoL-HC ANC- MLA-HR16/2

The History of Locks Museum – Heritage Collection

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
			Key Sz: 38mm. Mt: steel. Wt: 5g.		
0002389 /1947	Deutsche Polizei		Lock: Handcuff. Sn: 01551. CoR: Germany. Sz: 148 x 100mm. Mt: Marked: "Deutsche Polizei D R Pat".	20 th century	Hol-HC BTH-4LAB- UID06
0001152 /1947	Diebold		Time Lock: Sn: 3956. CoR: USA Sz: 142 x 110 x 70mm. Mt: brass, steel, glass. Wt: 3 72 hour jewelled movements, first patented May 22 nd 1894	19 th /20 th century	Hol-HC MLA- HR22/1
005158	Diebold		Lock: Hypnotic Dial & 4 Wheel Combination. CoR: USA.	20 th century 1960's	Hol-HC BCC
0001203 /1947	Dix, James		Badge: Safe Plate & Swag CoR: England. Size: (plate) 129 x 85 x 3mm, (swag) 170 x 60 x 3mm. Co: England. Mt: cast brass. 2 part reading: (plate) "James Dix Safe Engineer 139 Cambridge Rd. & 15 Devonshire St. London E" (swag) "27 Years With The Genuine John Tann".	19 th /20 th cent.	Hol-HC BTH-PP-
0004756 /1947	Dreadnought		Padlock: Sn: 735. CoR: England. Sz: 67 x 62mm. Mt: iron, brass. Wt: 228g.	19 th century	Hol-HC MLA-HR
0005030 /1947	Duce		Lock: Parson Balanced Lever Patent. CoR: England. Sz:	19 th century	Hol-HC MLA-HR
0001280 /1700 /PF-079	Eagle Lock Co		Padlock: 4 Lever. CoR: USA. Lock Sz: 49 x 84mm. Mt: steel, brass. Wt: 164g. Key Sz: 46mm. Mt: steel. Wt: 7g.	19 th century	Hol-HC MLA- HR17/2
0001768 /1947 PF-469 /280	Elsinga, I .		Lock: Cut door lock. CoR: Sz: 217 x 235mm. Mt: steel, iron, brass. Wt: Double throw with box of wards pipe key (128mm), double sided operation with separate keyhole and bridge wards for each side.	18 th century	Hol-HC BTH-AB- E01
0001262 /1947 /PF-061	Elzett		Padlock: Tuto. Sn: 30853. CoR: Hungary Lock Sz: 58mm. Mt: steel. Wt: 320g. Key Sz: 45mm. Mt: iron. Wt: 10g.	20 th century	Hol-HC BTH-AB-E
0001096	Epilok		Padlock: with Calliper No.78/5 CoR: Size: 47 x 82mm. Mt: With Mini Kaba cylinder, key number 00369A.	20 th century	Hol-HC BTH-BB-2
0004440	Evva		Lock: Euro cylinder, EPS, factory cutaway. CoR: Austria. Sz: 74 x 33mm. Mt: brass, steel. Wt Key marked: 'Evva EPS V288 patented'.	21 st century 2008	Hol-HC MLA- HR20/1


Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0004442 /1947	Evva		Lock: Euro Cylinder, MCS, cutaway. CoR: Lock Sz: 78 x 32mm. Mt: brass, nickel silver, steel. Wt: 169g. Magnetic.	20 th century	HoL-HC BH-CAB-
005128	Federal Lock		Framed Picture: Box style exploded view Euro Cylinder. CoR: Taiwan Sz:	21 st Century	HoL-HC MLA-
0001264 /1947 /PF-063	Fichet		Padlock: Push Key CoR: France Lock Sz: 54 x 63mm. Mt: brass, steel. Wt: 128g. Key Sz: 43mm. Mt: steel. Wt: 8g.	20 th century	HoL-HC MLA- HR17/2
0001545	Fichet		Lock: Rim Deadlock. CoR: France Lock Sz: 78 x 99mm. Mt: steel, brass. Wt: 1.02kg. Key Sz: 60mm. Mt: Steel. Wt: 14g.	20 th century	HoL-HC MLA-HR
0002460 /1947	Fichet		Key: CoR: Sz: 61mm. Mt: steel. Wt:	20 th century	HoL-HC BTH-KC-
005154	Fichet		Lock: Exhibition Safe Deposit Lock	20 th century	HoL-HC BH-EXPO- 2/3
005191	Fichet		Lock: Cutaway pump action Cylinder	20 th century	HoL-HC BCC EX-1/1
0004971 /1947	FIE		Thumbcuff: TC-1 CoR: USA (Taiwan). Cuff Sz: 102mm x 39mm. Mt: steel. Wt: 98g. Key Sz: 43mm. Mt: steel. Wt: 4g.	20 th century	HoL-HC ANC- MLA- HR16/1
0001513 /1947 /PF-247 /44	Flieter		Lock: Double locking Nightlatch CoR: Sz: Lock marked: Patent Flieter. Key marked: 3514	20 th century	HoL-HC BTH-AB- F01
0002454 /1947	Flieter		Key: Sz: 64mm. Mt: nickle silver. Wt:	20 th century	HoL-HC BTH-4LAB- F01
0003281	Fons, John / Palmer., De La		Lock: CoR: England. Sz: 118 x 72mm. Mt: brass, steel. Wt: 566g Patent AD 1846, 6 July No. 11283. A 7 lever lock incorporating a rotating bolt, with an additional sprung deadbolt behind. The case unclips from the rear; believed to be a patent model or demonstration piece..	19 th century 1846	HoL-HC MLA- HR12/1

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0002491 /1947	Fontain		Key: Progres. CoR: France. Sz: 55mm. Mt: brass. Wt: Marked: 'Progress Fontain Bte. Paris 16'.	20 th century	Hol-HC BTH-4LAB- F01
0001464 /1947 /PF-198	Fries		Lock: Cabinet. CoR: Holland Lock Sz: 88 x 107mm. Mt: steel, brass. Wt: 396g. Key Sz: 50mm. Mt: steel. Wt: 14g. A 3 lever cut cabinet lock plus a fixed guarded lever.	19 th century	Hol-HC MLA- HR4/1
0001758 /1947 /PF-284 /252	Fries, C P		Lock: Mortice deadlock, Barron Style. CoR: Holland. Size: 107 x 139mm. Mt: steel, brass. Wt: A two Barron tumbler style deadlock with wheel wards, single sided operation, so probably for a cupboard door. Cap pierced to show principle.	19 th /20 th cent.	Hol-HC BTH-PPR-
0003090 /1947 284	Fries, C P		Lock: mortice. CoR: Netherlands Lock Sz: 108 x 139mm plus 13mm bolt throw. Mt: steel, brass. Wt: 534g. Key Sz: 67mm. Mt: steel. Wt: 27g. A two tumbler Barron style lock with wards, but also where the second tumbler bolt stump protrudes through an aperture in the first tumbler. This lock appears to be a demonstration version as a decorative viewing panel has been cut into the top cap	19 th century	Hol-HC PFC- MLA- HR4/1
0001492 /1947 /PF-226 /190	Fries, I P		Lock: Cabinet. CoR: Netherlands. Lock Sz: 127 x 111mm. Mt: brass, steel. Wt: 544g. Key Sz: 60mm. Mt: steel. Wt: 18g. Marked: 'Zeyst' and on cap: 'vry voor open steken'.	19 th century	Hol-HC MLA- HR4/1
0001521 /1947 /PF-255 /239	Froitzheim & Rudert		Lock: Rim Deadbolt. Sn: 513543. CoR: Germany. Sz: Lindwurm, with original box.	20 th century	Hol-HC BTH-
0004853 /1947	Frougart		Restraint: Handcuff. CoR: England. Sz:	19 th century	Hol-HC BH-
0002899 /1947	Garny		Lock: keyless combination. Sn: 3956. CoR: Germany Body Sz: 81 x 58. Dial Sz: 95mm dia. Wt: 664g.	20 th century	Hol-HC BTH-9LAB- G01
0001972 /1947	GB		Lock: Bicycle. Sn: 285584. CoR: Denmark. Sz: 120 x 163mm. Mt: steel. Wt: Patent No. 66485.	20 th century	Hol-HC BTH-AB- G01


The History of Locks Museum – Heritage Collection


Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0002374 /1947	Gibbons		Lock: Cell. CoR: England. Sz: 245 x 152mm. Mt: steel, bronze. Wt: Patent No. 428480	20 th century	Hol-HC BTH-9LAB- GIB01
0002375 /1947	Gibbons		Lock: Cell. CoR: England. Sz: 245 x 178mm. Mt: steel, bronze. Wt:	20 th century	Hol-HC BTH-9LAB- GIB01
0003698 /1947	Gibbons		Lock: Custodial. CoR: England. Lock Sz: 183 x 129mm. Mt: steel, bronze. Wt: 1.505kg. Key Sz: 108mm. Mt: steel. Wt: 64g. From Portland Prison, Dorset.	19 th century	Hol-HC MLA- HR14/1
0004630 /1947	Gibbons		Key: Palace of Westminster/House of Commons. CoR: England Sz: Mt: steel. Wt:	20 th century	Hol-HC BH-
005127	Gibbons		Door Furniture: fine casting examples. CoR: England. Lizard knob: Pull Knob: Rose Knob: Scroll lever: Straight lever:	19 th /20 th century	Hol-HC MLA-HR
0002361 /1947	Greening & Fardon		Badge: Safe plate. CoR: England. Sz: 109 x 153mm. Mt: pressed brass. Wt: Reads; "Trade Mark G&F".	19 th century	Hol-HC BTH-AB- G01
0002357 /1947	Griffiths Safe Co.		Badge: Safe plate. CoR: England. Sz: 173 x 25mm. Mt: cast bronze. Wt:	20 th century	Hol-HC BTH-AB- G01
0002364 /1947	Griffiths, C H		Badge: Safe plate. CoR: England. Sz: 101mm dia. Mt: pressed brass. Wt:	19 th century	Hol-HC BTH-AB- G01
0000799	Grove, J., & Sons		Badge: Safe plate CoR: England Sz: 139 x 129mm. Mt: cast brass. Wt: 256g.		Hol-HC BTH- 4LRUB-G
0001266 /1947 /PF-065 219	Guri		Padlock: CoR: Germany. Sz: 55 x 80mm. Mt: steel. Wt: 204g. With two tag style keys.	20 th century	Hol-HC MLA- HR17/2

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style –	Group /Loc
0001468 /1700 /PF-202	HY		Lock: Cabinet CoR: Size: 70 x 53mm. With end gated, false notched levers. Marked: By Royal Letters Patent (four levers) HY safety lock.	19 th century	HoL-HC BTH-AB-H01
0001472 /1947 /PF-206 /56	Ha Ha		Lock: Mortice deadlock7 CoR: Sz: 84 x 120mm. Mt: steel, brass. Wt: 7 levers.	20 th century	HoL-HC BTH-AB-H
0002372 /1947	Hamilton		Badge Escutcheon: CoR: England. Sz: 105mm. Mt: cast brass. Wt: Reads: "Hamilton & Co's Patent Eccentric Lever Lock Makers To The Royal Mint London".	19 th century	HoL-HC BTH-AB-H01
0001515 /1947 /PF-249 /264	HB		Lock: Rim Deadlock, Double Throw CoR: Sz: 105 x 81mm. Mt: steel, brass. Wt: with deadlocking snib, double handed.	20 th century	HoL-HC BTH-AB-H02
0001969 /1947 /PF-	Heimwacht		Lock: Bicycle Sz: 230 x 155mm. Key: 53mm. Mt: nickle silver. Wt: Uses a removable insert style lock, key number: 421N.	20 th century	HoL-HC BTH-AB-H01
0002456 /1947	Heimwacht		Key: Bramah style. Sn: 144. CoR: Sz: 53mm. Mt: nickle silver. Wt:	20 th century	HoL-HC BTH-KC-
0000049	Henry, Soloman		Key: latch lifter. Sz: 102mm Mt: steel. Wt:	18 th /19 th century	HoL-HC BTH-KC
0003689 /1947	Henry, Soloman		Lock: Night Latch. CoR: England Sz: 178 x 90mm. Mt: iron brass. Wt: Key Sz: 99mm. Mt: iron. Wt:	19 th century Victorian	HoL-HC MLA-HR4/2
0000520 /24	Herring & Co		Combination Lock: Dexters patent. Sn: 38376. CoR; USA Sz: 160 x 92mm plus 45mm bolt extension, case & cap only. (split cam)	19 th Century 1870's	HoL-HC BH-14 Note: cap in 4LAB-004
0005013 /1947	Herring Hall-Marvin		Lock: Keyless Combination CoR: USA. Body Sz: 90 x 70mm. Mt: brass, steel. Dial Sz: 90mm dia. x 30mm. Mt: brass, steel. This example, fretted, embellished and converted to exhibition or trophy use.	19 th /20 th century	HoL-HC MLA-HR19

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0000992 /1947	Hiatt		Restraint: Handcuff. CoR: England Sz:	20 th century 1960	HoL-HC BTH-AB-H
0004974 /1947	Hiatt Thompson		Handcuff: 2010-Blue Sn: 37-40-. CoR: England. Cuff Sz: 211 x 78mm. Mt: steel. Wt: 268g. Key Sz: 42mm. Mt: steel. Wt: 4g.	21 st century	HoL-HC ANC- MLA- HR16/1
0004975 /1947	Hiatt Thompson		Handcuff: Orange. Sn: . CoR: England. Cuff Sz: 211 x 78mm. Mt: steel. Wt: 268g. Key Sz: 42mm. Mt: steel. Wt: 4g.	21 st century	HoL-HC ANC-
0002344 /1947	Hipkins, E		Badge: Safe plate. CoR: England. Sz: 164mm dia. Mt: pressed brass. Wt: Reads: "E Hipkins & Co. Kateshill Works Dudley".	19 th century	HoL-HC BTH-AB- H01
0000006	Hobbs		Key: Parautoptic, 6 levers. CoR: England. Sz: 135mm. Mt: steel. Wt: 96g. Bankers Changeable 6 lever key with both adjustable steps and removable bit.	19 th century 1860's	HoL-HC MLA- HR9/2
0000016	Hobbs		Lock: Protector Patents. Sn: 20556. CoR: England. Lock Sz: 205 x 205 x 40 mm. Mt: steel, brass, bronze. Wt: Key Sz: 137mm. Mt: steel. Wt: 150g. An oversize exhibition lock to demonstrate the main security features of Hobbs locks. It contains both 'Protector' patents, the anti-pressure and the nozzle, also a live re-locker arm which is part of the anti-violence principle.	19 th century 1889	HoL-HC MLA- HR9/2 4LAB-01
0000018	Hobbs		Key: Parautoptic, 6 levers. CoR: England. Sz: 104mm. Mt: steel. Wt: 54g.	19 th century	HoL-HC BTH-KC
0000024	Hobbs		Key: Tower of London Constables Ceremonial. CoR: England. Sz: 136mm. Mt: steel. Wt: 112g. Each time a new Constable is installed at The Tower of London a new pair of ceremonial keys are struck. One is offered to the Queen, who then asks the constable to keep it in his safe keeping. This example is from the Victorian era, although the constable has not yet been identified.	19 th century	HoL-HC MLA-HR- 9/1

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0000026	Hobbs		Lock: Protector. CoR: England. Sz: 100 x 63 x 18mm. Mt: brass, steel. Feather edge forend. No key. 5 levers.	19 th century	HoL-HC BTH-LR
0000027	Hobbs		Lock: Parautoptic, 6 lever Day and Newall design Sn: 500. CoR: England. The original design of the Day & Newall lock introduced by Hobbs at the 1851 World's Fair at the original Crystal Palace. It has 6 levers each of which is split into three separate components to prevent any possibility of 'feeling' the combination.	19 th century 1850/51	HoL-HC BTH-LR
0000032	Hobbs		Lock: 12" anti-violence. Sn: 35374 CoR: England. Sz: 291 x 118mm (plus bolt throw). Mt: steel, brass, bronze. Wt: Key Sz: 118mm. Mt: steel. Wt: 29g.	20 th century 1924	HoL-HC MLA- HR9/1
0000039	Hobbs		Padlock: Douglas seal patent. Sn: B780. CoR: England. Lock Sz: 51 x 103mm. Mt: brass, bronze. Wt: Key Sz: 48mm. Mt: steel. Wt: 16g	20 th century	HoL-HC MLA- HR9/2
0000149	Hobbs		Lock: Parautoptic, 6 Lever Bankers Change Key. CoR: England. Sn: 600. CoR: Wt: 4.770kg.	19 th century 1869	HoL-HC BTH-
0000150	Hobbs		Casket: CoR: England Sz: 120 x 51 x 90mm. Mt: brass, gold plated, steel. Wt: 824g Box made by Chubb apprentices, James Stringer & others and presented to Mr S T Ellice-Clarke on his retirement when Chubb acquired Hobbs. Gold plated box fitted with a Hobbs fretted and engraved exhibition ledger lock and engraved key, dating from the 1860's	19 th & 20 th century 1860's 1958	HoL-HC & MLA- HR9/2
0000270 /1947	Hobbs		Lock: Double Stump. CoR: England. Lock Sz: 130 x 93mm (excluding bolt throw of 17mm. Mt: iron, brass. Wt: 2.224kg. Key Sz: 100mm. Mt: steel. Wt: 36g. Key marked: Hobbs & Co. Patents 420C. The smallest of the 'violence' locks this example also features double entry. This lock was used in conjunction with artefact No. 290.	19 th century 1902	HoL-HC MLA- HR22/5
0000289 /1947	Hobbs		Lock: solid patents 9 lever Change key Sn: 8073, Co: England Lock Sz: 130 x 93 x 30mm. (plus 14mm bolt throw). Mt: steel, brass, bronze. Wt: 2.032kg.	19 th century 1881	HoL-HC MLA- HR9/2

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
			Key Sz: 85mm. Mt: steel. Wt: 18g. With 2 keys marked 450c.		
0000290 /1947	Hobbs		Lock: Anti-violence, double entry Sn: 23951. CoR: England Lock body Sz: 441 x 126. Mt: iron, brass, bronze. Wt: Key Sz: 102mm. Mt: steel. Wt: 94g (includes attached brass label) Label Sz: 101 x 25mm. Mt: brass. Attached to key with a steel ring 30mm dia, The lock is double entry with dissimilar keys for the inside and outside, key marked: 420 C. The brass strip on the upper edge protects the bolt work aperture against the ingress of debris, indicating the lock was fitted to the door horizontally.	20 th century 1902	HoL-HC MLA- HR22/5
0000316 /1947	Hobbs		Badge: safe plate. CoR: England Sz: 254 x 194mm, Mt: cast iron. Wt: 1.054kg. A highly decorated badge. Many companies celebrated Queen Victoria's jubilees with special versions of their products.	19 th century	HoL-HC MLA- HR9/1
0000705	Hobbs		Lock: Safe, Protector Patents, CoR: England. Sz: 94 x 91mm. Mt: iron, brass. Wt: 1.098kg. The highest grade 'square' lock featuring both the ant-pressure and nozzle patents in a powder proof block which also contained channels and holes to vent explosive gases, the bolt head also has vent holes. Note: This lock is displayed with a 'Progress D' escutcheon; artefact No. 4925.	19 th century	HoL-HC MLA- HR22/5
0000716 /1947	Hobbs		Lock: Protector Patents 9 lever Safe Lock, with V keyway. CoR: England. Sz: 130 x 93mm (plus 16mm bolt throw). Mt: steel, iron, brass, bronze. Wt: 2.291kg. Bolt head drilled with 2 holes & marked "	19 th century	HoL-HC MLA- HR9/4
0000749 /1947	Hobbs		Lock: Protector Patents, rectangular 9 lever Lock with Knife Edges. Sn: 30186. CoR: England. Sz: 127 x 91mm plus 12mm bolt throw). Mt: iron, brass, bronze, steel. Wt: 1.886kg. Double entry keyway with key retaining stops, and contains 2 "knife edges". The case was produced for the change key lock but only contains a normal lever pack. It's thought that these cases were pressed into use due to material shortages/restrictions during WWI.	20 th century 1915	HoL-HC MLA- HR9/2

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0000753 /213	Hobbs		Padlock: Seal Padlock, Tucker & Reeves pattern Sn: D13915. CoR: England. Lock Sz: 82x136mm. Mt: brass, steel. Wt: 1.103kg. Key Sz: 72mm. Mt: Steel. Wt. 49g. Used by Customs & Excise on bonded warehouses, tankers etc. Marked: IR (Inland Revenue?)	20 th century 1915	HoL-HC MLA- HR9/3
0000754 /1947	Hobbs		Badge: Safe Plate CoR: England. Size: 182 x 85mm. Mat: cast brass. Wt: Reads: "Hobbs Hart & Co. Limited Manufacturers 76, Cheapside London"	19 th century	HoL-HC AB-HOB02
0000839 /1947	Hobbs		Escutcheon: Progress D CoR: England. Sz: Mt: bronze. Wt: Note: This item is displayed with artefact No. 705	19 th century	HoL-HC MLA- HR22/5
0000892 /1947	Hobbs		Badge: Safe Plate, Progress D Protectors. CoR: England Sz: 252mm. Mt: brass. Wt:		HoL-HC AB-HOB02
0000909 /1947	Hobbs		Badge: Indicator Handle: CoR: England Sz: 124 x 122mm, Mt: cast brass, Wt: BoE handle indicator reads: "Locked Shut, Open Hobbs & Co. London". Marked on rear '23'.	19 th century Victorian	HoL-HC BTH-
0000913 /1947	Hobbs		Lock: Safe. (for Milner). Sn: 20751. CoR: England. Sz: 94 x 121mm. Mt: brass, steel. Wt: Flange type, with Goater vanes. Marked: "Hobbs & Co. Protector (crown logo with VR) 97 Cheapside London"	19 th century 1850's	HoL-HC BTH-CAB- P
0000917 /1947	Hobbs		Badge: Escutcheon. Sn: 32070. CoR: England. Size: 78mm dia. Mat: cast bronze. Progress A Quality	19 th century	HoL-HC BTH-AB- HOB02
0001092	Hobbs		Lock: 5 lever safe lock CoR: England. Size: 126 x 108mm. Mt: steel, brass. Wt: Levers are false notched. Lock cap stamped 40, Key marked 'Hobbs & Co Lever'.	19 th century	HoL-HC BTH-BB-2

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style –	Group /Loc
0001157 /1947	Hobbs		Lock: safe, for Milner. Sn: 21392. CoR: England. Lock Sz: 95 x 122mm (plus 11mm bolt throw). Mt: brass, bronze, steel. Wt: 741g. Key Sz: 78mm. Mt: steel. Wt: 16g. With Hobbs protector patent and Goater vanes, combined with Milners solid patents. Note the filled keyhole, Milner's solid patent gave rise to the 'V' key way in the drive to minimise the 'fresh air' inside the lock.	19 th century	HoL-HC MLA-HR9/1
0001206 /1947	Hobbs		Badge: Progress Protectors swag. CoR: England. Size: 192 x 37 x 4mm. Mt: cast iron. Reads: "Progress 2 Protectors".	19 th /20 th cent.	HoL-HC BTH-AB-HOB02
0001208 /1947	Hobbs		Badge: Safe Plate Sn: 37796. CoR: England. Sz: 133 x 84 x 3mm. Mt: bronze. Reads: Hobbs, Hart & Co. Ltd. Patentees & Manufacturers London.	20 th century 1929	HoL-HC BTH-AB-HOB02
0001209 /1947	Hobbs		Badge: Safe Badge CoR: England. Sz: 99 x 110 x 1mm. Mt: pressed brass. Reads: "By Special Appointment To The Queen Hobbs & Co's. Patent Progress C 76, Cheapside London Makers To The Bank Of England"	19 th /20 th cent.	HoL-HC BTH-AB-HOB02
0001210 /1947	Hobbs		Badge: Safe Badge CoR: England. Sz: 99 x 110 x 1mm. Mt: pressed brass. Reads: "By Special Appointment To The Queen Hobbs & Co's. Patent Progress D 76, Cheapside London Makers To The Bank Of England"	19 th /20 th cent.	HoL-HC BTH-AB-HOB02
0001211 /1947	Hobbs		Badge: Safe Badge. CoR: England. Sz: 99 x 110 x 1mm. Mt: pressed brass. Reads: "By Special Appointment To The Queen Hobbs & Co's. Patent Progress 2 76, Cheapside London Makers To The Bank Of England"	19 th /20 th cent.	HoL-HC BTH-AB-HOB02
0001873 /1947	Hobbs		Lock: Sn: 46713. CoR: England Sz: 231 x 153mm. Mt: steel, brass, bronze. Wt: With locking curtain.	20 th century 1951	HoL-HC BTH-CAB-P
0004381 /1947	Hobbs		Badge: safe CoR: England. Sz: 205 x 127mm. Mt: cast bronze. Wt: 758g. The smallest of the three sizes of safe badge produced in this style.	20 th century	HoL-HC MLA-HR22/5


Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style –	Group /Loc
0004791 /1947	Hobbs		Padlock: 34YX with factory fitted acrylic top cap. CoR: England. Lock Sz: Mt: steel, brass, acrylic. Wt: 570g. Key Sz: Mt: steel. Wt: 10g.	20 th century 1940s/50s	HoL-HC
0004808 /1947	Hobbs		Key: CoR: England. Sz: 83mm. Mt: bronze. Wt: 43g.	20 th century	HoL-HC
0004925	Hobbs		Escutcheon: Safe CoR: England. Sz: 79mm dia. Mt: cast bronze. Wt: 177g. Marked: Hobbs & Cos. Patents London Progress D Quality. This item is displayed with artefact No. 270.		HoL-HC MLA- HR23/5
0004992	Hobbs		Lock: Mortice Deadlock, Protector Patents. CoR: England. Lock Sz: 53 x 125mm (plus 9mm bolt throw). Mt: steel, brass, bronze. Wt: 294g. Key Sz: 68mm. Mt: steel. Wt: 15g. A 3 lever lock featuring both the anti-pressure and nozzle Protector patents.	19 th century	HoL-HC MLA- HR9/2
0004993	Hobbs		Lock: Mortice Night Latch. CoR: England. Lock Sz: 97 x 121mm (plus 10mm bolt throw). Mt: steel, brass, bronze. Wt: 436g. Key Sz: 66mm. Mt: steel. Wt: 16g. A 3 lever mortice dead locking nightlatch.	19 th /20 th century	HoL-HC MLA- HR9/3
005168	Hobbs		Padlock: CoR: England Sz: 87 x 139mm. Mt brass. Wt: 1.234kg. With bullet ward. Stamped: T12	20 th century	HoL-HC BCC BH-4/3
005135	Hobbs & Co		Lock: Detector Lock. Sn: H3276. CoR: England. Sz:	20 th century 1956	HoL-HC BCC
0000606	Hobbs Hart		Lock: 7 Lever Parautoptic Lock. CoR: England. Sz: Wt:	19 th century 1860's	HoL-HC BTH-

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0001243 /1947 /PF-048	Hopmi		Padlock: CoR: Holland. Sn: 000211. Sz: 52 x 79mm. Mt: iron, brass. Wt: 172g.	20 th century	HoL-HC BTH-4LAB- H01
0001261 /1947 /PF-060	Hopmi		Padlock: Sn: 18010. CoR: Holland. Lock Sz: 66 x 81mm. Mt: iron. Wt: 152g. Key Sz: 55mm. Mt: iron. Wt: 6g. Key marked 3010.	20 th century	HoL-HC BTH-4LAB- H01
0001392 /1947 /PF146	Hopmi		Padlock: CoR: Germany Lock Sz: 66 x 82mm. Mt: steel. Wt: 152g. Key Sz: 55mm. Mt: steel. Wt: 7g.	20 th century	HoL-HC MLA- HR17/2
0005119	HP		Lock: Rim deadlock & latch. CoR: Germany Body Sz: 119 x 94mm. Mt: steel, brass. Wt: 1.22kg. Key Sz: 90mm. Mt: steel. Wt: 28g. The key, which is round, has machined grooves corresponding with 5 end gated levers which are also false notched. Once the key is rotated the lever pack is lifted towards the stump, if correct continuing rotation withdraws the deadbolt and finally the latch.	20 th century	HoL-HC MLA-HR
0001327 /1947 /PF-109	Idam		Padlock: CoR: Lock Sz: 55 x 85mm. Mt: steel, brass. Wt: 263g. Key Sz: 54mm. Mt: brass. Wt: 11g.	20 th century	HoL-HC MLA- HR17/2
0004773	Ifam		Padlock: Card Lock. CoR: Italy Lock Sz: 42 x 82 x 19mm. Mt: Mazak, steel. Wt: 180g Small card Sz: 54 x 42mm. Mt: plastic. Wt: 4g. Large card Sz: 54 x 85mm. Mt: plastic. Wt: 6g.	20 th century	HoL-HC MLA-HR
0000041	Ingersoll		Paperweight with embedded S key. CoR: England. Sz: 75 x 55 x 35mm. Mat: acrylic, nickel-silver. Wt: 176g. To commemorate the opening of the Ascot factory.	20 th century	HoL-HC MLA- HR20/2
0004998 /1947	Ingersoll		Paperweight: 'A' key. CoR: England. Sz: 76dia. x 18mm. Mt: Acrylic, nickle silver. Wt: 113.	20 th century	HoL-HC MLA- HR20/2

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0004969 /1947	J F		Handcuff: standard model. CoR: Cuff Sz: 233 x 77mm. Mt: steel. Wt: 213g. Key Sz: 43mm. Mt: steel. Wt: 4g.	20 th century	HoL-HC ANC-
0001957 /1947 /PF-500	Jamp		Padlock: Combination, 3 dial Sz: 43 x 71mm. With a hole for a wire seal.	20 th century	HoL-HC BTH-AB- J01
0004421 /1947	Johnson & Co		Ancillary fitting: Safe badge. CoR: England. Sz: 132 x 81mm. Mt: cast brass. Wt: 191g. Reads: 'Johnson & Co. Makers Estd. 1848 London'.	19 th century	HoL-HC BH-4LAB- J01
0004892 /1947	Joluheli		Padlock: 4 dial. CoR: Germany Sz: 51 x 80mm. Mt: Mazak, iron, brass. Wt: 174g. Code: 3564. Marked: Trade B? Mark A fixed code, Roman notched shackle style.	20 th century	HoL-HC MLA- HR17/2
0002231 /1947 /PF-946	Junkunc Bros.		Padlock: combination. Sn: 40028. CoR: USA. Sz: 43 x 76mm. Mt: brass, steel. Wt:	20 th century	HoL-HC MLA- HR17/2
0001212 /1947	Kaba		Key: Star Patent CoR: Switzerland. Sz: 55mm. Mt: nickel-silver. Marked: "Kaba Star Patent Munster Echantillon Sample Swiss Made"	20 th century	HoL-HC BTH-AB-K
0001910 /1947	Kaba		Lock: Euro Cylinder, Gemini, Factory cutaway. CoR: Lock Sz: 35/35. Mt: brass, nickel silver. Wt: 157g. Key Sz: 53mm. Mt: nickel silver. Wt: 13g	20 th century	HoL-HC BTH-CAB
0004944 /1947	Kaba		Lock: Micro, salesman's sample case CoR: Switzerland Sz: 178 x 137 x 50mm. Mt: wood, vinyl, plastic, nickle silver, steel.	20 th century	HoL-HC RH- MLA- HR20/4
005155	Kaba		Lock: X09, Pedestrian Door Lock. CoR:	20 th century	HoL-HC BCC

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
			Sz:		
0000988 /1947	Kaye		Lock: Cut Latch Sn: B532. CoR: England. Size: 67x107. Mt: Bronze.Leeds.	19 th century	HoL-HC BTH-AB- K01
0004861 /1947	Kayser		Restraint: Handcuff, Model 5 or "Hamburg 8". CoR: Germany Sz: (folded)	20 th century	HoL-HC
0000521 /25	Kromer		Lock: No. 14. Sn: 6623. CoR: Germany. Body Sz: 113 x 128 x 30 plus 4mm spindle boss. Mt: steel, brass. Dial Sz: 105 dia. x 35mm, plus 72mm spindle.	19 th century	HoL-HC BTH
0000602	Kromer		Lock: Automatic Combination Lock Sn: 2499. CoR: Germany Sz: 156 x 171mm. Mt: iron, steel, bronze. Wt: 2.994kg. Patent No. DRP46083, dated 1888 See the Locksmith No. 36 page 38 for a description of the Kromer Automat.	19 th /20 th century	HoL-HC EXPO-cab 3/2
0001578 /1947 /PF-304	Kromer		Lock: Se-Kro. Sn: 2212. CoR: Germany Sz: 90 x 220mm. Mt: steel, brass. Wt:	20 th century	HoL-HC BTH-AB- KRO01

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0001764 /1947	Kromer		Lock: keyless combination, Model 14. Sn: 2460. CoR: Germany. Sz:	19 th century	HoL-HC BTH-AB-K
0001950 /1947	Kromer		Lock: Safe. Sn: 4570. CoR: Germany Dial marked/calibrated 1-28.	19 th /20 th cent.	HoL-HC BTH-
0002221 /1947	Kromer		Lock: BP55K Protector, with la Fetten. Sn: 662546. CoR: Germany. Sz: Lock - 68 dia x 34mm. Key - 81mm. La-Fetten – 90mm dia x 205mm. Mt: steel, brass. Wt: The la-fatten mimics the dial of a combination lock.	20 th century 1995	HoL-HC BTH-AB-KRO
000263	Kromer		Lock: Automat Combination, DRP46083 1888. Sn: 947. CoR: Germany. Body Sz: 139 x 120 x 20mm. Mt: steel. Wt: Dial Sz: 95dia x 71mm. Mt: brass. Spindle to suit a 25mm door.	19 th century 1890's	HoL-HC MLA-HR22/4
000444 /10 /165a	Kromer		Lock: BP55K with la-fetton and mounted on an interactive plinth. CoR: Germany Sz: Mt: wood	20 th century	HoL-HC MLA-HR
0001244 /1947 /PF-049	Krupp		Padlock: CoR: Lock Sz: 52 x 82mm. Mt: iron. Wt: 236g. Key Sz: 52mm. Mt: iron. Wt: 10g.	20 th century	HoL-HC BTH-4LAB-K01
0004967 /1947	Kyoung Chang		Handcuffs: standard model CoR: Korea. Cuffs Sz: 240 x 76mm. Mt: steel. Wt: 310g. Key Sz: 44mm. Mt: zinc alloy. Wt: 4g.	20 th century	HoL-HC ANC- MLA-HR16/1
0004968 /1947	Kyoung Chang		Handcuffs: KCH-010, high security CoR: Korea. Cuffs Sz: 236 x 76mm. Mt: steel. Wt: 266g. Key Sz: 39mm. Mt: zinc alloy. Wt: 3g.	20 th century	HoL-HC ANC-


Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0002234 /1947 /PF-493	L & Co		Padlock: combination, 4 wheel. CoR: England. Sz: 34 x 61mm. Mt: zinc alloy, brass, steel. Wt: 93g.	20 th century	HoL-HC MLA- HR17/2
0004854 /1947	Le Massenotte		Restraint: CoR: France. Sz:	20 th century	HoL-HC BH-
0001967 /1947 /PF-506	Limeta		Lock: Bicycle, 3 dial combination. CoR: Sz: 145 x 180mm. Mt: steel, plastic. Wt:	20 th century	HoL-HC BTH-AB-L
0001086 /1947	Lince		Lock: HP4003 80000 HC-1 cromando CoR: Sz: escutcheon lock for a Euro cylinder	20 th century	HoL-HC BTH-BB-2
0001070 /1947	Ling		Lock: Safe Size: 113 x 70mm, Co: England Budget lock used on pre-WWII Ministry safes. Double ended bolt, designed for both locking up and locking down applications.	20 th century	HoL-HC BTH-AB-L
0002506 /1947 /MN084	Ling, E		Lock: Dual control, 1-2 1-2. CoR: England. Sz: 77 x 77mm plus bolt throw. Mt: brass, steel. Wt: 669g. With both keys in duplicate.	20 th century	HoL-HC BTH-4LAB- L01
0003542 /1947	Linley Engineering Ltd.		Padlock: Linley patent. Sn: 52678. CoR: England. Sz: 86 x 143mm, excluding chain. Mt: iron, brass. Wt: 750g, including chain. With 1 original key marked: 'Linley & Co London FCS 5993'.		HoL-HC BH-

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0001274 /1947 /PF-073 /147	Lips		Padlock: CoR: Netherlands. Lock Sz: 68 x 102 x 32mm. Mt: steel, brass. Wt: 774g. Marked: 'LIPS' in a cartouche on the top cap. Key Sz: 53mm. Mt: steel. Wt: 10g. Marked: 'Lips' & '319' on bow. A close shackle padlock with double caps top and bottom. see also Artefact No. 4705	20 th century 1910's	HoL-HC BTH-
0001343 /1947 /PF-126 /173	Lips		Padlock: CoR: Netherlands. Lock Sz: 60 x 80mm. Mt: brass, steel. Wt: 141g. Key Sz: 46mm. Mt: steel. Wt: 10g. With factory vision panels; note the false notches on the bolt stump and levers.	20 th century	HoL-HC MLA- HR17/2
0001345 /1947 /PF-128	Lips		Padlock: 4 lever CoR: Netherlands. Lock Sz: 33 x 52mm. Mt: brass. Wt: 43g. Key Sz: 34mm. Mt: steel. Wt: 4g	20 th century	HoL-HC MLA- HR17/2
0001348 /1947 /PF-131	Lips		Padlock: CoR: Netherlands. Lock Sz: 33 x 52mm. Mt: brass. Wt: 41g. Key Sz: 34mm. Mt: steel. Wt: 4g. With vision cut-outs.	20 th century	HoL-HC MLA- HR17/1
0001416 /1700 /PF-154	Lips		Padlock: CoR: Netherlands Lock Sz: 34 x 55mm. Mt: brass. Wt: 95g. Key Sz: 40mm. Mt: nickle silver. Wt: 4g. Factory cutaway, 4 pin tumbler. Padlock marked: lips (in a cartouche). Key marked: Lips 887.	20 th century	HoL-HC MLA- HR17/2
0001520 /1700 /PF-254	Lips		Lock: Rim Dead Latch. CoR: Netherlands Sz: 81 x 150mm. Mt: steel. Wt: With box striker. R6 14 marked on cap.	20 th century	HoL-HC BTH-AB- LIP03
0001576 /1947 /PF-302	Lips		Lock: Mortice Deadlock CoR: Netherlands. Sz: 76 x 148mm. Mt: steel. Wt: Single sided operation. 3 lever with a wheel ward. Key marked: 'Lips 27'.	20 th century	HoL-HC BTH-AB- LIP03
0001740 /1947	Lips		Badge: safe plate. CoR: Holland. Sz: 134mm dia. Mt: cast bronze. Wt:	20 th century	HoL-HC BTH-PPR

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0001757 /1947	Lips		Lock: Mortice deadlock CoR: Netherlands. SZ: 5 detainer, keys marked	20 th century 1980's	HoL-HC BTH-AB- LIP01
0001956 /1947 /97	Lips		Lock: Mortice Sliding Door, No.623. CoR: Netherlands Sz: 78 x 236mm. Mt: Steel, brass. Wt:	20 th century	HoL-HC BTH-
0002211 /1947	Lips		Badge: safe plate. CoR: Holland. Sz: 186 x 153mm. Mt: cast brass. Wt:	20 th century	HoL-HC BTH-AB- LIP01
0002212 /1947	Lips		Badge: safe plate. CoR: Holland. Sz: 134 mm dia. Mt: cast bronze. Wt:	20 th century	HoL-HC BTH-AB- LIP01
0002236 /1948	Lips		Badge: Safe plate. CoR: Holland. Sz: 203 x 165mm. Mt: cast bronze. Wt:	20 th century	HoL-HC BTH-AB- LIP
0002237 /1947	Lips		Badge: Safe plate. CoR: Holland. Sz: 132mm dia. Marked on back: 165.	20 th century	HoL-HC BTH-AB- LIP
0002479 /1947	Lips		Key: Protector. CoR: Sz: 69mm. Mt: steel. Wt: 24g Marked: "J Lips Bz. Dordrecht Protector D R Patent".	20 th century	HoL-HC BTH-KC-
0003693 /1947	Lips		Lock: Safe deposit box. Sn: 32055. CoR: Holland Sz: 130 x 50 x 21mm. Mt: brass, steel. Wt: 542g. Key change version	20 th century	HoL-HC PFC- MLA- HR18/1

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style –	Group /Loc
0003695 /1947	Lips		Lock: Safe Deposit Box Lock. CoR: Netherlands. Lock Sz: 103 x 79mm (plus 9mm bolt throw). Mt: steel, brass. Wt: 794g. Change Key Sz: 38mm. Mt: nickel silver. Wt: 3g. Guardian Key Sz: 62mm. Mt: steel. Wt: 11g. Renters key (5) Sz: 61mm. Mt: steel. Wt: 13g.	20 th century	HoL-HC MLA- HR20/2
0003706 /1947	Lips		Badge: Safe plate. CoR: The Netherlands. Sz: 133mm dia. Mt: cast aluminium. Wt: 204g.	20 th century	HoL-HC BH-
0004306 /1947	Lips		Promotional item: puzzle. CoR: The Netherlands. Card Sz: 114 x 59mm. Mt: card, string, nickel silver	20 th century	HoL-HC PFC- BH-4LAB- LIP02
0004410 /1947	Lips		Lock: motor vehicle strap. CoR: The Netherlands Lock Sz: 68 x 25mm. Mt: cast brass, brass. Wt: 144g. Key: Sz: 35mm. Mt: Wt: 8g. For 30mm wide straps.	20 th century	HoL-HC BH-CAB-
0004711 /1947	Lips		Lock: mortice. CoR: Holland. Lock Sz: 69 x 151 x 26mm (excluding 15mm bolt throw). Mt: steel, brass, Wt: 488g. Marked: 'Holland Lips' on forend and 'L927' on cap. Key Sz: 72mm. Mt: steel. Wt: 17g. Marked; 'Lips Holland 927' on bow. A 5 lever mortice deadlock with a backset of 48mm. The bolt is thrown via barrel thrower.	20 th century	HoL-HC BH-

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0005118	Lips		Lock: 105, 16 lever safe lock. Sn: C100 50909 Lock Sz: 86 x 114 x 29mm. Mt: steel, brass, bronze. Wt: 1.204kg. Key Sz: 108mm. Mt: steel. Wt: 28g. Featuring 16 end gated and false notched levers in two independent packs of 8 levers with separate bolt stumps making violent attacks more difficult. The lock is also vented for gases to escape.	20 th century	HoL-HC MLA-HR
0004712 /1947	Lips Ltd.		Lock: mortice. CoR: England. Lock Sz: 93 x 140 x 23mm (excluding 15mm bolt throw). Mt: steel, brass. Wt: 622. Marked: 'Lips Ltd London' on the forend and '524 S' on the cap. Key (not original) Sz: 57mm. Mt: steel. Wt: 9g. A 4 lever mortice dead lock, with a backset of 66mm. The levers are end gated and false notched, and the key throws the bolt via a barrel thrower.	20 th century	HoL-HC BH-4L001
0002226 /1947 /PF-505	Liveta		Padlock: combination, 3 wheel clicker. CoR: Sz: 85 x 95mm. Mt: aluminium. Wt: 102g.	20 th century	HoL-HC BTH-
0000128	Lowe & Fletcher		Padlock: Paper Seal. CoR: England. Sz: 35 x 53mm. Mt: brass. Wt: 84g. Utility meter Seal padlock, no key. Marking: EMEB (East Midlands Electricity Board)	20 th century	HoL-HC MLA-HR17
0003528 /1947	Lowe & Fletcher		Padlock: CoR: England. Sz: 81 x 120mm. Mt: steel, brass. Wt: 684g. Marked: 'FCCA Lowe & Fletcher Willenhall Reg (logo) Trade Mark Warranted Secure 4 Lever'.	20 th century	HoL-HC BH-4LAB-L01

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0004632 /1947	Lowe Fletcher		Padlock: Seal CoR: England. Sz: Marked: "Lincoln Corp' Electricity Dept".	20 th century	HoL-HC BH-
0005028 /1947	Lowe Fletcher		Padlock: Seal. CoR: England. Sz: Mt: brass. Wt: 84g. Marked: EMEB (East Midlands Electric Board?)	20 th century 1020's-1930's	HoL-HC
0005049	Lowe Fletcher		Key: CoR: England Sz: 89mm. Mt: brass, steel. Wt: 20g. Marked: Combination No.1845/A This item was received with a WMGB (West Midlands Gas Board) cap.	20 th century	HoL-HC BH-KC-
0001105 /1947	LuH		Padlock: CoR: Germany. Size: 58 x 94 x 27mm. Mt: brass. Wt: Key No. 1061	20 th century	HoL-HC BTH-AB-L
0000447 /1947 /168a	Lumby		Lock: Invincible style (Chatwood) Sn: 7636. CoR: England Sz: 65 x 128mm. Mt: brass, steel. Wt: 759g. 7 levers. Marked: Excelsior Halifax. This design invented by Robert Wharton Parkin, but not patented whilst with Chatwood; it was patented however when he moved to Lumby's.	19 th century Victorian	HoL-HC MLA-HR12
0001214	Lumby		Badge: safe. CoR: England. Sz: 128 x 133 x 6mm. Mt: cast brass. Reads: "Lumby, Son & Wood Limited Trade Mark (logo) Safe Makers Halifax England".	19 th century	HoL-HC BTH-PP

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0001215 /1947	Lumby		Badge: CoR: England Sz: 137 x 140 x 3mm. Mt: cast brass. Reads: "Fire and Burglar Proof Safe Makers Lumby's Halifax England".	19 th century	HoL-HC MLA-HR12
0003702 /1947	Mace		Lock: Richards Design. CoR: England Sz: 178 x 13mm. Mt: steel, brass. Wt: 1.851k.	19 th century 1830's	HoL-HC MLA-HR
0000944 /1947	Magic Eye		Police Lock Co: USA, NY, New York	20 th century	HoL-HC BTH-AB-M
0000100	Marr		Lock: double chamber. Sz: 130 x 181mm. Mt: iron, brass. Marr detector, double chamber, safe lock with 2 keys, 1 for each chamber. Top chamber: 3 levers, which puts a shutter over the bottom keyhole. Bottom Chamber: 3 levers plus detector, which throws/withdraws the bolt.	19 th century	HoL-HC BTH-
0005105	Marr		Lock: Double Chamber. CoR: England Sz: 140 x 183mm. Mt: iron, brass. Wt: 2.3kg. The Palace of Westminster suffered a devastating fire in 1834; William Marr was awarded the contract for the supply of locks for the new building, this style was fitted to the numerous iron doors.	19 th century	HoL-HC MLA-HR

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0002350 /1947	Marr, W		Badge: Safe plate. CoR: England. Sz: 179mm dia. Mt: cast brass. Wt:	19 th century	HoL-HC BTH-AB-M01
0001871 /1947	Marriott, H M		Lock: Box. Barron's Patent. CoR: England. Sz: 100 x 54mm. Mat: brass, steel. Wt: 235g. A two tumbler lock with wards. Marked on flange: 'H M Marriott Barrons Patent' and on nozzle face: 'Barrons Patent GR GR'.	18 th /19 th century	HoL-HC BTH-
0004429 /1947	Mart & Co.		Ancillary fitting: Safe badge CoR: England. Sz: 143mm dia. Mt: pressed brass. Wt: 50g.		HoL-HC BH-AB-M
0000196 /81 /MN	Martingerst, Johann		Lock, Mastership CoR: Germany, Schwabach. Lock Sz: Lock-340mm (358mm including thrown bolts) x 193, Mt: steel, brass. Wt: 12lbs. Key Sz:. Inscription Reads: "FROM STEEL, IRON AND BRASS I WAS TAKEN. FIRE, HAMMER, ANVIL HAVE MASTERED ME. THROUGH FILING AND POLISHING FORCED INTO REFINEMENT. THEREFORE I SUCCEEDED WITH GOD. WITHOUT HIS POWER NOTHING CAN BE DONE. JOHANN MARTINGERSTL (probably the locksmith) HAS MADE ME. SCHWOBACH (Now spelt Schwabach, a town near Nuremberg, Germany) 1 NOVEMBER ANNO 1748"	18 th century 1748,11,01	HoL-HC MLA-HR
0004776 /1947	Medeco		Promotional item: paperweight. CoR: USA. Sz: 89 x 89 x 26mm. Mt: acrylic, nickle silver. Wt: 273g.	21 st century 2003	HoL-HC MLA-HR20/2
0001543 /1700 /PF-268	MH		Lock: rim dead lock, Record. CoR: Sz: 107 x 66mm. Mt: steel, brass. Wt:	20 th century	HoL-HC BTH-AB-M
0001161 /1947	Midland Safe Co		Badge: Safe Plate. D: Victorian. Sz: 126 x 120mm. Mt: cast brass. Wt: Reads: "Midland Safe Company". The Symbol of an elephant with a castle conveys strength.		HoL-HC BTH-CC

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style –	Group /Loc
0002708 /1947	Miller		Padlock: Champion 6 lever. CoR: USA Sz: 58 x 64mm. Mt: brass. Wt: 204g. Pancake style.	19 th /20 th cent.	Hol-HC BTH-4LAB-M01
0002232 /1947 /PF-501 /146	Miller		Padlock: Combination. CoR: USA. Sz: 52 x 76mm. Mt: steel. Wt:	20 th century	Hol-HC BTH-Lo10-
0000375	Milner		Badge: Keyway Escutcheon CoR: England. Sz: 53 x 94mm. Mt: brass. Wt: 87g. Reads: Milners Quadruple Patent Fire resisting Holdfast with powder Proof Solid Lock & Door Liverpool & London	19 th century	Hol-HC MLA-HR6
0000388	Milner		Lock: Safe, Change Key. CoR: England. Sz: 133 x 91mm (excluding bolt head/tail). Mt: brass, bronze, steel. Wt: 2.03kg.	19 th century	Hol-HC MLA-HR
0000391	Milner		Lock: Safe, Dual Control. Sn: U3049. CoR: England Sz: 104 x 87mm. Mt: iron, steel, brass. Wt: 1.393kg.	20 th century 1909	Hol-HC MLA-HR
0001006	Milner		Lock: Safe, A1 Guardian CoR: England. Lock Sz: 96 x 92 x 20mm (plus 12mm bolt throw). Mt: iron, brass. Wt: 1.096kg. Key Sz: 68mm. Mt: steel. Wt: 14g. Escutcheon Sz: 62 x 97mm. Mt: brass. Wt: 120g Key marked: 'Picklock Proof'	19 th century	Hol-HC MLA-HR6/2
0001135 /1947	Milner		Padlock: Arthur Linley Patent. Sn: 37246. CoR: England, Liverpool. Size: 87 x 142mm. Mt: steel, brass. Wt: 716g. Marked: FCS	19 th century	Hol-HC BTH-PP-

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style –	Group /Loc
0001136 /1947	Milner		Lock: Safe, double bitted. CoR: England Sz: 87 x 103 x 25mm (plus 11mm bolt throw). Mt: iron, brass. Wt: 1.272kg. Believed to be a prototype, experimental or for a specific client request, this is the only one known so far.	19 th century	HoL-HC MLA-HR6/2
0001175 /1947	Milner		Lock: Safe, Whitingham Dual Control. Sn: 178236. CoR: England Lock Sz: 106 x 100 x 24mm. Mt: iron, brass. Wt: 1.479kg. Key Sz: 78mm. Mt: steel. Wt: 9g.	19 th century	HoL-HC MLA-HR6/2
0001176 /1947	Milner		Lock: Safe, Triple gated. Sn: J3545. CoR: England Sz: 102 x 86 x 24mm. (plus 10mm bolt throw and 19mm lever overhang). Mt: brass, iron, steel. Wt: 1.446kg.	19 th century 1898	HoL-HC MLA-HR6/1
0001289 /1947	Milner		Lock: Safe, 'B' type. Sn: 16681. CoR: England Sz: 7 end gated levers with false notches. Marked: "Milners Liverpool & London" on bolt head, "Y Y 16681 1" on cap, four dots on the base plate and "Milner ID" on the underside of block. With 1 non original key.	19 th century	HoL-HC BTH-LLR
0001727 /1947	Milner		Lock: Safe 'B' type. Sn: W2826. CoR: England. Sz: Lock numbers starting with 'W' were manufactured in 1911 when a total of 5,246 were made.	20 th century 1911	HoL-HC BTH-AB
0003811 /1947	Milner		Lock: safe. Sn: 151666. CoR: England. Sz: 103 x 85mm. Mt: cast iron, steel, brass. Wt: 1.054kg. A 'B' footprint 7 lever lock incorporating the normal false notches but also has a bolt blocker. Also note there is no bolt thrower, the key acting directly on the bolt tail.	19 th century 1870's Victorian	HoL-HC MLA-HR6/1
0004617 /1947	Milner		Ancillary fitting – Badge: Safe CoR: England. Sz: 150mm dia. Mt: cast brass. Wt: 258g.	19 th century	HoL-HC BH-

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style –	Group /Loc
0004619 /1947	Milner		Ancillary fitting – Badge: Safe. CoR: England. Sz: 223 x 170mm. Mt: cast brass. Wt: 504g.	19 th century	HoL-HC BH-
0004680 /1947	Milner		Padlock: Linley. Sn: 31340. CoR: England. Sz: 86 x 139mm. Mt: steel, brass. Wt: (Inc. Chain) 977g. A special padlock, invented by * *** Chief Engineer of the Argentine railways, Patented by Arthur Linley, and manufactured by Milner. The feature from a Railway company point of view is that a guard can see at a glance that all locks are secured on their hasps as the shackle design means that it cannot be simply hooked onto its staple. Another feature is the wedging action of the bolt head making it very hard to force the shackles apart.	19 th century	HoL-HC MLA- HR6/1
0004951 /1947	Milner		Keyless Combination Lock: Merlin. Sn: F484. CoR: England. Body Sz: 82mm dia. x 32mm. Mt: brass, steel, Dial Sz: 97mm dia. x 40mm. Mt: brass, steel, zinc alloy, plastic. The original lock before any enhancements and before it was adopted by the UK Government.	20 th century	HoL-HC LB- MLA- HR22/3
0004957 /1947	Milner		Lock: 'C' Type. Sn: 131014. CoR: England. Sz: 99 x 88 x 21mm (plus 11mm bolt throw and 32mm nozzle). Mt: iron, brass. Wt: 1.054kg. With 7 levers featuring a anti-pressure device and a gunpowder proof block.	19 th century	HoL-HC MLA- HR6/1
0004958	Milner		Lock: 'A' Type, with pivoting bolt stump. Sn: 183324. CoR: England. Lock Sz: 107 x 102 x 23mm (plus 12mm bolt throw). Mt: iron, brass. Wt: 1.585kg. Key Sz: 100mm. Mt: steel. Wt: 17g.	19 th century	HoL-HC MLA- HR6/2

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0004962 /1947	Milner		Keyless Combination Lock: Manifoil Sn: M192. CoR: England Body Sz: 82mm dia. x 32mm. Mt: brass, steel, zinc alloy. Dial Sz: 97mm dia. x 40mm. Mt: brass, steel, zinc alloy. A double drive cam added and now adopted by UK Government.	20 th century	HoL-HC LB- MLA- HR22/3
0004986 /1947	Milner		Keyless Combination Lock: Manifoil MK1 Sn: 418M. CoR: England. Body Sz: 82mm dia. x 32mm. Mt: brass, steel, zinc alloy. Dial Sz: 97mm dia. x 40mm. Mt: brass, steel, zinc alloy. Spring loader roller added to further confuse manipulation points.	20 th century	HoL-HC
0005034 /1947	Milner		Lock: Rim (factory Fretted). CoR: England. Lock Sz: 92 x 144mm (plus 13mm bolt throw). Mt: brass. Wt: 994g. Key Sz: 95mm. Mt: bronze. Wt: 24g. This example for exhibition/showroom use, the vision frets reveal the palace motion furniture spindle and the wedge style false notches together with the integral springing.	20 th century	HoL-HC MLA-HR6
0005046	Milner		Lock: Manifoil MK II. Sn: CoR: England. Body Sz: 82mm dia. x 32mm. Mt: brass, steel, zinc alloy. Dial Sz: 97mm dia. x 40mm. Mt: brass, steel, zinc alloy. Features: Double drive cam, spring loaded roller.	20 th century	HoL-HC MLA-HR
0001132 /1947	Milners' Safe Co Ltd.		Badge: Safe Plate. CoR: England. Size: 159 x 163mm. Mat: cast brass.	20 th Century	HoL-HC MLA- HR6/1
0001090	Mitchell, H		Lock: Ledger CoR: England. Size: 58mm. Mt: brass, steel. Wt:	20 th century	HoL-HC BTH-AB-M

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0003692 /1947	Mosler		Time Lock Movement: CoR: USA Sz: 47 x 90mm (each unit). Mt: steel, brass, glass. A pair of 120 hour dustproof movements, which were also claimed to be earthquake proof, mounted.	20 th century	HoL-HC MLA-HR22/1
0004863 /1947	Mühlenfeld		Restraint: Handcuff, model 113 or "Dortmunder". CoR: Germany. Sz: 108mm (ratchets adjusted as illustrated) x 117mm. Mt: iron. Wt: 398g. (Muhlenfeld)	19 th century	HoL-HC MLA-HR3/2
0003526 /1947	Needs, J T		Lock: Bramah Box , slam action. CoR: England. Sz: 78 x 41mm. Mt: brass, steel. Wt: 134g. 4 sliders in a 5 slider configuration.		HoL-HC BH-4LAB-BRA01
0001164 /1947	Needs, J. T.		Lock: Cut Deadlocking Nightlatch. CoR: England, London. Size: 152 x 128mm. Mt: iron, brass. With a 6 slider co-axial cylinder.	19 th century	HoL-HC BTH-
0000990 /1947	Nettlefold		Lock: A1 Guardian Rim Dead Lock CoR: England, London Lock Sz: 154 x 116mm (plus 20mm bolt throw). Mt: iron, brass. Wt: 1.657kg. Key Sz: 130mm. Mt: iron. Wt: 52g. 5 levers. Aubin's anti-pressure device in a double sided 5 lever deadlock.	19 th century 1879	HoL-HC MLA-HR4/3
0000144	Nettlefolds		Lock: A1 Guardian. CoR: England Sz: 61 x 104mm. Mt: brass, steel. Wt: 378g. Marked: Aubin Maker. A brass block, with just enough space to allow the key to enter, is attached to and moves with the bolt tail which makes the lock powder proof.	19 th century	HoL-HC MLA-HR4/3
0001193 /1947	Nettlefolds		Lock: Rim Dead Lock D: late Victorian. Size: Co. England. Mat: steel, brass, painted black. A left hand, 4 lever, rim deadlock featuring Aubins anti-pressure device. Bolt head marked: "Nettlefolds A1 Patent Guardian". The lever springs are no longer integral.	19 th /20 th cent.	HoL-HC BTH-PP-

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style –	Group /Loc
0003699 /1947	Nettlefolds		Lock: Rim. CoR: England. Sz: 153 x 115 (plus bolt throw). Mt: iron, brass. Wt: 1.43kg.		HoL-HC BH- cap in 4LAB-00
0001862 /1947 /233	Nolo		Padlock: CoR Size: 46 x 72mm With loose cap.	20 th century	HoL-HC BTH-AB-N
0001771 /1947	Panzer		Lock: Mortice deadlock, slip bit operation. Sn: 1708. CoR: Germany. Sz: Marked: 'Panzer-Schloss-Fabrik Witzzenhausen'. Handle operated deadlock where slip bits are inserted into a slot in the handle and returned, after engaging the mechanism, into a tray at the bottom of the handle.	20 th century	HoL-HC MLA- HR13/1
0001213 /1947	Panzer Aktges		Key: CoR: Germany. Sz: 55mm. Mt: steel. Wt: 14g.	20 th century	HoL-HC BTH-KC-
0002453 /1947	Parise, A		Key: CoR: France. Sz: 95mm. Mt: steel. Wt: 24g.	19 th /20 th cent.	HoL-HC BTH-4LAB- P01
0002394 /1947	Parkes, J		Key: Union, RAC. Sn: 309829. CoR: England. Sz: 56mm. Mt: nickle silver. Wt: 12g.	20 th Century	HoL-HC BTH- 4L001
0000010	Parkes, Josiah		Key: RAC. Sn: 27416. CoR: England Sz: 56mm. Mt: nickel silver. Wt: 12g. Union, RAC (Royal Automobile Club) members' key.	20 th century	HoL-HC BTH-KC
0000021	Parnell		Padlock: Defiance Patent Padlock. Sn: 1666. CoR: England Lock Sz: 57 x 85mm. Mt: brass, steel. Wt: 296g. Key Sz: 37mm. Mt: steel. Wt: 6g. Marked: 'Parnell's Patent 1666 Defiance Patent Lock, 52 Strand, London'.	19 th century	HoL-HC BTH-LR
000313 /1947	Parnell		Key: Defiance Patent. CoR: England. Sz: 133mm. Mt: brass, steel. Wt: 122g.	19 th century	HoL-HC MLA- HR12/2

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
					
0004052 /1947	Peerless		Handcuff: Sn: 92843. Sz:	20 th century	HoL-HC BH-
0002343 /1947	Perry, Thomas., & Son Ltd.		Badge: Safe plate. CoR: England. Sz: 163 x 117mm. Mt: pressed brass. Wt: Reads: "Thomas Perry & Son Ltd. Fire Resisting Special Safe Bilston."	19 th century	HoL-HC BTH-AB- P01
0001095 /1947	Phillips		Lock: safe CoR: England Size: 90 x 81mm. Mt: steel, brass. Wt: 6 levers with double stump & oval lever pivot holes (anti-pressure?)	19 th /20 th cent.	HoL-HC BTH-AB-P
0002351 /1947	Phillips & Son		Badge: Safe plate. CoR: England. Sz: 126 x 76mm. Mt: brass. Wt: Reads: "Phillips & Son Patentees & Safe Engineers Birmingham".	20 th century	HoL-HC BTH-AB- P01
0002352 /1947	Phillips & Son		Badge: Safe plate. CoR: England. Sz: 125mm dia. Mt: brass. Wt: Reads: Phillips & Son Birmingham List II Fire Fall & Thief Resisting Safe Manufacturers".	20 th century	HoL-HC BTH-AB- P01
0001629 /1947 /PF-354 /165	Poly P		Lock: Bicycle Lock CoR: Sz: A patented 3 slider Bramah style mechanism.	20 th century	HoL-HC BTH-AB- P01
0001296 /1700 /PF-090 182	Polyp		Padlock: CoR: Sz: 78 x 71mm. Mt: steel. Brass. Wt: 406g. Uses an insert style stick lock.	20 th century	HoL-HC BTH-
0004770 /1947	Polyvector		Lock: Barrier CoR: Russia. Sz: Springless mechanism.	20 st century	HoL-HC MLA- HR20/4

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0002365 /1947	Port, John		Badge: Safe plate. CoR: England Sz: 102 x 103mm. Mt: cast brass. Wt:	19 th century	HoL-HC BTH-AB-P01
0002360 /1947	Price, C		Badge: Safe plate. CoR: England. Sz: 138 x 107mm. Mt: cast brass. Wt:	19 th century	HoL-HC BTH-AB-P01
0001526 /1947	Price, Cyrus		Badge: CoR: England Sz: 165mm dia. Mt: pressed brass. Wt:	19 th century	HoL-HC BTH-
000011	Price, George		Lock: Sn: 323. CoR: England. Lock Sz: 76 x 58 x 17mm. Mat: brass, steel. Wt: 220g. Key Sz: 48mm. Mt: steel. Wt: 8g. Lock: Cut cabinet lock, Ne Plus Ultra 7 lever. Prices' anti-pressure patent in a flanged safe/cabinet lock. One of a series of locks display fretted and originally donated, by the maker, to the South Kensington Museum (now the Science Museum).	19 th century 1860	HoL-HC MLA-HR12/2
0000748 /1947	Price, George		Badge: Combined Safe Plate and Key escutcheon. CoR: England. Sz: 134 x 223mm. Mt: cast brass. Reads: "George Price's Improved Patent 212 Cleveland works Wolverhampton Prize Medal 1862 For Safes & Locks G". Featuring the Royal coat of arms, 212 in an oval cartouche, indicating the temperature in degrees Fahrenheit, that water turns to steam, a reference to the early method of fire proofing safes and G in a triangular cartouche a discrete indication of his Masonic association. See also: George Price –Victorian Champion of The Security Trade a paper by Pat Tempest.	19 th century - Victorian	HoL-HC BTH-
0000972 /1947	Price, George		Key: 9 Lever Safe Key Sn: 62. CoR: England. Size: 98mm. Mt: steel. Wt: Marked: "George Price Wolverhampton 62".	19 th century	HoL-HC BTH-KC-
0001153 /1947	Price, George		Badge: Safe Makers Combined Plate and Key Escutcheon. D: Victorian. Size: 125 dia. Co: England. Mat: cast brass. Reads: "George Price's Improved Patent Cleveland works Wolverhampton Prize Medal 1862 For Safes & Locks G".	19 th century	HoL-HC MLA-HR12/2

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0001216 /1947	Price, George		Badge: Safe Makers Plate. Co: England. Sz: 152 x 98 x 3mm. Mt: cast bronze. Reads: "George Price's Safe Co. Bankers Engineers Wolverhampton" in an oval cartouche. These plates are in the same style, apart from wording, as the Gibbons plate, and therefore have concluded this was issued after Gibbons had acquired the company.	19 th /20 th cent.	HoL-HC- PP-
0004616 /1947	Quik-Kuf		Lock: Handcuff. Sn: 162596. CoR: USA. Sz: 213 x 79mm. Mt: steel, plastic. Wt: 344g.	20 th century	HoL-HC KTC-
0004653	Ratcliffe Horner &		Badge: Ratner. CoR: England. Sz: 158 x 117mm. Mt: cast brass. Wt: 408g.	19 th century 18**	HoL-HC BH-B5- 14/1
0000061	Ratner		Model: Strongroom Door. CoR: England Sz: 196 x 333 x 90mm. Mt: steel, brass, Wt:	20 th century	HoL-HC MLA- HR11/4
0000415 /177	Ratner		Lock: Safe, Change Key. Sn: 24627. CoR: England. Lock Sz: 145 x 88. Mt: cast iron, steel, brass. Wt: 2.242kg. Key Sz: 99mm. Mt: steel. Wt: 20g. "with 3 differ c-k keys, serial numbers 28208, 30065 and un-numbered. The key that locks is the only one that can open it.		HoL-HC MLA-HR
0000926 /1947	Ratner		Lock: Change Key lock Sn: 18123, Co: England Sz: 143 x 86mm. Mt: iron, brass. Wt: 2.226kg.	19 th century	HoL-HC BTH-CAB-
0000927 /1947	Ratner		Lock: Change Key Lock Sn: 12376. CoR: England. Lock Sz: 129 x 86 x 30mm. Mt: iron, brass. Wt: 1.904kg. Key Sz: 99mm. Mt: steel. Wt: 19g.	19 th century	HoL-HC MLA- HR11/1

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0000995 /1947	Ratner		Lock: Safe, Wedge Bolt. Sn: 45803. CoR: England. Lock Sz: 139 x 93mm (117 x 141mm with bolt/wedges thrown). Mt: brass, bronze, steel. Wt: 1.98kg. Key Sz: 152mm. Mt: steel. Wt: 29g.	20 th century 1920's	Hol-HC MLA- HR11/2
0001117 /1947	Ratner		Lock: Double Stump. Sn: 49714. CoR: England. Size: 109 x 87mm (plus 9mm bolt throw). Mt: Brass, steel. Wt: 1.466kg.	20 th century 1930	Hol-HC MLA- HR11/2
0001158 /1947	Ratner		Lock: 7 lever safe. Sn: 73345. CoR: England. Lock Sz: 103 x 86 (plus 13mm bolt throw). Mt: bronze, steel, brass. Wt: 1.111kg. Key Sz: 192mm. Mt: steel. Wt: 60g. Features: 7 false notched levers, bolt blocker, relocker tail, detachable bit key.	20 th century 1977	Hol-HC MLA- HR11/2
0002214 /1947	Ratner		Lock: Safe, with relocker tail. Sn: 64618. CoR: England. Sz: 102 x 84 x 24mm (excluding bolt & relocker tail). Mt: steel, iron, brass. Wt:	20 th century 1954	Hol-HC BTH-AB- R01
0003694 /1947	Ratner		Badge: Safe plate. CoR: England Sz: 253 x 114mm. Mt: brass, chrome plated. Wt: The last of the great Victorian safe companies to be formed. Mr Ratcliffe and Mr Horner both of Milners formed a new company when Milner became incorporated. Indeed the new company was Known as Ratcliffe & Horner for a few years but changed to Ratner when they re-capitalised.	20 th century	Hol-HC MLA- HR11/1
0003703 /1947	Ratner		Lock: Safe. Sn: 30008. CoR: England Sz: 128 x 91mm (plus 11mm bolt throw). Mt: Iron, steel, brass. Wt: 1.563kg.	19 th century	Hol-HC MLA- HR11/1
000426 /1947 /188	Ratner		Lock: Change Key safe with fretted cap CoR: England. Sz: 128 x 85mm. Mt: iron, steel, brass. Wt: 1.772kg.	20 th century 1930's	Hol-HC JMF- MLA-HR
0004654 /1947	Ratner		Badge: CoR: England. Sz: 153 dia. Mt: cast brass. Wt: 714g.	20 th century	Hol-HC BH-
005141	Ratner		Lock: Change Key. Sn: 19708. CoR: England. Lock Sz: 144 x 88mm. Mt: iron, steel, brass. Wt: 2.244kg. Key Sz: 99mm. Mt: steel. Wt: 20g.	19 th century	Hol-HC BH-5-1

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
005142	Ratner		Lock: Exhibition Fretted Safe Lock. Sn: 69574. CoR: England. Lock Sz: 104 x 85mm. Mt: iron, steel, brass. Wt: 896g. Key Sz: 154mm. Mt: stainless steel. Wt: 48g. With detachable bit key.	20 th century	HoL-HC BH-5-1
0002376 /1947	RCS		Lock: Handcuffs. CoR: England. Sz: 240 x 79mm. Mt: steel. Wt: Size 3.	19 th century	HoL-HC BTH-AB- R01
0002210 /1947	Remmers		Badge: safe plate. CoR: Holland. Sz: 80 x 80mm. Mt: cast brass. Wt	19 th /20 th cent.	HoL-HC BTH-AB- R01
0001973 /1947	Ren		Lock: Bicycle. CoR: Sz: 116 x 130mm. Mt: steel. Wt: With key.	20 th century	HoL-HC BTH-AB- R01
0002268 /1947	Robbe & Co		Key: Erres, promotional. D: 20 th century. CoR: The Netherlands Sz: 175mm. Mt: nickle silver. Wt:	20 th century	HoL-HC BTH-4LAB- R01
0001278 /1947 /PF-077	Robur		Padlock: CoR: Germany. Sz: 49 x 87mm. Mt: steel Marked: 'DRP 363681 Robur Cest Pat 66497'	20 th century	HoL-HC BTH-AB- R01
0002600	Rosengrens		Lock: Escutcheon. Sn: 26072. CoR: Sweden. Sz: 100mm dia. x 52mm. With removable core.	20 th century	HoL-HC BTH-EXH
0004793 /1947	Ross Security Locks Pty Ltd		Lock: safe CoR: Australia. Lock Sz: 61.5 x 54mm. Mt: steel, brass. Wt: 356g. Key Sz: 67mm. Mt: steel. Wt: 16g.	20 th century	HoL-HC
0003596 /1947	Safemasters		Lock accessory: For use with S&G MP combination lock (also with this artefact). Combination: 50 25 50 (4L 3R 2L R to open) Note: bolt must be shot. (for 45mm thick door)	20 th century	HoL-HC BH-

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0003823 /1947	Salsbury		Lock: Rim Deadlock CoR: England. Sz:	20 th century 1950's/60's	HoL-HC BH-
0003824 /1947	Salsbury		Lock: Mortice Sash. CoR: England. Sz: 62 x 180mm, excluding bolts. Wt: 1.66kg.	20 th century	HoL-HC BH-
0001514 /1947 /PF-248 /43	Samson		Lock: Rim Deadlock CoR: Sz: No. on key: 889	20 th century	HoL-HC BTH-AB- S01
0002407	Sankey Sheldon		Key: Bilfix. Sn: F402. D: CoR: England. Sz: 47mm. Mt: nickel silver. Wt: Marked: "Pat 391043 Bilfix British Made Sankey- Sheldon"	20 th Century 1920's	HoL-HC BTH-KC-
0000526 /10 /30	Sargent & Greenleaf		Lock: Automatic Bank. Sn: 871. CoR: USA Sz: From a J J Taylor vault for Royal Bank of Canada, London, installed by J M Mossman. The door was eventually dismantled by J Reeder. HoL has the other lock.		HoL-HC BTH-
0000760 /1947	Sargent & Greenleaf		Key: Portal, American Secret Service retirement Key CoR: USA. Sz: 206mm. Mat: gold plated. Wt: 306g. A gold plated presentation key given to retiring Secret Service agents, this example has a Kennedy dollar inserted where the recipient's name would have been engraved.	20 th century 1970's	HoL-HC MLA- HR20/1
0001377 /1947	Sargent & Greenleaf		Lock: 4 wheel Combination safe lock Sn: 865. CoR: USA. Roundel in the centre of the dial reads: "J & J Taylor Combination: 5xR: 13, 4xL: 54, 3xR: 27, 2xL:81, R to open. Originally fitted to the Royal Bank of Canada, later to become Hong kong & Shankhii Bank (HSBC), the original installation specified by J M Mossman.	19 th century	HoL-HC MLA- HR22/2 Note: rear cap in ART- 4L-001
0004996 /1947	Sargent & Greenleaf		Time Lock: single 72 hour movement. CoR: USA Sz: 114 x 114 x 60mm (5mm Hinge Knuckles). Mt: brass, steel. Wt: 2.418kg.	19 th century	HoL-HC MLA- HR22/1

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0005014 /1947	Sargent & Greenleaf		Keyless Combination Lock: 3 Wheel. CoR: USA. Body Sz: 108 x 82mm. Mt: brass, steel. Dial Sz: 94mm dia. x 30mm. Mt: brass, steel. Specially produced for Detroit Safe Company. This example, cutaway, embellished and converted to exhibition or trophy use.	19 th century	HoL-HC MLA-HR-19
0005020 /1947	Sargent & Greenleaf		Time Lock: Model No. 4 CoR: USA. Sz: 121 x 113mm. Mt: brass, bronze, steel, glass. Wt:	19 th century 1890's	HoL-HC MLA-HR22/1
0005021 /1947	Sargent & Greenleaf		Time Lock: 3 72 hour movements. CoR: USA Sz: 173 x 125 x 71mm. Mt: bronze, brass, steel, glass.	19 th century	HoL-HC MLA-HR22/1
0005109	Sargent & Greenleaf		Lock: keyless combination, Interactive model. CoR: USA Sz (including interactive mount): This lock is set on: 25-4-49. Please reset to this number if you change the combination.	20 th century	HoL-HC MLA-HR
0005110	Sargent & Greenleaf		Lock: Keyless Combination, Slam Action, Interactive model. CoR: USA Sz: (including interactive mount): This is a slam deadlatch action; the combination is set on 50-50-50.	20 th century	HoL-HC MLA-HR
0005111	Sargent & Greenleaf		Lock: Time delay combination on interactive mount CoR: USA. Size (including interactive mount): A mechanical time delay in conjunction with a 3 wheel combination lock, set on 10-20-30.	20 th century	HoL-HC

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style –	Group /Loc
0003652 /1947	Schanninger, L.		Badge: safe. CoR: USA Sz: 71 x 209mm. Mt: cast brass. Wt: 810g 1. Reads: 'E Pluribus Unum (Latin, meaning 'out of many, one' and is the motto of The United States of America) L. Schanninger Fire Proof Chest Manufacturer Philadelphia'.		HoL-HC BH-
0004806 /1947	Sentinal		Reward Tag: Sn: 0129801. CoR: UK Sz: 52 x 19 x 3mm. Mt: zinc alloy. Wt: 16g.	20/21 st century	HoL-HC
0001551 /1947 /PF-277 /62	Sherlock		Lock: Rim Deadbolt. CoR: Germany Size: 74 x 110mm. Mt: steel. Wt: High security with 8,000 differs.	20 th century	HoL-HC BTH-AB-S01
0001767	Sherlock Gesellschaft		Lock: No.2R Cypher Lock CoR: Germany. Sz: key 121 x 15 x 7mm. Mt: steel. Wt: With two adjustable keys. A mechanical code rim deadlock with resettable keys which also resets the combination.	20 th century	HoL-HC MLA-HR +cap 4L001 +2 nd key KC
0001258 /1947	Shrimpton, A J. & Co.		Badge: Safe Plate. CoR: UK, England, West Bromwich Sz: 113 x 79 x 3mm. Mat: cast brass. Wt: 166g. Reads: "A J Shrimpton Manufactures West Bromwich".	19 th century	HoL-HC BTH-AB-S01
0003861 /1947	Sicherheits		Lock: Alarum CoR: Germany Sz: 119 x 139mm, excluding 15mm bolt throw. Mt: brass, steel. Wt: 906g.	20 th century	HoL-HC BH-4LAB-S01
0002366 /1947	Sicker Safe Co.		Badge: Safe plate. CoR: England. Sz: 118 x 120. Mt: cast brass. Wt:	19 th century	HoL-HC BTH-AB-S
0004976 /1947	Sirchie Finger Print Labs Inc		Handcuff: MIL-H-20050B CoR: USA. Cuff Sz: 232 x 75mm. Mt: steel. Wt: 307g. Key Sz: 45mm. Mt: steel. Wt: 4g.	20 th century	HoL-HC MLA-HR16/1

The History of Locks Museum – Heritage Collection


Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0004977 /947	Smith & Wesson		Handcuff: 104 CoR: USA. Cuffs Sz: 220 x 75mm. Mt: steel. Wt: 291g. Key Sz: 44mm. Mt: steel. Wt: 3g.	20 th century	HoL-HC MLA- HR16/1
0000939	SSG		Lock: Escutcheon 'Blister' with Chatwood Milner Manifoil MKIII Lock. D: 1967 Marked: "AWG 1967 24 01 400"	20 th century 1967	HoL-HC BTH-
0001217 /1947	SSG		Lock: Manifoil MK V R (modified). CoR: England. Sn: 018. Mt: steel, brass, cadmium lead. Hz: The shielding is a heavy metal – caution when handling.	20 th century 1977	HoL-HC MLA- HR23/3 Note: Original box in HoL AB- SSG03
0003867 /1947	SSG		Lock: Mersey Sn: M26096. CoR: UK. Sz: 83mm dia. Mt: brass, plastic, steel. Wt: .560g.	20 th century 1989	HoL-HC BH- 19LAB- SSG03
0004851 /1947	Stotz		Restraint: Handcuff CoR: Germany Cuffs Sz: 240 x 95mm. Mt: steel. Wt: 366g. Key Sz: 59mm. Mt: steel. Wt: 30g.	19 th century	HoL-HC MLA- HR13/1
0004796 /1947	Stratford		Badge: Safe Plate, Treasury CoR: UK Sz: 152 x 63mm. Mt: zinc alloy. Wt: 228g.	20 th century	HoL-HC
0001439 /1947 /PF-173	Sul		Padlock: CoR: Germany Lock Sz: 30mm dia, plus attached chain. Mt: Steel. Wt: 72g, including attached chain. Key Sz: 44mm. Mt: steel. Wt: 4g.	20 th century	HoL-HC BTH-4LAB- S01
0002225 /1947 /PF-492	SuL		Padlock: combination, 4 wheel. CoR: Germany. Sz: 36 x 57mm. Mt: brass, zinc alloy. Steel.	20 th century	HoL-HC MLA- HR17/2

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style –	Group /Loc
0000895 /1947	Tann		Lock: Exhibition Rim Deadlock Sn: 12117. CoR: England. Lock Sz: 159 x 122 (plus 17mm bolt throw). Mt: steel, brass. Wt: 1.983kg. Key Sz: 102mm. Mt: steel. Wt: 26g	19 th century	HoL-HC MLA-HR5/1
0003187 /1947	Tann		Lock: detector. CoR: England. Sz: 95 x 102mm. Mt: iron, brass, Wt: 639g. 6 levers including the detector lever, which is sprung by the detector catch.	19 th century – Victorian	HoL-HC MLA-HR5/3
0003656 /1947	Tann		Lock: safe, CoR: England Lock Sz: 62 x 71 x 38mm. Mt: steel, brass. Wt: 546g. Construction Key Sz: 76mm. Mt: steel. Wt: 16g. Operating key Sz: 76mm. Mt: steel. Wt: 16g. Combination retaining clip Sz: 22 x 19mm. Mt: steel. Wt: 4g. Construction feature, patent model	20 th century	HoL-HC MLA-HR5/3
0003691 /1947	Tann		Lock: Exhibition showcase lock, Box lock. CoR: England. Sz: 90 x 51mm. Mt: brass, steel. Wt: 248g. Marked: "J Tann Patent Nozel 30 Woolbrook London".	19 th century Victorian	HoL-HC MLA-HR5/2
0003700 /1947	Tann		Lock: Cabinet drawer CoR: England Lock Sz: 72 x 60mm (plus 8mm bolt throw). Mt: brass, steel. Wt: 172g. Key Sz: 44mm. Mt: steel. Wt: 5g. A lock from the Tann exhibition showcases and featuring the guarded lever in a fretted & engraved case.	19 th century	HoL-HC MLA-HR5/2
0003773 /1947	Tann		Lock: Exhibition showcase, cut box. CoR: England Sz: 51 x 33mm. Mt: brass, steel. Wt: 48g. Marked: 'J Tann Imp Lever'.	19 th century	HoL-HC MLA-HR5/2
0003868 /1947	Tann		Lock: Safe. CoR: UK. Sz: 119 x 84mm. excluding bolt work. Mt: steel, brass. Wt: 1.556kg. With 3 detachable bit keys on carry stems.	20 th century	HoL-HC BH-4LAB-TAN01

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0004382 /1947	Tann		Lock: Safe, guarded lever. CoR: England. Lock Sz: 103 x 104mm. Mt: iron, brass. Wt: 1.736kg. Key Sz: 137mm. Mt: steel. Wt: 29g Six levers, one of which is guarded, also incorporated the Reliance patent and Tann's bolt blocking device. The cap for this lock is hardened and oversize to also protect the bolt head.	19 th century	HoL-HC MLA-HR5/3
0004999 /1947	Tann		Padlock: Guarded Lever. CoR: England. Sz: 39 x 66mm. Mt: brass, steel. Wt: 167g. Key Sz: 38mm. Mt: steel. Wt: 5g. From the Tann 19 th century exhibition showcases.	19 th century	HoL-HC MLA-HR5/2
0005004	Tann		Lock: Safe, guarded lever. CoR: England. Lock Sz: 103 x 104mm. Mt: iron, brass. Wt: 1.736kg. Key Sz: 137mm. Mt: steel. Wt: 29g Six levers, one of which is guarded, also incorporated the Reliance patent and Tann's bolt blocking device. The cap for this lock is hardened and oversize to also protect the bolt head.	20 th century 1930's	HoL-HC MLA-HR
0005097 /1947	Tann		Lock: Exhibition fretted box lock. CoR: England Lock Sz: 101 x 61mm. Mt: brass, steel. Wt: 287g. Key Sz: 48mm. Mt: steel. Wt: 6g.	19 th century	HoL-HC MLA-HR
005136	Tann		Lock: Detector Lock. Sn: T64100. CoR: England. Sz:	20 th century 1966	HoL-HC BCC
0000429 /1947 /191	Tann, John Tann		Lock: CoR: England Sz: 128 x 111mm. Mt: steel, brass. Wt: 1.789kg. Including all the features as lock artefact 5005, but with the addition of the nozzle patent.	20 th century 1900's	HoL-HC MLA-HR


Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0000421 /1947 /183	Tann, E		Badge: Safe Plate CoR: England. Sz: 138 x 145mm. Mt: brass. Wt: 290g. A two part badge with detachable crest.	19 th century	HoL-HC BTH-
0005000 /1947	Tann, E		Lock: Rim Deadlock, Exhibition. CoR: England Lock Sz: 132 x 97 mm. Mt: brass, steel. Wt: 1.043kg Key Sz: 83mm. Mt: steel. Wt: 22g. 8 interleaved levers, four pivoted from the left, four pivoted from the right. Silver plated this lock is from Tann's original 19 th century exhibition showcases.	19 th century	HoL-HC MLA- HR5/1
0000978 /1947	Tann, J		Key: Guarded lever Key. CoR: England. Size: 72mm. Mt: steel	19 th century	HoL-HC BTH-KC
0001039 /1947	Tann, J		Lock: Safe lock with Guarded lever. Size: 78 x 67mm 7 lever of which 1 is guarded, 1 non original key. Marked on cap: 'J Tann's Patent Guarded 11 Newgates London'	19 th century	HoL-HC BTH-
0001104 /1947	Tann, J		Lock: Exhibition engraved & Fretted Showcase Lock CoR: England Lock Sz: 98 x 76mm (plus 14mm bolt throw). Mt: brass, steel, silver plating. Wt: 590g. Key Sz: 69mm. Mt: steel, silver plated. Wt: 11g. Features include Guarded lever, Reliance patent and detector. Key Marked: J Tanns Patent 30 Walbrook London.	19 th century 1850's	HoL-HC MLA- HR5/1
0001256 /1947	Tann, J		Badge: Safe Handle Rose CoR: England. Mt: cast brass Reads: "J. Tann 30 Walbrook London".	19 th century	HoL-HC BTH-AB- T01
0003997 /1947	Tann, J		Key: Guarded lever. CoR: England Sz: 115mm. Mt: steel. Wt: 58g. Marked: 'SL'	19 th century	HoL-HC MLA- HR5/2
0005093	Tann, J		Lock: Box, Exhibition CoR: land Sz: 75 x 45mm. Mt: brass, steel.	19 th century	HoL-HC MLA-HR

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0000419 /1947 /181	Tann, John		Badge: Safe Plate CoR: England Sz: 148 x 146mm. Mt: cast brass. Wt: 341g With city of London Arms crest.	19 th century	HoL-HC BTH-
0000420 /1947 /182	Tann, John		Badge: Safe Plate. CoR: England. Sz: 185 x 66mm. Mt: cast brass. Wt: 251g. Reads: 'John Tann 11 Newgate Street London'.	19 th century	HoL-HC BTH-
0000427 /1947 /189	Tann, John		Lock: Guarded Lever CoR: England Sz: 78 x 104mm. Mt: iron, steel, brass. Wt: 1.004kg.	19 th century	HoL-HC BTH-
0000719 /1947	Tann, John		Badge: Safe Badge. CoR: England. Sz: 146 x 168mm. Mt: cast brass. Wt: Cast in brass this badge would have been used on the highest grade vault doors. The Reliance patent, symbolised with an anchor, first introduced in 1845 and featured in the best Tann safe locks.	20 th century	HoL-HC BTH-
0001146 /1947	Tann, John		Lock: Sliding Door Exhibition Rim Lock. CoR: England Lock Sz: 180 x 133mm (plus 11mm bolt extension and 37mm when thrown). Mt: iron, brass. Wt: 2.34kg. Key Sz: 93mm. Mt: steel. Wt: 39g.	19 th century	HoL-HC MLA- HR5/1
0001147 /1947	Tann, John		Lock: Rim Dead Lock, Exhibition. Lock Sz: 199 x 125mm. Mt: steel, brass. Wt: 2.013kg. Key Sz: 111mm. Mt: steel. Wt: 42g.	19 th century	HoL-HC MLA- HR5/3
0001148 /1947	Tann, John		Lock: Rim Lock, Exhibition. CoR: England Lock Sz: 149 x 98mm. Mt: iron, brass. Wt: 1.036k. Key Sz: 95mm. Mt: steel. Wt: 20g. From the original Tann Exhibition Showcases.	19 th century	HoL-HC MLA- HR5/2

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style –	Group /Loc
0001196 /1947	Tann, John		Lock: 9 lever Safe lock with Guarded Lever. CoR: England. Sz: 102 (plus 14mm bolt throw) x 102 x 29mm (52mm including locating pins and key ejector). Mat: steel, brass, painted silver grey. Key retaining operation. With 1 detachable bit key (bit numbered 69667) and stem. Note: curtain check lever illustrated separately for clarity.	20 th century	HoL-HC BTH-4LAB-TAN01
0003789 /1947	Tann, John		Badge: CoR: England. Sz: 78 x 31mm. Mt: bronze. Wt: 56g.		HoL-HC BH-4LAB-TAN01
0004395 /1947	Tann, John		Lock: Night safe pouch. Sn: WTB391. CoR: England Sz: 160 x 206mm. Mt: leather, brass. Wt: 542g.	20 th century	HoL-HC BH-AB-TAN
0004614 /1947	Tann, John.		Ancillary fitting – Badge: Safe. CoR: England. Sz: 114 x 70mm. Mt: brass. Wt: 68g. Reads: "John Tann's Safe Works Treadway St Bethnal Green".	19 th Century	HoL-HC BH-
0000417 /10 /179	Tann. John Tann.		Badge: Safe CoR: England. Sz: 200 x 230mm. Mt: pressed brass. Wt: 267g.	19 th century	HoL-HC MLA-HR
0000423 /1947 /185	Tann. John Tann.		Lock: direct drive safe lock with detector. CoR: England Sz: 113 x 141mm. Mt: steel brass. Wt: 1.116kg.	19 th century 1840's	HoL-HC MLA-HR
0000425 /10 /187	Tann. John Tann. 11 Newgate Street, London.		Lock: Safe, Bank Lock CoR: England Sz: 180 x 170mm. Mt: steel, brass, bronze. Wt: 3.6kg " large patent bank lock with nozzle, 8 levers and relocker"	19 th century 1874	HoL-HC MLA-HR

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0001739 /1947	Taunton, J & J		Badge: Safe. CoR: England. Size: 111 x 112mm. Mt: cast iron. Wt: Reads: "John & Josh Taunton Manufactures Birmingham".	19 th century	HoL-HC BTH-AB- T01
0003659 /1947	Taylor, Jack		Key: portal - achievement. CoR: England. Sz: With hardwood plinth.	20 th century	HoL-HC 9LAB- TAY01
0001774 /PF-514 /190	Thura		Lock: Bicycle lock, model 222. CoR: Size: 125 x 165mm. Mt: steel. Wt: 5, lever operated, combination lock. Marked 'Dansk Patent'.	20 th century	HoL-HC BTH-AB- T01
0001250 /1947	Tidmarsh Harvey & Co		Badge: Safe Makers Plate CoR: England. Sz: 136 x 132 x 4mm. Mt: cast brass. Reads: "Tidmarsh, Harvey & Co. Bankers' & Constructional Engineers "Villiers Security" London & Wolverhampton". A shield shaped badge.	19 th /20 th cent.	HoL-HC BTH-AB
0001420 /1947 /PF-158	Trappmann, Hugo		Padlock: Hutra CoR: Lock Sz: 35 x 54mm. Mt: brass. Wt: 122g. Key Sz: 45mm. Mt: nickel silver. Wt: 8g.	20 th century	HoL-HC BTH-4LAB- H01
0001861 /1947	Tris		Padlock: CoR: Sz: 55 x 84mm. Mt: steel. Wt: 148g. With loose cap.	20 th century	HoL-HC BTH-4LAB- T01
0001251 HoL	Trusty		Badge: CoR: England. Sz: Mt: cast iron Reads: "Bent Steel Fire Resisting Safe London Make Trusty Established 1837 Trade Mark Registered".	19 th century	HoL-HC BTH-PP
0000453 /1947 /177a	Tucker Reeves &		Lock: Size: 91 x 76mm, Co: England, London. 7 lever safe lock, 'cut style' with anti-pressure device, a barrel & curtain and powder proof qualities. Pr: Donated to HoL by MJF 08/2015. Key made by		HoL-HC AB-T

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style –	Group /Loc
			TW.		
0005029	Tucker & Reeves		Lock: Sn: 13292. CoR: England. Sz:	19 th century Victorian	HoL-HC
0004573 /1947	Turner, T.		Lock: Detector. Sn: 10539. CoR: England. Lock Sz: 111 x 112mm. Mt: brass, iron. Wt: 653g. Key Sz: 97mm. Mt: steel. Wt: 34g. Three lever with collar ward	19 th century	HoL-HC MLA- HR/12
0001415 /1947 /PF-153 /135	Union		Padlock: CoR: Sz: 49 x 77mm. Mt: steel, brass. Wt: 168g. Key: 57mm. Wt: 10g.	20 th century	HoL-HC 4LAB-U01
0004959 /1947	Uniqey	 	Lock: Hotel, card operated. CoR: UK (but with some standard lock parts sourced internationally) Internal body Sz: 90 x 242 x 30mm (plus lever). External body Sz: This lock is mounted on its original demonstration/promotional stand. This system used the same technology as credit cards; the hotel manager could program and reprogram the guest room card. The programmer for the system was a DOS desktop computer system.	20 th century	HoL-HC MLA- HR15/2
0004960 /1947	Uniqey		Lock: Hotel, card operated. CoR: UK (but with some standard lock parts sourced internationally) Internal body Sz: 90 x 242 x 30mm (plus lever). External body Sz: This lock, with a dead latch also has a privacy deadbolt and is mounted on its original demonstration/promotional stand. This system used the same technology as credit cards; the hotel manager could program and reprogram the guest room card. The programmer for the system was a DOS desktop computer system.	20 th century	HoL-HC MLA- HR15/2

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
					
0005112	Unpickable Lock Co.		Lock: Needle. CoR: England. Lock Sz: 255 x 150mm. Mt: iron, steel, brass. Wt: 3.276kg. Key Sz: 108mm. Mt: steel. Wt: 32g. This lock has, instead of conventional levers, a series of stout wires which had to be lifted both vertical and lateral to a register plate with holes to allow the wires to pass through. The original patent also allowed for these wires to be of any variety of geometric shapes.	19 th Century	HoL-HC MLA-HR Cap in: BH-4L001
0001390 /1947 /144	Vachette		Padlock: CoR: France Lock Sz: 45 x 70mm. Mt: iron, brass. Wt: 116g. Key Sz: 52mm. Mt: iron. Wt: 10g. Lock marked: Brevete VF Paris. Key stamped: 36E 1.	20 th century	HoL-HC MLA- HR17/2
0000950 /1947	Vaughan Ltd., H & T		Lock: Motor Vehicle. CoR: England. Sz: 28 (plus bolt throw: 11mm) x 79mm. Mt: steel, brass. Wt: 143g. cylinder marked 'H&TV' stamped 'LL42', Lock marked Patent No. 243529/24	20 th century 1924>	HoL-HC BTH-4LAB- V01
0000002	Vaughan, H & T.		Key: Portal Sn: 10861. CoR: England, London Sz: 69mm. Mt: nickel silver. Wt: 18g Automobile Association (AA) members key. Marked:	20 th century 1920	HoL-HC BTH-KC
0005012 /1947	Victor		Lock: Keyless Combination. CoR: Sz: 113 x 93mm (plus 20mm bolt throw). Mt: brass, bronze, steel. This example, fretted, embellished and converted to exhibition or trophy use.	19 th /20 th century	HoL-HC MLA- HR19
0000309 /1947	Walton		Lock: 3 false notched levers CoR: England Lock Sz: 205 x 133mm (plus 24mm bolt throw). Mt: steel, brass, bronze. Wt: 2.52kg. Key Sz: 132mm. Mt: steel. Wt: 97g. The Walton family were very inventive locksmiths	19 th century - Georgian	HoL-HC MLA- HR4/3 Note: cap in AB-W



Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
			and were one of the earliest to feature false notches in their locks.		
0002359 /1947	Whitfield		Badge: Safe plate. CoR: England. Sz: 119 x 89mm. Mt: brass. Wt:	20 th century	HoL-HC BTH-AB- W01
0004767 /1947	Whitfield		Key: Bramah CoR: England. Sz: 108mm. Mt: steel. Wt: 52g.		HoL-HC BH-
005140	Whitfield & Co		Lock: 8 slider. Sn: 11231. CoR: England. Lock Sz: 90 x 108mm. Mt: steel, brass, Wt: 632g. Key Sz: 93mm. Mt: steel. Wt: 40g.	19 th century	HoL-HC BH-EXPO- 2/2
0000448 /1947 /169a	Whitfield, F		Lock: Safe, Mappin's Patent. Sn: A12368. CoR: England Lock Sz: 90 x 115mm. Mt: steel, brass. Wt: 676g. Key Sz: 93mm. Mt: steel. Wt: 43g.	19 th century	HoL-HC MLA-HR
0002354 /1947	Whitfield, F		Badge: Safe plate. CoR: England. Sz: 135 x 89mm. Mt: cast brass. Wt:	19 th century	HoL-HC BTH-AB- W01
0002355 /1947	Whitfield, F		Badge: Safe plate. CoR: England. Sz: 120 x 90mm. Mt: brass. Wt:	19 th /20 th cent.	HoL-HC BTH-AB- W01
0002356 /1947	Whitfield, F		Badge: Safe plate. CoR: England. Sz: 185 x 117mm. Mt: brass. Wt:	19 th /20 th cent.	HoL-HC BTH-AB- W01
0003091 /1947	Whitfield, F		Badge: safe plate. Sz: 116 x 120mm. Mt: cast brass. Wt: 146g.		HoL-HC BH-4LAB- W01
0004797 /1947	Whitfield's		Badge: CoR: UK. Sz: 141 x 54mm. Mt: brass. Wt: 127g	20 th century	HoL-HC

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0002363 /1947	Whittingham Bros Ltd		Badge: Safe plate. CoR: England. Sz: 108 x 76mm. Mt: cast brass. Wt:	19 th century	HoL-HC BTH-AB- W01
0002322 /1947	Willes		Lock: Mortice Sash. CoR: Holland, Amsterdam. Sz: 97 x 304mm. Mt: steel, brass. Wt: 4 lever double throw.	20 th century	HoL-HC BTH-AB- W01
0002406 /1947	Wilmot Breedon		Key: Bilfix. Sn: 00505. CoR: England. Sz: 48mm. Mt: nickel silver. Marked: "Made in England Bilfix Pat 391043 Wilmot Breedon".	20 th century	HoL-HC BTH-KC
0004615 /1947	Wilson's Patent Safe Co.		Ancillary fitting – Badge: Safe. CoR: England. Sz: 113mm dia. Mt: cast brass. Wt: 240g.	19 th century	HoL-HC BH-
0002339 /1947	Withers, S		Badge: Safe plate. CoR: England. Sz: 140 x 105mm. Mt: brass. Wt: Reads: "Samual Withers & Co. Registered Trade Mark Without Which None Are Genuine Westbromwich".	19 th century	HoL-HC BTH-AB- W01
0002346 /1947	Withers, S		Badge: Safe Plate. CoR: England. Sz: 120 x 88mm. Mt: cast brass. Wt:	19 th century	HoL-HC BTH-AB- W01
0002347 /1947	Withers, S		Badge: Safe plate. CoR: England. Sz: 165 x 107mm. Mt: cast bronze. Wt: W202 cast in back. Reads: " Samual Withers & Co. Ltd".	20 th century	HoL-HC BTH-AB- W01
0002358 /1947	Withers, S		Badge: Safe plate. CoR: England. Sz: 142 x 106mm. Mt: cast iron. Wt:	20 th century	HoL-HC AB-W01

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style –	Group /Loc
0002362 /1947	Withers, S		Badge: Safe plate. CoR: England. Sz: 143 x 108mm. Mt: pressed brass. Wt:	19 th /20 th cent.	Hol-HC BTH-AB- W01
0002371 /1947	Withers, S		Escutcheon: Safe. CoR: England. Sz: 59 x 108mm. Mt: cast brass. Wt: Reads: "S Withers Patent Safe Powder Proof Unpickable Lock West Bromwich and London".	19 th century	Hol-HC BTH-AB- W01
0001527 /1947	Withers, S., & Co		Badge: CoR: England. Sz: 186 x 183mm. Mt: pressed brass. Wt:	19 th century	Hol-HC BTH-AB- W01
0001528 /1947	Withers, S., & Co.		Badge: CoR: England. Sz: 147mm dia. Mt: cast iron. Wt:	19 th /20 th cent.	Hol-HC BTH-AB- W01
0001100 /1947	Withers, T		Badge: safe CoR: England, West Bromwich. Sz: 124 x 76mm, Mt: cast brass. Wt: 142g.	19 th century	Hol-HC BTH-AB-W
0002349 /1947	Withers, T		Badge: Safe plate. CoR: England. Sz: 142 x 103mm. Mt: cast iron. Wt:	19 th century	Hol-HC BTH-AB- W01
0002353 /1947	Withers, T		Badge: Safe Plate. CoR: England. Sz: 146 x 106mm. Mt: cast brass. Wt: Reads: T Withers & Son & Sons Estd. 1855 Trade Mark Manufacturers West Bromwich".	19 th century	Hol-HC BTH-AB- W01
0003548 /1947	Withers, T., & Son & Sons		Badge: safe. CoR: England. Sz: 189 x 120mm. Mt: brass. Wt: 250g.	19 th /20 th century	Hol-HC BH-AB-W
005138	WLN		Lock: Detector, Exhibition. Sn: L54532. CoR: England. Lock Sz: 57 x 76mm (plus 9mm bolt throw). Mt: brass, steel. Wt: 256g. Key Sz: 58mm. Mt: steel. Wt: 10g. Key retaining.	20 th century 1966	Hol-HC BH-EX1-

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0001033 /1947	W-Lok		Padlock: springless CoR: USA. Sz: 52mm. Mt: stainless steel. Wt: Features: Harsh environment	20 th century 1999/06/12	HoL-HC MLA- HR20/2
0004772 /1947	Wormald		Padlock: with key CoR: England. Lock Size: 34 x 50mm. Mt: brass. Wt: 78g. Key Sz: 84mm. Mt: brass, steel. Wt: 24g. Utility padlock marked; 'Whitney Gas & Coke Co' Key Type: DU967.	20 th century 1931	HoL-HC MLA-HR
0001142 /1947	Wright Groom		Lock: Davis Patent Dispatch Box Lock. CoR: England. Size: 76 x 41mm. Mt: brass, steel. Wt: 138g. Marked: on flange – Wright & Groom Manufactures. On cap – Colonial Office Downing Street. Under cap – Any one applying for a key inform this office and you shall be rewarded.	19 th century	HoL-HC MLA- HR12
0001143 /1947	Wright Groom		Lock: Davis Patent Dispatch Box Lock. CoR: England. Size: 93 x 44mm. Mt: brass, steel. Wt: 184g. Marked: On flange – Wright & Groom Manufacturers London, on outer cap: 'Foreign Office Downing Street' and on removal of the cap it's further inscribed with the following warning 'If anyone apply for a key inform a secretary of state & you shall receive £50.'	19 th century - William IV	HoL-HC MLA- HR4/2
0000312	Yale		Time Lock: Pindial. CoR: USA. Sz: 198 x 153 x 79mm. Mt: brass, steel, glass. Wt: With two E Howard movements and the weekend attachment. Note the eyelets set in the glass for winding the movements; once set there would be no need to open the door to operate the lock.	19 th century	HoL-HC MLA- HR22/1
0000907 /1947	Yale		Padlock: CoR: USA Size: 51 x 66mm. Mt: cast iron, bronze. Wt: 270g. Cast iron body with bronze shackle. Original design with a flat (feather) key. Marked on cylinder 'Y1323'	19 th /20 th cent.	HoL-HC BTH-
0001155 /1947	Yale		Time Lock: 3 Movement CoR: USA. Sz: 132 x 123 x 72mm. Mt: brass, steel, glass. Wt: 3.342kg. Special time lock which directly operates, via linkage, a, clockwork powered, bolt-work motor which would release the door at a predetermined time. There would be no external locks, keyholes or	19 th /20 th century	HoL-HC MLA- HR22/1

The History of Locks Museum – Heritage Collection

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style –	Group /Loc
			handles on the safe door.		
0001242 /1947 /PF-047 /216	Yale		Padlock: Sn: 36. CoR: USA. Lock Sz: 39 x 51mm. Mt: iron, brass. Wt: 110g. Key Sz: 46mm. Mt: iron. Wt: 4g.	20 th century	HoL-HC BTH-4LAB- YAL01
0001397 /1947	Yale		Key: Treasury. CoR: USA Sz: Mat: bronze, steel With detachable bit	19 th century	HoL-HC BTH-KC
0001425 /1947 /PF-159 /110	Yale		Padlock: Standard. CoR: USA Sz: 29 x 43mm. Mt: bronze. Wt:	20 th century	HoL-HC BTH-
0001433 /1947 /PF-167 /161	Yale		Padlock: Terror Co: USA Lock Sz: 32mm. Mt: iron. Wt: 38g. Key Sz: 35mm. Mt: iron. Wt: 4g.	20 th century	HoL-HC BTH-4LAB- YAL01
0001434 /1947 /PF-168	Yale		Padlock: CoR: USA. Lock Sz: 25mm. Mt: iron. Wt: 34g. Key Sz: 2g.	20 th century	HoL-HC BTH-4LAB- YAL01
0001435 /1947 /PF-169 /164	Yale		Padlock: Terror Lock Sz: 32mm. Mt: iron. Wt: 38g Key Sz: 35mm. Mt: iron. Wt: 4g.	20 th century	HoL-HC BTH-4LAB- YAL01
0001436 /1947 /PF-170	Yale		Padlock: CoR: USA. Lock Sz: 25mm. Mt: iron. Wt: 34g. Key Sz: 2g.	20 th century	HoL-HC BTH-4LAB- YAL01
0001510 /1947 /PF-244	Yale		Lock: Rim dead bolt. CoR: Germany. Lock Sz: 51 x 130mm (excluding bolt: 132 x 34 x 6mm). Mt: steel. Wt: 448g. Key Sz: 90mm. Mt: steel. Wt: 20g. Double throw.	20 th century.	HoL-HC BTH-
0001564 /1947 /PF-290 /42	Yale		Lock: Mortice Deadlock. CoR: Germany. Size: 73 x 101mm. Mt: steel. Double throw with a cruciform style key mechanism.	20 th century	HoL-HC BTH-AB- YAL01
0002233 /1947 /PF-499	Yale		Padlock: combination. Sn: T5775. CoR: USA Sz: 46 x 72mm. Mt: steel, zinc alloy. Wt:	20 th century	HoL-HC BTH-Lo10-

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0002392 /1947	Yale		Key: RAC. Sn: 100882. CoR: England. Sz: 64mm. Mt: nickle silver. Wt: 14g.	20 th century	HoL-HC BTH-4L001
0002393	Yale		Key: RAC. D: 20 th century. CoR: England. Sz: 63mm. Mt: steel. Wt: 12g	20 th century	HoL-HC BTH-4L001
0004845 /1947	Yale	 	Combination Lock: 4 wheel, Hand change. CoR: USA. Body Sz: Dial Sz: Spindle to suit a With a vision panel to demonstrate the 'pick-up' and 'drop-in'. The wheels are of the 'Hand-Change' style. A training/demonstration model which also features a gravity latching bolt. Combination: 10-20-30-40	20 th century	HoL-HC MLA-LR22/2
0005005 /1947	Yale		Time Lock: 3 72 hour movements. CoR: USA. Sz: 217 x 137 x 87mm. Mt: brass, steel, glass, jewels.	19 th /20 th century	HoL-HC MLA-HR22/1
0005022 /1947	Yale		Time lock: 3 72 hour Movements CoR: USA. Sz: 173 x 107 x 77mm. Mt: brass, steel, glass, jewels.	19 th /20 th century	HoL-HC MLA-HR22/1
0005023 /1947	Yale		Padlock: Original push key design. CoR: USA Lock Sz: 40 x 54mm. Mt: iron, bronze. Wt: 134g Key Sz: 40mm. Mt: steel. Wt: 3g.	19 th century	HoL-HC MLA-HR17/2
0005114	Yale		Key Machine: Sn: 9132. CoR: USA Sz:	20 th century	HoL-HC MLA-HR
0002019 /1947	Yale & Town Mfg. Co		Padlock: Yale Junior Disc Tumbler. CoR: England. Sz: 40 x 20 x 63mm. Mt: Mazak, steel, brass. Wt: With 2 keys marked: DC819.	20 th century	HoL-HC BTH-AB-YAL01

Art No: /Arc No: /FSN /Ref No.	Brand/ Company/ Group	Image thumbnail	Class/Title: Serial number: Country or Region: Size: Materials: Weight: Hazards: FdL: Found date/location Description/Notes/Provenance.	Date: c – y m d – period –style -	Group /Loc
0001074 /1947	Yale. Eaton		Lock: Bi-centric rim cylinder. CoR: USA. Sz: Both plugs keyed to 11111, each plug with 2 key blanks which are different keyways.	20 th century	HoL-HC BTH-AB- YAL01
0000022	Young, I		Lock: Fly Guard Lock. Sn: 273. CoR: England Lock Sz: 57x73mm. Mt: brass, steel. Wt: 156g. Key Sz: 40mm. Mt: steel. Wt: 6g. Marked: 'Fly Guard Detector Lock WR I Young Patentee '.	19 th century - WR	HoL-HC MLA- HR4/1
0004966 /1947	Yuil		Handcuff: M11 CoR: China Cuffs Sz: 221 x 76mm. Mt: Aluminium, steel. Wt: 179g. Key: Sz: 50mm. Mt: Zinc alloy. Wt: 5g.	20 th century	HoL-HC ANC- MLA- HR16/1
0001598 /1947 /PF-324	Zeiss Ikon		Lock: mortice dead, 211. CoR: Germany. Lock Sz: Key Sz: Cruciform key	20 th century	HoL-HC PFC- BTH-AB- Z01